# Ferdinand Bilstein GmbH + Co. KG

Date printed 01.06.2015, Revision 01.06.2015

Version 05. Supersedes version: 04 Page 1 / 9

SEC	SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1	Product identifier		
		febi 01089 antifreeze Article number 22270, 22268, 05011, 01089, 31276, 80933	
1.2	Relevant identified uses of the s	substance or mixture and uses advised against	
1.2.1	Relevant uses		
		Anti-freezing agents	
1.2.2	2 Uses advised against		
		For all uses not specified in SECTION 1.2.1	
1.3	Details of the supplier of the saf	fety data sheet	
	Company	Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com	
	Address enquiries to		
	Technical information	info@febi.com	
	Safety Data Sheet	info@febi.com	
1.4	Emergency telephone number		
	Advisory body	+49 (0)89-19240 (24h) (english)	
SEC	TION 2: Hazards identification		
2.1	Classification of the substance	or mixture	
		Acute Tox. 4: H302 Harmful if swallowed. STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.	
2.2	Label elements		
		The product is classified and required to be labelled in accordance with EC-Directives	
	Hazard pictograms		
	Signal word	WARNING	
	Contains:	Ethylene glycol	
	Hazard statements	H302 Harmful if swallowed. H373 May cause damage to organs through prolonged or repeated exposure.	
	Precautionary statements	<ul> <li>P101 If medical advice is needed, have product container or label at hand.</li> <li>P102 Keep out of reach of children.</li> <li>P260 Do not breathe vapours.</li> <li>P270 Do no eat, drink or smoke when using this product.</li> <li>P301+P312 IF SWALLOWED: Call a POISON CENTER / doctor if you feel unwell.</li> <li>P314 Get medical advice / attention if you feel unwell.</li> <li>P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.</li> </ul>	
2.3	Other hazards		
	Environmental hazards	Does not contain any PBT or vPvB substances.	
	Other hazards	none	

# Ferdinand Bilstein GmbH + Co. KG

Date printed 01.06.2015, Revision 01.06.2015



Version 05. Supersedes version: 04 Page 2 / 9

### **SECTION 3: Composition / Information on ingredients**

### **Product-type:**

#### The product is a mixture.

	Range [%]	Range [%] Substance		
	90 - 95	Ethylene glycol		
		CAS: 107-21-1, EIN	NECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX	
	GHS/CLP: Acute Tox. 4: H302 - STOT RE 2: H373			
	Comment on com	ponent parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%. For full text of H-statements and R-phrases: see SECTION 16.	
SEC	SECTION 4: First aid measures			
4.1	Description of fi	rst aid measures		
	General information	on	Change soaked clothing.	
	Inhalation		Ensure supply of fresh air. In the event of symptoms seek for medical treatment.	
	Skin contact		In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.	
	Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
	Ingestion		Consult a doctor immediately. Rinse out mouth and give plenty of water to drink. Do not induce vomiting.	
4.2	Most important	symptoms and ef	ffects, both acute and delayed	
		-,		

No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically. If swallowed or in the event of vomiting, risk of product entering the lungs. Forward this sheet to the doctor.

### **SECTION 5: Fire-fighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media	Carbon dioxide. Water spray jet. Dry powder. Foam.
Extinguishing media that must not be used	Full water jet.

### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products. Carbon monoxide (CO)

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

Date printed 01.06.2015, Revision 01.06.2015

Version 05. Supersedes version: 04 Page 3 / 9

SEC	SECTION 6: Accidental release measures			
6.1	Personal precautions, protective equipment and emergency procedures			
		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.		
6.2	Environmental precautions			
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.		
6.3	Methods and material for contain	ment and cleaning up		
		Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous earth). Dispose of absorbed material in accordance within the regulations.		
6.4	Reference to other sections			
		See SECTION 8+13		
SEC	TION 7: Handling and storage			
7.1	Precautions for safe handling			
		Use only in well-ventilated areas.		
		Do not eat, drink or smoke when using this product. Use barrier skin cream. Wash hands before breaks and after work. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.		
7.2	Conditions for safe storage, inclu	ding any incompatibilities		
		Keep only in original container. Prevent penetration into the ground.		
		Do not store together with oxidizing agents. Do not store together with food and animal food/diet.		
		Keep container tightly closed. Keep container in a well-ventilated place. Protect from heat/overheating.		
7.3	Specific end use(s)			

See product use, SECTION 1.2

# Ferdinand Bilstein GmbH + Co. KG

Date printed 01.06.2015, Revision 01.06.2015

Version 05. Supersedes version: 04 Page 4 / 9

# **SECTION 8: Exposure controls / personal protection**

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (GB)

·	
Range [%]	Substance
90 - 95	Ethylene glycol
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
	Long-term exposure: 20 ppm, 52 mg/m <sup>3</sup> , Vapour, particulate: 10 mg/m <sup>3</sup>
	Short-term exposure (15-minute): 40 ppm, 104 mg/m <sup>3</sup>

# Ingredients with occupational

# exposure limits to be monitored (EU) Range [%] Substance / EC LIMIT VALUES

90 - 95	Ethylene glycol
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
	Eight hours: 20 ppm, 52 mg/m <sup>3</sup> , H
	Short-term (15-minute): 40 ppm, 104 mg/m <sup>3</sup>

### DNEL

Range [%]	Substance
90 - 95	Ethylene glycol, CAS: 107-21-1
	Industrial, dermal, Long-term - systemic effects: 106 mg/m <sup>3</sup> .
	Industrial, inhalative, Long-term - local effects: 35 mg/m <sup>3</sup> .
	general population, dermal, Long-term - systemic effects: 53 mg/m <sup>3</sup> .
	general population, inhalative, Long-term - local effects: 7 mg/m <sup>3</sup> .
PNEC	
Range [%]	Substance
90 - 95	Ethylene glycol, CAS: 107-21-1

Range [%]	Substance
90 - 95	Ethylene glycol, CAS: 107-21-1
	soil, 1,53 mg/kg.
	sediment (freshwater), 20,9 mg/kg.
	sewage treatment plants (STP), 199,5 mg/l.
	seawater, 1 mg/l.
	freshwater, 10 mg/l.

### 8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation.
Eye protection	If there is a risk of splashing: Safety glasses.
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Nitrile rubber, >480 min (EN 374).
Skin protection	Light protective clothing.
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Do not inhale vapours.
Respiratory protection	Breathing apparatus in the event of high concentrations. Short term: filter apparatus, combination filter A-P2.
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 01.06.2015, Revision 01.06.2015



Version 05. Supersedes version: 04 Page 5 / 9

SECTION 9: Physical and chemical properties

SECTION 9: Phys	ical and c	hemical p	propertie	es

# 9.1 Information on basic physical and chemical properties

	Form	liquid
	Color	blue
	Odor	mild
	Odour threshold	not determined
	pH-value	~ 7,5 - 9 (50%)
	pH-value [1%]	not determined
	Boiling point [°C]	not determined
	Flash point [°C]	> 100 (DIN 51758)
	Flammability (solid, gas) [°C]	> 400 (DIN 51794)
	Lower explosion limit	not determined
	Upper explosion limit	not determined
	Oxidizing properties	no
	Vapour pressure/gas pressure [kPa]	< 0,01 (20°C)
	Density [g/ml]	~ 1,12 (DIN 51757) (20 °C / 68,0 °F)
	Bulk density [kg/m³]	not applicable
	Solubility in water	miscible
	Partition coefficient [n-octanol/water]	not determined
	Viscosity	not determined
	Relative vapour density determined in air	not determined
	Evaporation speed	not determined
	Melting point [°C]	not determined
	Autoignition temperature [°C]	not applicable
	Decomposition temperature [°C]	not determined
_		

9.2 Other information

none

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents.

#### 10.4 Conditions to avoid

See SECTION 7.2.

#### 10.5 Incompatible materials

Oxidizing agent Acids

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

Date printed 01.06.2015, Revision 01.06.2015

Version 05. Supersedes version: 04 Page 6 / 9

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### Acute toxicity

Product
ATE-mix, oral, 529 mg/kg bw.

Range [%]	Substance	
90 - 95	90 - 95 Ethylene glycol, CAS: 107-21-1	
	LD50, dermal, mouse: > 3500 mg/kg.	
LD50, oral, Rat: 7712 mg/kg.		
	LC50, inhalative, Rat: > 2,5 mg/l 6h.	
	LDLo, oral, Human: ca. 1600 mg/kg.	

Serious eye damage/irritation	not determined
Skin corrosion/irritation	not determined
Respiratory or skin sensitisation	not determined
Specific target organ toxicity — single exposure	not determined
Specific target organ toxicity — repeated exposure	not determined
Mutagenicity	not determined
Reproduction toxicity	not determined
Carcinogenicity	not determined
General remarks	Frequent persistent contact with the skin can cause skin irritation.
	The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Range [%]	Range [%] Substance		
90 - 95 Ethylene glycol, CAS: 107-21-1			
LC50, (96h), Pimephales promelas: 72860 mg/l.			
EC50, (96h), Selenastrum capricornutum: 6500 - 13000 mg/l.			
	EC50, (48h), Daphnia magna: > 100 mg/l OECD 202.		

### 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	The product is readily biodegradable.

#### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

Date printed 01.06.2015, Revision 01.06.2015



Version 05. Supersedes version: 04

Page 7 / 9

#### 12.6 Other adverse effects

Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

	Dispose of as hazardous waste. Disposal in an incineration plant in accordance with the regulations of the local authorities.
Waste no. (recommended)	160114*
Contaminated packaging	
	Packaging that cannot be cleaned should be disposed of as for product. Uncontaminated packaging may be taken for recycling.
Waste no. (recommended)	150102 150104 150110*

#### **SECTION 14: Transport information**

#### 14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

#### 14.2 UN proper shipping name

Transport by land according to	NO DANGEROUS GOODS	
ADR/RID		

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS" IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

#### 14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

### 14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

#### 14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

Date printed 01.06.2015, Revision 01.06.2015



Version 05. Supersedes version: 04 Pa

Page 8 / 9

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture			
	EEC-REGULATIONS	1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC	
	TRANSPORT-REGULATIONS	DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015).	
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4	
	- Observe employment restrictions for people	Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.	
	- VOC (1999/13/CE)	0%	
15.2	Chemical safety assessment		
		not applicable	
SEC	TION 16: Other information		
16.1	Hazard statements (SECTION 3)		
		H373 May cause damage to organs through prolonged or repeated exposure. H302 Harmful if swallowed.	
16.2	Abbreviations and acronyms:		
		ADR = Accord européen relatif au transport international des marchandises Dangereuses RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Chemicals Bureau EEC = European Inventory of Existing Commercial Chemical Substances ELINCS = European List of Notified Chemical Substances GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhernational Maritime Code for Dangerous Goods IUCLID = International Maritime Code for Dangerous Goods IUCLD = International Uniform ChemicaL Information Database LC50 = Lethal concentration, 50% IMDG = International Convention for the Prevention of Marine Pollution from Ships PBT = Presistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals TLV®/TWA = Threshold limit value – time-weighted average TLV®/TWA = Threshold limit value – short-time exposure limit VOC = Volatile Organic Compounds VPVB = very Persistent and very Bioaccumulative	
16.2	Other information		
10.3	Classification procedure	Acute Tox. 4: H302 Harmful if swallowed. (Calculation method)	

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure. (Calculation method)

# Ferdinand Bilstein GmbH + Co. KG

Date printed 01.06.2015, Revision 01.06.2015

Version 05. Supersedes version: 04 Page 9 / 9

**Modified position** 

SECTION 2 been added: H373 May cause damage to organs through prolonged or repeated exposure.

SECTION 2 been added: STOT RE 2

SECTION 2 deleted: WARNING

SECTION 2 been added: H302 Harmful if swallowed.

SECTION 2 been added: Acute Tox. 4

SECTION 7 been added: Do not eat, drink or smoke when using this product.

SECTION 8 been added: Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 12 been added: The product is readily biodegradable.

SECTION 15 been added: 2, gem. VwVwS vom 27.07.2005

SECTION 15 deleted: 1, gem. VwVwS vom 27.07.2005