Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - United Kingdom (UK) SAFETY DATA SHEET



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name	Castrol Chain Cleaner
Product code	₩52581-AT01 BE01 BE02 DE01 GB20 IT01 SEXX
SDS no.	452581
Product type	Aerosol.
1.2 Relevant identified uses	of the substance or mixture and uses advised against
Use of the substance/	Cleaner. Aerosol.
mixture	For specific application advice see appropriate Technical Data Sheet or consult our company representative.
1.3 Details of the supplier of	the safety data sheet
Supplier	Castrol (UK) Ltd
	Wakefield House
	Pipers Way Swindon
	Wiltshire SN3 1RE
E-mail address	MSDSadvice@bp.com
1.4 Emergency telephone nu	imber
EMERGENCY	Carechem:+44 (0) 1235 239 670 (24 hours)
TELEPHONE NUMBER	
SECTION 2: Hazards	identification
.1 Classification of the subs	
Product definition	Mixture
Rerosol 1, H222, H229 Skin Irrit. 2, H315	Regulation (EC) No. 1272/2008 [CLP/GHS]
STOT SE 3, H336 (Narcotic e Aquatic Chronic 2, H411	(ffects)
Classification according to	Directive 1999/45/EC [DPD]
The product is classified as da	angerous according to Directive 1999/45/EC and its amendments.
Classification	F+; R12
	Xi; R38
	R67 N: D51/53
Physical/chamical	N; R51/53 Extremely flammable
Physical/chemical hazards	Extremely flammable.
Human health hazards	Irritating to skin. Vapours may cause drowsiness and dizziness.
Environmental hazards	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
See Section 16 for the full text	t of the R phrases or H statements declared above.
See sections 11 and 12 for mo	ore detailed information on health effects and symptoms and environmental hazards.
.2 Label elements	
2.2 Label elements Hazard pictograms	\wedge \wedge \wedge
	Danger

SECTION 2: Hazards identification

Hazard statements	✓222 - Extremely flammable aerosol.
	H315 - Causes skin irritation.
	H336 - May cause drowsiness or dizziness.
	H411 - Toxic to aquatic life with long lasting effects.
	H229 - Pressurized container: may burst if heated.
Precautionary statements	
Prevention	₽280 - Wear protective gloves.
	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
	P273 - Avoid release to the environment.
	P251 - Do not pierce or burn, even after use.
Response	₱304 + P340 + P312 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.
Storage	P410 - Protect from sunlight.
olorage	P410 - Protect from sumight. P412 - Do not expose to temperatures exceeding 50 °C/122 °F.
Disposal	P501 - Dispose of contents and container in accordance with all local, regional, national and international regulations.
Hazardous ingredients	₩ydrocarbons, C6-C7, n-alkanes, isoalkanes, cyclics, <5% n-hexane
Supplemental label elements	Pressurised container: protect from sunlight and do not expose to temperature exceeding 50°C. Do not pierce or burn, even after use. Do not spray on a naked flame or any incandescent material. Keep away from sources of ignition - No smoking. Keep out of the reach of children.
Special packaging requireme	ents
Containers to be fitted	Not applicable.
with child-resistant fastenings	
Tactile warning of danger	Not applicable.
2.3 Other hazards	
Other hazards which do not result in classification	Solvent "sniffing" (abuse) or intentional overexposure to vapours can produce serious central nervous system effects, including unconsciousness, and possibly death.

SECTION 3: Composition/information on ingredients

Substance/mixture	Mixture				
Propellant: carbon dioxide	1				
			Clas	sification	
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
✓ydrocarbons, C6-C7, n- alkanes, isoalkanes, cyclics, <5% n-hexane	REACH #: 01-2119475514-35 EC: - CAS: -	>=90	F; R11 Xn; R65 Xi; R38 R67 N; R51/53	Flam. Liq. 2, H225 Skin Irrit. 2, H315 STOT SE 3, H336 (Narcotic effects) Asp. Tox. 1, H304 Aquatic Chronic 2, H411	[1]
Carbon dioxide	EC: 204-696-9 CAS: 124-38-9	>=1 - <5	Not classified.	Press. Gas Comp. Gas, H280	[2]
One Onetion 40 for the f			_		

See Section 16 for the full text of the R-phrases declared above.

See Section 16 for the full text of the H statements declared above.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

Product name	Castrol Chain Cleaner		Product code	#52581-AT01 BE01 BE02 DE01 GB20 IT01 SEXX	Page: 2/12
Version 4	Date of issue 6 October 2014	Format	United Kingdom (UK) (United Kingdo	Language om)	ENGLISH

SECTION 4: First aid measures

4.1 Description of first aid me	esures
Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention.
Skin contact	Wash skin thoroughly with soap and water or use recognised skin cleanser. Drench contaminated clothing with water before removing. This is necessary to avoid the risk of sparks from static electricity that could ignite contaminated clothing. Contaminated clothing is a fire hazard. Contaminated leather, particularly footwear, must be discarded. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention.
Inhalation	If inhaled, remove to fresh air. Get medical attention.
	If exposure to vapour, mists or fumes causes drowsiness, headache, blurred vision or irritation of the eyes, nose or throat, remove immediately to fresh air. Keep patient warm and at rest. If any symptoms persist obtain medical advice.
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Poisoning very unlikely unless deliberate ingestion of large quantities has occurred. Get medical attention immediately.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician	Treatment should in general be symptomatic and directed to relieving any effects.					
SECTION 5: Firefighting measures						
5.1 Extinguishing media						
Suitable extinguishing media	Use foam or all-purpose dry chemical to extinguish.					
Unsuitable extinguishing media	Do not use water jet.					
5.2 Special hazards arising fro	om the substance or mixture					
Hazards from the substance or mixture	Extremely flammable aerosol. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Gas may accumulate in low or confined areas or travel a considerable distance to a source of ignition and flash back, causing fire or explosion. Runoff to sewer may create fire or explosion hazard. Bursting aerosol containers may be propelled from a fire at high speed. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.					
Hazardous combustion products	Combustion products may include the following: carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide)					
5.3 Advice for firefighters						
Special precautions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. This material is toxic to aquatic organisms. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.					
Special protective equipment for fire-fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.					

Product name	Castrol Chain Cleaner		Product code	452581-AT01 BE01 BE02 DE01 GB20 IT01 SEXX	Page: 3/12
Version 4	Date of issue 6 October 2014	Format	United Kingdom (UK) (United Kingd	Language om)	ENGLISH

SECTION 6: Accidental release measures

6.1 Personal precautions, pro	tective equipment and emergency procedures
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Eliminate all ignition sources. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. In the case of aerosols being ruptured, care should be taken due to the rapid escape of the pressurised contents and propellant. If a large number of containers are ruptured, treat as a bulk material spillage according to the instructions in the clean-up section. Do not touch or walk through spilt material. No flares, smoking or flames in hazard area. Avoid breathing vapour or mist. Provide adequate ventilation. Put on appropriate personal protective equipment. Contact emergency personnel.
For emergency responders	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.
6.3 Methods and material for	containment and cleaning up
Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor.
Large spill	Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Use spark-proof tools and explosion-proof equipment. Contaminated absorbent material may pose the same hazard as the spilt product. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	See Section 1 for emergency contact information. See Section 5 for firefighting measures. See Section 8 for information on appropriate personal protective equipment. See Section 12 for environmental precautions. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

7.1 Precautions for sat	handling				
Protective measures	Put on appropriate personal protective equipment. Pressurised container: protect from sun and do not expose to temperature exceeding 50°C. Do not pierce or burn, even after use. not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing gas. Avoid breathir vapour or mist. Avoid contact of spilt material and runoff with soil and surface waterways. only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Store and use away from heat, sparks, open flame or any other ignition source. Use explos proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparki tools. Empty containers retain product residue and can be hazardous. Keep away from igr sources such as heat/sparks/open flame No smoking. Do not spray on a naked flame or incandescent material. Product contaminated rags, paper or material used to absorb spillag represent a fire hazard, and should not be allowed to accumulate. Dispose of safely immediately after use.				
Advice on general occupational hygiene	stored and processed. Wash thoroughly after handling. Re	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Wash thoroughly after handling. Remove contaminated clothing a protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.			
7.2 Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in a dry, co from incompatible materials (see Section 10). Store locked direct sunlight. Eliminate all ignition sources. Store and use designed for use with this product. Use appropriate contain contamination.	up. Keep away from l only in equipment/co	neat and ntainers		
Not suitable	Avoid all possible sources of ignition (spark or flame).				
7.3 Specific end use(s					
Recommendations	See section 1.2 and Exposure scenarios in annex, if application	ble.			
Product name Castrol		452581-AT01 BE01 BE02 DE01 GB20 IT01 SEXX	Page: 4/12		
Version 4 Date of	issue 6 October 2014 Format United Kingdom	Language	ENGLISH		

(UK) (United Kingdom)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters		
Occupational exposure limits	_	
Product/ingredi	ent name	Exposure limit values
⊘ arbon dioxide		EH40/2005 WELs (United Kingdom (UK)). STEL: 27400 mg/m ³ 15 minutes. Issued/Revised: 1/1997 STEL: 15000 ppm 15 minutes. Issued/Revised: 1/1997 TWA: 9150 mg/m ³ 8 hours. Issued/Revised: 1/1997 TWA: 5000 ppm 8 hours. Issued/Revised: 1/1997
		be shown in this section, other components may be present in any mist, DELs may not be applicable to the product as a whole and are provided for
Recommended monitoring procedures	biological monitor control measures should be made t (Workplace atmo agents for compa 14042 (Workplac assessment of ex (Workplace atmo measurement of o	ntains ingredients with exposure limits, personal, workplace atmosphere or ring may be required to determine the effectiveness of the ventilation or other and/or the necessity to use respiratory protective equipment. Reference to monitoring standards, such as the following: European Standard EN 689 spheres - Guidance for the assessment of exposure by inhalation to chemical irison with limit values and measurement strategy) European Standard EN e atmospheres - Guide for the application and use of procedures for the sposure to chemical and biological agents) European Standard EN 482 spheres - General requirements for the performance of procedures for the chemical agents) Reference to national guidance documents for methods for of hazardous substances will also be required.
Derived No Effect Level No DNELs/DMELs available.		
Predicted No Effect Concent	ration	
No PNECs available	laton	
8.2 Exposure controls		
Appropriate engineering controls	concentrations b All activities invo exposures are ac after other forms Personal protecti kept in good con Your supplier of appropriate stand The final choice	ventilation or other engineering controls to keep the relevant airborne elow their respective occupational exposure limits. Iving chemicals should be assessed for their risks to health, to ensure dequately controlled. Personal protective equipment should only be considered of control measures (e.g. engineering controls) have been suitably evaluated. ive equipment should conform to appropriate standards, be suitable for use, be dition and properly maintained. personal protective equipment should be consulted for advice on selection and dards. For further information contact your national organisation for standards of protective equipment will depend upon a risk assessment. It is important to ems of personal protective equipment are compatible.
Individual protection measur		
Hygiene measures	smoking and usi	earms and face thoroughly after handling chemical products, before eating, ng the lavatory and at the end of the working period. Ensure that eyewash ety showers are close to the workstation location.
Respiratory protection	risk assessment Respiratory prote Use with adequa In case of insuffic Provided an air-f Use filter type P Air-filtering respin conditions of oxy suitable where ai these cases air-s Provided an air-f gases and vapou with AX or compa The correct choic conditions of wor should be develo	cient ventilation, wear suitable respiratory equipment. iltering/air-purifying respirator is suitable, a filter for particulates can be used. or comparable standard. rators, also called air-purifying respirators, will not be adequate under gen deficiency (i.e. low oxygen concentration), and would not be considered irborne concentrations of chemicals with a significant hazard are present. In supplied breathing apparatus will be required. iltering/air-purifying respirator is suitable, a multiple type of gas filter for organic urs (boiling point ≤65°C and >65°C) can be used for vapour. Use filter types A

Product code #52581-AT01 BE01 Product name Castrol Chain Cleaner Page: 5/12 BE02 DE01 GB20 IT01 SEXX Version 4 Date of issue 6 October 2014 Format United Language ENGLISH Kingdom (UK) (United Kingdom)

of the working conditions.

SECTION 8: Exposure controls/personal protection

Eye/face protection	Safety glasses with side shields.
Skin protection	
Hand protection	General Information:
	Because specific work environments and material handling practices vary, safety procedures should be developed for each intended application. The correct choice of protective gloves depends upon the chemicals being handled, and the conditions of work and use. Most gloves provide protection for only a limited time before they must be discarded and replaced (even the best chemically resistant gloves will break down after repeated chemical exposures).
	Gloves should be chosen in consultation with the supplier / manufacturer and taking account a full assessment of the working conditions.
	Wear suitable gloves. Recommended: Nitrile gloves. Breakthrough time:
	Breakthrough time data are generated by glove manufacturers under laboratory test condition and represent how long a glove can be expected to provide effective permeation resistance. is important when following breakthrough time recommendations that actual workplace conditions are taken into account. Always consult with your glove supplier for up-to-date technical information on breakthrough times for the recommended glove type. Our recommendations on the selection of gloves are as follows:
	Continuous contact:
	Gloves with a minimum breakthrough time of 240 minutes, or >480 minutes if suitable gloves can be obtained. If suitable gloves are not available to offer that level of protection, gloves with shorter breakthrough times may be acceptable as long as appropriate glove maintenance and replacement regimes are determined and adhered to.
	Short-term / splash protection:
	Recommended breakthrough times as above. It is recognised that for short-term, transient exposures, gloves with shorter breakthrough tim may commonly be used. Therefore, appropriate maintenance and replacement regimes must be determined and rigorously followed.
	Glove Thickness:
	For general applications, we recommend gloves with a thickness typically greater than 0.35 r
	It should be emphasised that glove thickness is not necessarily a good predictor of glove resistance to a specific chemical, as the permeation efficiency of the glove will be dependent on the exact composition of the glove material. Therefore, glove selection should also be bas on consideration of the task requirements and knowledge of breakthrough times. Glove thickness may also vary depending on the glove manufacturer, the glove type and the glove model. Therefore, the manufacturers' technical data should always be taken into account to ensure selection of the most appropriate glove for the task.
	Note: Depending on the activity being conducted, gloves of varying thickness may be require for specific tasks. For example:
	 Thinner gloves (down to 0.1 mm or less) may be required where a high degree of manual dexterity is needed. However, these gloves are only likely to give short duration protection ar would normally be just for single use applications, then disposed of.
	• Thicker gloves (up to 3 mm or more) may be required where there is a mechanical (as we as a chemical) risk i.e. where there is abrasion or puncture potential.

Product name	Castrol Chain Cleaner		Product code	452581-AT01 BE01 BE02 DE01 GB20 IT01 SEXX	Page: 6/12
Version 4	Date of issue 6 October 2014	Format	United Kingdom (UK) (United Kingd	Language om)	ENGLISH

SECTION 8: Exposure controls/personal protection

Skin and body	Use of protective clothing is good industrial practice. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	Aerosol.
Colour	Colourless.
Odour	Benzene-like.
Odour threshold	Not available.
рН	Not available.
Melting point/freezing point	Not available.
Initial boiling point and boiling range	<35°C (<95°F)
Flash point	Open cup: <0°C (<32°F)
Evaporation rate	Not available.
Flammability (solid, gas)	FLAMMABLE. Container explosion may occur under fire conditions or when heated.
Upper/lower flammability or explosive limits	Lower: 0.8% Upper: 8%
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Density	710 kg/m³ (0.71 g/cm³) at 20°C
Solubility(ies)	Partially soluble in water
Partition coefficient: n-octanol/ water	>3
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Explosive properties	Not available.
Oxidising properties	Not available.
9.2 Other information	
Type of aerosol	Spray

Type of aerosol No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	ý	No specific test data availa materials for additional info		ct. Refer to Co	nditions to avoid and	Incompatible
10.2 Chemical	stability	The product is stable.	The product is stable.			
10.3 Possibilit hazardous rea	•	Under normal conditions of Under normal conditions of	•			ccur.
10.4 Condition	ns to avoid	Avoid all possible sources	of ignition (spark o	or flame).		
Product name	Castrol Chain C	eaner		Product code	452581-AT01 BE01 BE02 DE01 GB20 IT01 SEXX	Page: 7/12
Version 4	Date of issue	6 October 2014	Format	United Kingdom (UK) (United Kingdo	Language	ENGLISH

SECTION 10: Stability and reactivity

10.5 Incompatible materials

Reactive or incompatible with the following materials: oxidising materials.

10.6 HazardousUnder normal conditions of storage and use, hazardous decomposition products should not be
produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

	Route	ATE value
Not available.		
nformation on the likely outes of exposure	Routes of entry anticipated: Dermal, Inhalation	n.
Potential acute health effect	<u>ts</u>	
Inhalation	Can cause central nervous system (CNS) dep	pression. May cause drowsiness or dizziness.
Ingestion	Irritating to mouth, throat and stomach.	
Skin contact	Causes skin irritation.	
Eye contact	No known significant effects or critical hazard	S.
Symptoms related to the ph	ysical, chemical and toxicological characterist	<u>tics</u>
	respiratory tract irritation coughing nausea or vomiting headache drowsiness/fatigue dizziness/vertigo unconsciousness Exposure to high concentrations can cause di blurred vision. Higher levels may cause uncor May be harmful by inhalation if exposure to va decomposition products occurs.	
Ingestion	No specific data	
Skin contact	Adverse symptoms may include the following: irritation redness	
Eye contact	Adverse symptoms may include the following: pain or irritation watering redness	
Delayed and immediate effe	ects and also chronic effects from short and lo	ng term exposure
Inhalation	Overexposure to the inhalation of airborne dro respiratory tract.	oplets or aerosols may cause irritation of the
Ingestion	Ingestion of large quantities may cause nause	a and diarrhoea.
Skin contact	Prolonged or repeated contact can defat the s	
Eye contact	Potential risk of transient stinging or redness i	f accidental eye contact occurs.
Potential chronic health effo	ects	
General	No known significant effects or critical hazard	S.
Carcinogenicity	No known significant effects or critical hazard	S.
Mutagenicity	No known significant effects or critical hazard	
Developmental effects	No known significant effects or critical hazard	S.

Product name	Castrol Chain Cleaner		Product code	452581-AT01 BE01 BE02 DE01 GB20 IT01 SEXX	Page: 8/12
Version 4	Date of issue 6 October 2014	Format	United Kingdom (UK) (United Kingdo	Language om)	ENGLISH

SECTION 12: Ecological information

12.1 Toxicity

Environmental hazards

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability

Expected to be biodegradable.

12.3 Bioaccumulative potential

This product is not expected to bioaccumulate through food chains in the environment.

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	Not available.
Mobility	Spillages may penetrate the soil causing ground water contamination.

12.5 Results of PBT and vPvB assessment

PBT	Not applicable.
vPvB	Not applicable.

12.6 Other adverse effects

Other ecological information

Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.

SECTION 13: Disposal considerations

Yes

13.1 Waste treatment methods

Product

Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.

Hazardous waste

Methods of disposal

Methods of disposal

European waste catalogue (EWC)

Waste code	Waste designation
15 01 10*	packaging containing residues of or contaminated by dangerous substances

However, deviation from the intended use and/or the presence of any potential contaminants may require an alternative waste disposal code to be assigned by the end user.

Packaging

Pressurised container: protect from sunlight and do not expose to temperature exceeding 50°C. Do not pierce or burn, even after use. Where possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste disposal contractor in accordance with local regulations.

Special precautions This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Do not puncture or incinerate container.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number	UN 1950	UN 1950	UN 1950	UN 1950
14.2 UN proper shipping name	AEROSOLS, flammable, Environmentally hazardous substances n.o.s. (Naphtha (petroleum), hydrotreated light)	AEROSOLS, flammable, Environmentally hazardous substances n.o.s. (Naphtha (petroleum), hydrotreated light)	AEROSOLS (Naphtha (petroleum), hydrotreated light). Marine pollutant	AEROSOLS, flammable (Naphtha (petroleum), hydrotreated light)
Product name Castrol	Chain Cleaner		Product code #52581-A BE02 DE0 IT01 SEX	01 GB20
Version 4 Date o	of issue 6 October 2014	Forma	at United Kingdom (UK) (United Kingdom)	Language ENGLISH

SECTION 14: 1	Fransport informati	on		
14.3 Transport hazard class(es)			2.1	2.1
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	Yes.	Yes.	Yes.	No.
Additional information	The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg. <u>Hazard identification</u> <u>number</u> 23 <u>Tunnel code</u> (D)	The environmentally hazardous substance mark is not required when transported in sizes of ≤5 L or ≤5 kg.	The marine pollutant mark is not required when transported in sizes of ≤5 L or ≤5 kg. <u>Emergency</u> <u>schedules (EmS)</u> F-D,S-U	The environmentally hazardous substance mark may appear if required by other transportation regulations.

14.6 Special precautions for Not available. user

UK Emergency Action Code:	2YE
ADR/RID Classification	5F
code:	
ADN Classification code:	5F

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorisation Substances of very high concern None of the components are listed. **Annex XVII - Restrictions** Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles **Other regulations** The company, as identified in Section 1, sells this product in the EU in compliance with the **REACH Status** current requirements of REACH. **United States inventory** At least one component is not listed. (TSCA 8b) Australia inventory (AICS) At least one component is not listed. **Canada inventory** At least one component is not listed. China inventory (IECSC) At least one component is not listed. Japan inventory (ENCS) At least one component is not listed. Korea inventory (KECI) At least one component is not listed. **Philippines inventory** At least one component is not listed. (PICCS)

Product name	Castrol Chain Cleaner		B	52581-AT01 BE01 E02 DE01 GB20 F01 SEXX	Page: 10/12
Version 4	Date of issue 6 October 2014	Format	United Kingdom (UK) (United Kingdom		ENGLISH

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - United Kingdom (UK)

SECTION 15: Regulatory information

Aerosol dispensers



SECTION 16: Other information

Abbreviations and acronyms	-	concerning the International Carriage of Dangerous Goods by		
	Inland Waterway			
		nent concerning the International Carriage of Dangerous Goods by		
	Road			
	ATE = Acute Toxicity Estimat			
	BCF = Bioconcentration Facto			
	CAS = Chemical Abstracts Se			
	CSA = Chemical Safety Asse			
	CSR = Chemical Safety Repo			
	DMEL = Derived Minimal Effe			
	DNEL = Derived No Effect Le			
	DPD = Dangerous Preparatio			
	DSD = Dangerous Substance			
		ry of Existing Commercial chemical Substances		
	ES = Exposure Scenario			
	EUH statement = CLP-specifi			
	EWC = European Waste Cat			
		System of Classification and Labelling of Chemicals		
	IATA = International Air Trans			
	IBC = Intermediate Bulk Container			
	IMDG = International Maritime Dangerous Goods			
	LogPow = logarithm of the octanol/water partition coefficient MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as			
	modified by the Protocol of 1978. ("Marpol" = marine pollution)			
	OECD = Organisation for Economic Co-operation and Development			
	PBT = Persistent, Bioaccumulative and Toxic			
	PNEC = Predicted No Effect Concentration			
	RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number			
	SADT = Self-Accelerating Decomposition Temperature			
	SVHC = Substances of Very High Concern			
	STOT-RE = Specific Target Organ Toxicity - Repeated Exposure			
	STOT-SE = Specific Target Organ Toxicity - Single Exposure			
	TWA = Time weighted average			
	UN = United Nations			
	UVCB = Complex hydrocarbon substance			
	VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative			
	-	-		
Full text of abbreviated H	H225	Highly flammable liquid and vapour.		
statements	H280	Contains gas under pressure; may explode if heated.		
	H304	May be fatal if swallowed and enters airways.		
	H315	Causes skin irritation.		
	H336 (Narcotic effects)	May cause drowsiness or dizziness. (Narcotic effects)		
	H411	Toxic to aquatic life with long lasting effects.		

Product name	Castrol Chain Cleaner		Product code	Page: 11/12
Version 4	Date of issue 6 October 2014	Format	United Kingdom (UK) (United Kingdo	 ENGLISH

SECTION 16: Other information

Full text of classifications [CLP/GHS]	Aquatic Chronic 2, H411 Asp. Tox. 1, H304 Flam. Liq. 2, H225 Press. Gas Comp. Gas, H280 Skin Irrit. 2, H315 STOT SE 3, H336 (Narcotic effects)	LONG-TERM AQUATIC HAZARD - Category 2 ASPIRATION HAZARD - Category 1 FLAMMABLE LIQUIDS - Category 2 GASES UNDER PRESSURE - Compressed gas SKIN CORROSION/IRRITATION - Category 2 SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Narcotic effects) - Category 3		
Full text of abbreviated R phrases	 R12- Extremely flammable. R11- Highly flammable. R65- Harmful: may cause lung damage if swallowed. R38- Irritating to skin. R67- Vapours may cause drowsiness and dizziness. R51/53- Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. 			
Full text of classifications [DSD/DPD]	F+ - Extremely flammable F - Highly flammable Xn - Harmful Xi - Irritant N - Dangerous for the enviro	nment		
<u>History</u>				
Date of issue/ Date of revision	06/10/2014.			
Date of previous issue	26/04/2014.			
Prepared by	Product Stewardship			

Indicates information that has changed from previously issued version.

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product name	Castrol Chain Cleaner		Product code	452581-AT01 BE01 BE02 DE01 GB20 IT01 SEXX	Page: 12/12
Version 4	Date of issue 6 October 2014	Format	United Kingdom (UK) (United Kingdo	Language om)	ENGLISH