#### Ferdinand Bilstein GmbH + Co. KG

Date printed 03.06.2015, Revision 03.06.2015



Version 06. Supersedes version: 05 Page 1 / 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **Product identifier**

febi 21647 hydraulic fluid Article number 21647

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Lubricant

1.2.2 Uses advised against

None known.

#### 1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47 58256 Ennepetal / GERMANY

Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

**Technical information** info@febi.com **Safety Data Sheet** info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (english)

Company +49 2333 911-0

#### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

Acute Tox. 4: H332 Harmful if inhaled.

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects.

Label elements

The product is classified and required to be labelled in accordance with EC-Directives

Hazard pictograms





Signal word **DANGER** 

Contains: I-Decane, dimmer hydrogenated

**Hazard statements** H332 Harmful if inhaled.

H304 May be fatal if swallowed and enters airways. H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements** P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P312 Call a POISON CENTER / doctor if you feel unwell.

 ${\sf P301+P310\ IF\ SWALLOWED:\ Immediately\ call\ a\ POISON\ CENTER\ /\ doctor.}$ 

P331 Do NOT induce vomiting.

P405 Store locked up.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of

## ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 03.06.2015, Revision 03.06.2015

Version 06. Supersedes version: 05

Page 2 / 9

#### 2.3 Other hazards

**Human health dangers** If swallowed or in the event of vomiting, risk of product entering the lungs.

Frequent persistent contact with the skin can cause skin irritation.

**Environmental hazards**Does not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.

#### **SECTION 3: Composition / Information on ingredients**

#### Product-type:

The product is a mixture.

Range [%]	Substance
50 - < 99	I-Decane, dimmer hydrogenated
	CAS: 68649-11-6, EINECS/ELINCS: 500-228-5, Reg-No.: 01-2119493069-28-XXXX
	GHS/CLP: Acute Tox. 4: H332 - Asp. Tox. 1: H304
1 - < 5	Gas oils (petroleum), hydrodesulfurized
	CAS: 64742-79-6, EINECS/ELINCS: 265-182-8, EU-INDEX: 649-222-00-5
	GHS/CLP: Acute Tox. 4: H332 - Asp. Tox. 1: H304 - Skin Irrit. 2: H315 - Aquatic Chronic 2: H411
0,1 - < 1	2,6-di-tert-butyl-p-cresol
	CAS: 128-37-0, EINECS/ELINCS: 204-881-4, Reg-No.: 01-2119565113-46-XXXX
	GHS/CLP: Aquatic Chronic 1: H410, M = 1

Comment on component parts Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

For full text of H-statements and R-phrases: see SECTION 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek for medical treatment.

**Skin contact** When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

Consult a doctor immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms of poisoning may not occur for many hours, therefore keep under medical

supervision for at least 48 hours.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

If swallowed or in the event of vomiting, risk of product entering the lungs.

Forward this sheet to the doctor.

#### **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not

be used

Full water jet.

## **ebi** bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 03.06.2015, Revision 03.06.2015

Version 06. Supersedes version: 05

Page 3 / 9

#### 5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)

#### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder). Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid formation of aerosols.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Cloths contaminated with product should not be kept in trouser pockets. Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container. Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep container in a well-ventilated place.

#### 7.3 Specific end use(s)

See product use, SECTION 1.2

## ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 03.06.2015, Revision 03.06.2015

Version 06. Supersedes version: 05

Page 4 / 9

#### **SECTION 8: Exposure controls / personal protection**

#### 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

Range [%]	Substance
0,1 - < 1	2,6-di-tert-butyl-p-cresol
	CAS: 128-37-0, EINECS/ELINCS: 204-881-4, Reg-No.: 01-2119565113-46-XXXX
	Long-term exposure: 10 mg/m³

#### **DNEL**

Range [%]	Substance
50 - < 99	I-Decane, dimmer hydrogenated, CAS: 68649-11-6
	Industrial, inhalative, Acute - systemic effects: 60 mg/m³.
	general population, inhalative, Acute - systemic effects: 50 mg/m³.
0,1 - < 1	2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
	Industrial, inhalative, Long-term - systemic effects: 5,8 mg/m³.
	Industrial, dermal, Long-term - systemic effects: 8,3 mg/kg.

#### **PNEC**

11120	
Range [%]	Substance
0,1 - < 1	2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
	soil, 1,04 mg/kg.
	sewage treatment plants (STP), 100 mg/l.
	sediment (freshwater), 1,29 mg/kg.
	seawater, 0,0004 mg/l.
	freshwater, 0,004 mg/l.

#### 8.2 Exposure controls

Additional advice on system design 

Ensure adequate ventilation on workstation.

**Eye protection** If there is a risk of splashing:

Safety glasses.

**Hand protection** The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,4 mm: Nitrile rubber, >480 min (EN 374). > 0,4 mm: Neoprene, >480 min (EN 374).

**Skin protection** Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective

supplier.

Avoid contact with eyes and skin.

**Respiratory protection** Breathing apparatus in the event of high concentrations.

Short term: filter apparatus, combination filter A-P1.

Thermal hazards none

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

### ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 03.06.2015, Revision 03.06.2015

Version 06. Supersedes version: 05

Page 5 / 9

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

**Form** liquid Color green Odor characteristic **Odour threshold** not applicable pH-value not applicable pH-value [1%] not applicable Boiling point [°C] not determined Flash point [°C] 160 (ISO 2592) Flammability (solid, gas) [°C] not determined Lower explosion limit not applicable

Oxidizing properties no

Upper explosion limit

Vapour pressure/gas pressure [kPa] not determined

**Density [g/ml]** 0,831 (DIN 51757) (15 °C / 59,0 °F)

 Bulk density [kg/m³]
 not applicable

 Solubility in water
 immiscible

 Partition coefficient [n-octanol/water]
 not determined

Viscosity 18,5 mm<sup>2</sup>/s (40°C); (DIN 51562)

Relative vapour density determined

in air

not determined

not applicable

Evaporation speed not determined

Melting point [°C] not determined

Autoignition temperature [°C] not applicable

Decomposition temperature [°C] not determined

#### 9.2 Other information

none

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reactions known if used as directed.

#### 10.2 Chemical stability

The product is stable under standard conditions.

#### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

Reactions with acids.

Reactions with strong alkalies.

#### 10.4 Conditions to avoid

See SECTION 7.2.

#### 10.5 Incompatible materials

No information available.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## **ebi**

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 03.06.2015, Revision 03.06.2015

Version 06. Supersedes version: 05

Page 6 / 9

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Product	
ATE-mix, inhalativ (mist), 3,07 mg/l.	

Range [%]	Substance
50 - < 99	I-Decane, dimmer hydrogenated, CAS: 68649-11-6
	LD50, dermal, Rabbit: > 3000 mg/l.
	LD50, oral, Rat: > 5000 mg/l.
	LC50, inhalative, Rat: <2,09 mg/l 4h.
0,1 - < 1	2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
	LD50, dermal, Rabbit: > 2000 mg/kg (Lit.).
	LD50, oral, Rat: 2930 mg/kg (Lit.).

Serious eye damage/irritation not determined Skin corrosion/irritation not determined Respiratory or skin sensitisation not determined Specific target organ toxicity not determined single exposure Specific target organ toxicity not determined repeated exposure Mutagenicity not determined Reproduction toxicity not determined Carcinogenicity not determined

General remarks

The product was classified on the basis of the calculation procedure of the preparation

directive.

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Range [%]	Substance
50 - < 99	I-Decane, dimmer hydrogenated, CAS: 68649-11-6
	LC50, (96h), fish: > 1000 mg/l.
	EC50, Algae: > 1000 mg/l.
	EC50, (48h), Daphnia magna: > 1000 mg/l.
0,1 - < 1	2,6-di-tert-butyl-p-cresol, CAS: 128-37-0
	LC50, (96h), Brachidanio rerio: > 0,42 mg/l (Lit.).
	LC50, (48h), Daphnia magna: > 0,57 mg/l (Lit.).
	EC50, (72h), Scenedesmus subspicatus: > 0,42 mg/l (Lit.).

#### 12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant not determined Biological degradability not determined

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 03.06.2015, Revision 03.06.2015

Version 06. Supersedes version: 05

Page 7 / 9

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Other adverse effects

Ecological data of complete product are not available.

The product was classified on the basis of the calculation procedure of the preparation directive.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

Disposal in an incineration plant in accordance with the regulations of the local authorities.

In according to RoHS!

Coordinate disposal with the authorities if necessary.

Waste no. (recommended)

130206\*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110\*

#### **SECTION 14: Transport information**

#### 14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

Transport by land according to ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

**IMDG** 

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

#### 14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

#### 14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

# ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 03.06.2015, Revision 03.06.2015

Version 06. Supersedes version: 05

Page 8 / 9

#### 14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach);

1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC

**TRANSPORT-REGULATIONS** DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

CHIP 3/ CHIP 4

- Observe employment restrictions

for people

Observe employment restrictions for women of child-bearing age, for mothers-to-be and

nursing mothers and for young people.

- VOC (1999/13/CE) 0 %

#### 15.2 Chemical safety assessment

not applicable

#### **SECTION 16: Other information**

#### 16.1 Hazard statements (SECTION 3)

H410 Very toxic to aquatic life with long lasting effects.

H411 Toxic to aquatic life with long lasting effects.

H315 Causes skin irritation.

H304 May be fatal if swallowed and enters airways.

H332 Harmful if inhaled.

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 03.06.2015, Revision 03.06.2015



Version 06. Supersedes version: 05

Page 9 / 9

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

TLV®/TWA = Threshold limit value - time-weighted average TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

#### 16.3 Other information

Classification procedure Acute Tox. 4: H332 Harmful if inhaled. (Calculation method)

Asp. Tox. 1: H304 May be fatal if swallowed and enters airways. (On basis of test data) Aquatic Chronic 3: H412 Harmful to aquatic life with long lasting effects. (Calculation method)

**Modified position** SECTION 2 been added: H412 Harmful to aquatic life with long lasting effects.

SECTION 2 been added: Aquatic Chronic 3

SECTION 2 been added: H304 May be fatal if swallowed and enters airways.

SECTION 2 been added: Asp. Tox. 1

SECTION 2 been added: H332 Harmful if inhaled.

SECTION 2 been added: Acute Tox. 4

SECTION 4 been added: Symptoms of poisoning may not occur for many hours, therefore

keep under medical supervision for at least 48 hours.

SECTION 8 been added: Comply with applicable environmental regulations limiting discharge

to air, water and soil.