

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 05. Supersedes version: 04

Page 1 / 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

febi 22806 automatic transmission fluid (ATF) Article number 22806, 26681, 26680, 30018

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Gearbox oil

1.2.2 Uses advised against

None known.

#### 1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com

E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (english)

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

No classification.

2.2 Label elements

The product is required to be labelled in accordance with GHS/CLP-Directives.

Hazard pictogramsnoneSignal wordnoneHazard statementsnonePrecautionary statementsnone

**Special labelling** EUH210 Safety data sheet available on request.

Contains: reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio-

(C2)-alkyl phosphonates. EUH208 May produce an allergic reaction.

2.3 Other hazards

**Human health dangers** Frequent persistent contact with the skin can cause skin irritation.

Other hazards none



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 05. Supersedes version: 04

Page 2 / 8

## **SECTION 3: Composition / Information on ingredients**

#### Product-type:

The product is a mixture.

Range [%]	Substance
35 - < 40	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
	CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, Reg-No.: 01-2119474889-13-XXXX
	GHS/CLP: Asp. Tox. 1: H304
0,1 - < 1	reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio-(C2)-alkyl phosphonates
	EINECS/ELINCS: 417-450-2
	GHS/CLP: Skin Sens. 1: H317 - Aquatic Chronic 3: H412 - Eye Irrit. 2: H319 - Skin Irrit. 2: H315

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

For full text of H-statements and R-phrases: see SECTION 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek for medical treatment.

**Skin contact** When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

**Eye contact** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Seek medical advice immediately.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

## 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed or in the event of vomiting, risk of product entering the lungs.

Forward this sheet to the doctor.

#### **SECTION 5: Fire-fighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

Not combusted hydrocarbons.

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO) Sulphur oxides (SOx). Nitrogen oxides (NOx).

## 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 05. Supersedes version: 04

Page 3 / 8

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

No special measures necessary if used correctly.

The product is combustible. Fire class (DIN EN 2): B

1 110 oldoo (Bii v Ei v E). B

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Cloths contaminated with product should not be kept in trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Do not store together with oxidizing agents.

Keep container tightly closed.

Keep container in a well-ventilated place.

Protect from heat/overheating.

#### 7.3 Specific end use(s)

See product use, SECTION 1.2

### **SECTION 8: Exposure controls / personal protection**

Ingredients with occupational exposure limits to be monitored (GB)

## 8.1 Control parameters

not applicable



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 05. Supersedes version: 04

Page 4 / 8

#### 8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

**Eye protection** If there is a risk of splashing:

Safety glasses.

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,4 mm: Nitrile rubber, >480 min (EN 374). > 0,4 mm: Neoprene, >480 min (EN 374).

**Skin protection** Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective

supplier.

Avoid contact with eyes and skin.

**Respiratory protection** Breathing apparatus in the event of aerosol or mist formation.

Short term: filter apparatus, combination filter A-P1.

Thermal hazards

Delimitation and monitoring of the

environmental exposition

No information available. See SECTION 6+7.

#### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Form liquid
Color red
violet

Odor characteristic
Odour threshold not determined
pH-value not applicable
pH-value [1%] not applicable
Boiling point [°C] not determined
Flash point [°C] > 170 (DIN ISO 2592)

Flammability (solid, gas) [°C] not determined
Lower explosion limit not determined
Upper explosion limit not determined

Oxidizing properties no

Vapour pressure/gas pressure [kPa] < 0,01 (20°C)

**Density [g/ml]** ~0,85 (DIN 51757) (15 °C / 59,0 °F)

 Bulk density [kg/m³]
 not applicable

 Solubility in water
 immiscible

 Partition coefficient [n-octanol/water]
 not determined

Viscosity ~ 31 mm<sup>2</sup>/s (40°C) (DIN 51562/T1)

Relative vapour density determined

in air

not determined

Evaporation speed not determined

Melting point [°C] ~-42 (DIN ISO 3016)

Autoignition temperature [°C] not determined

Decomposition temperature [°C] not determined

## 9.2 Other information

No information available.



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 05. Supersedes version: 04

Page 5 / 8

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No dangerous reactions known if used as directed.

## 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

#### 10.3 Possibility of hazardous reactions

Reactions with strong acids.

Reactions with strong oxidizing agents.

#### 10.4 Conditions to avoid

See SECTION 7.2.

Strong heating, because the thermal decomposition starts from  $> 100 ^{\circ} C$ .

#### 10.5 Incompatible materials

Oxidizing agent

## 10.6 Hazardous decomposition products

No hazardous decomposition products known.

## **SECTION 11: Toxicological information**

Serious eye damage/irritation

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

Range [%]	Substance
35 - < 40	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
	LD50, dermal, Rabbit: >= 2000 mg/kg (OECD 402).
	LD50, oral, Rat: >= 5000 mg/kg (OECD 401).
	LC50, inhalative, Rat: >= 5,53 mg/l (OECD 403).

not determined

Skin corrosion/irritation not determined Respiratory or skin sensitisation not determined Specific target organ toxicity not determined single exposure Specific target organ toxicity not determined repeated exposure Mutagenicity not determined Reproduction toxicity not determined Carcinogenicity not determined **General remarks** 

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

#### Version 05. Supersedes version: 04

Page 6 / 8

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Range [%]	Substance
35 - < 40	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
	LC50, (96h), fish: > 100 mg/l (OECD 203).
	EC50, (48h), Crustacea: > 100 mg/l (OECD 202).
	ErC50, (72h), Algae: > 100 mg/l (OECD 201).

#### 12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

compartments

Can be separated out mechanically in purification plants.

Behaviour in sewage plant Biological degradability

The product is not readily biodegradable.

## 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Other adverse effects

Do not discharge product unmonitored into the environment or into the drainage.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### **Product**

Dispose of as hazardous waste.

Waste no. (recommended)

130205\* mineral-based non-chlorinated engine, gear and lubricating oils

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150102

150104 150110\*

## **SECTION 14: Transport information**

## 14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

# Safety Data Sheet 1907/2006/EC - REACH (GB)

febi 22806 automatic transmission fluid (ATF) Article number 22806, 26681, 26680, 30018



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015 Version 05. Supersedes version: 04 Page 7 / 8

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

#### 14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

#### 14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

#### 14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

### **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach);

1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC

TRANSPORT-REGULATIONS DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015).

**NATIONAL REGULATIONS (GB):** EH40/2005 Workplace exposure limits (Second edition, published December 2011).

CHIP 3/ CHIP 4

- Observe employment restrictions

for people

no

- VOC (1999/13/CE) not applicable

## 15.2 Chemical safety assessment

not applicable

#### **SECTION 16: Other information**

## 16.1 Hazard statements (SECTION 3)

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 05. Supersedes version: 04

Page 8 / 8

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

### 16.3 Other information

Classification procedure

**Modified position** 

SECTION 3 been added: reaction product of: polyethylene-polyamine-(C16-C18)-alkylamides with monothio-(C2)-alkyl phosphonates

SECTION 3 been added: Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

SECTION 2 been added: The product is required to be labelled in accordance with GHS/CLP-Directives.

SECTION 2 deleted: The product does not require a hazard warning label in accordance with EC-directives.

SECTION 3 been added: For full text of H-statements and R-phrases: see SECTION 16.

SECTION 3 deleted: No dangerous components.