# Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015



Version 02. Supersedes version: 01 Pa

Page 1 / 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1	.1 Product identifier		
		febi 26709 screw locking	
		Article number 26710, 26709	
1.2	Relevant identified uses of the su	ubstance or mixture and uses advised against	
1.2.1	Relevant uses		
		Adhesive	
1.2.2	2 Uses advised against		
		None known.	
1.3	Details of the supplier of the safe	ety data sheet	
	Company	Ferdinand Bilstein GmbH + Co. KG	
		Wilhelmstr. 47 58256 Ennepetal / GERMANY	
		Phone +49 2333 911-0	
		Fax +49 2333 911-444 Homepage www.febi.com	
		E-mail info@febi.com	
	Address enquiries to		
	Technical information	info@febi.com	
	Safety Data Sheet	info@febi.com	
1.4	Emergency telephone number		
	Advisory body	+49 (0)89-19240 (24h) (english)	
SEC	TION 2: Hazards identification		
2.1	Classification of the substance o	or mixture	
		No classification.	
2.2	Label elements		
		The product does not require a hazard warning label in accordance with EC-directives.	
	Hazard pictograms		
	Hazard statements	none	
2.3	Other hazards		
	Human health dangers	Frequent persistent contact with the skin can cause skin irritation.	
	Environmental hazards	Does not contain any PBT or vPvB substances.	
	Other hazards	Further hazards were not determined with the current level of knowledge.	
SEC	TION 3: Composition / Information		
OLU	-		
	Product-type:		
	The product is a mixture.		
	Comment on component parts	No dangerous components.	
	· · · · · · · · · · · · · · · · · · ·	Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.	

# Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015



Version 02. Supersedes version: 01

Page 2 / 8

## **SECTION 4: First aid measures**

4.1	Description of first aid measures	
	General information	Change soaked clothing.
	Inhalation	Ensure supply of fresh air. In the event of symptoms seek for medical treatment.
	Skin contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
	Ingestion	Seek medical advice immediately.
4.2	2 Most important symptoms and effects, both acute and delayed	
	No information available.	
4.3		
		Treat symptomatically. Forward this sheet to the doctor.
050		
SEC	TION 5: Fire-fighting measures	
5.1	Extinguishing media	
	Suitable extinguishing media	Foam, dry powder, water spray jet, carbon dioxide.
	Extinguishing media that must not be used	Full water jet.
5.2	Special hazards arising from the substance or mixture	
		Risk of formation of toxic pyrolysis products.
5.3	Advice for firefighters	
		Use self-contained breathing apparatus.
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accidental release measur	es
6.1	Personal precautions, protective	equipment and emergency procedures Ensure adequate ventilation.
6.2	Environmental precautions	
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater.
6.3	Methods and material for containment and cleaning up	
		Pick up with absorbent material (e.g. sand, universal absorbent, diatomaceous earth). Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13

# Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015



Version 02. Supersedes version: 01 Pag

Page 3 / 8

1	Precautions for safe handling		
'	Frecautions for sale handling	Use only in well-ventilated areas.	
		Wash hands before breaks and after work. Use barrier skin cream.	
		Do not eat, drink or smoke when using this product.	
		Contaminated work clothing should not be allowed out of the workplace.	
		Take off contaminated clothing and wash before reuse.	
.2	Conditions for safe storage, including any incompatibilities		
		Keep only in original container.	
		Prevent penetration into the ground.	
		Do not store together with food and animal food/diet.	
		Protect from heat/overheating.	
		Keep in a cool place. Store in a dry place. Recommended storage temperature: +5°C - +25°C	
		Recommended storage temperature. +5 C - +25 C	
7.3	Specific end use(s)		
		See product information.	
SEC	CTION 8: Exposure controls / perso	onal protection	
		onal protection	
	Control parameters	onal protection	
	Control parameters Ingredients with occupational		
	Control parameters Ingredients with occupational	)	
	Control parameters Ingredients with occupational	)	
3.1	Control parameters Ingredients with occupational	)	
8.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB)	)	
SEC 8.1 8.2	Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls	) not applicable	
8.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design	not applicable Ensure adequate ventilation on workstation. safety glasses The details concerned are recommendations. Please contact the glove supplier for furthe	
B.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection	not applicable Ensure adequate ventilation on workstation. safety glasses The details concerned are recommendations. Please contact the glove supplier for furthe information.	
B.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection	not applicable Ensure adequate ventilation on workstation. safety glasses The details concerned are recommendations. Please contact the glove supplier for furthe	
8.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection	not applicable Ensure adequate ventilation on workstation. safety glasses The details concerned are recommendations. Please contact the glove supplier for furthe information. > 0,4 mm: Viton, >480 min (EN 374).	
8.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection	not applicable Ensure adequate ventilation on workstation. safety glasses The details concerned are recommendations. Please contact the glove supplier for furthe information. > 0,4 mm: Viton, >480 min (EN 374). > 0,4 mm: Nitrile rubber, >120 min (EN 374). Iight protective clothing Personal protective equipment should be selected specifically for the working place,	
8.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection Skin protection	not applicable Ensure adequate ventilation on workstation. safety glasses The details concerned are recommendations. Please contact the glove supplier for furthe information. > 0,4 mm: Viton, >480 min (EN 374). > 0,4 mm: Nitrile rubber, >120 min (EN 374). Iight protective clothing Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of these equipments to	
3.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection Skin protection	not applicable Ensure adequate ventilation on workstation. safety glasses The details concerned are recommendations. Please contact the glove supplier for furthe information. > 0,4 mm: Viton, >480 min (EN 374). > 0,4 mm: Nitrile rubber, >120 min (EN 374). Iight protective clothing Personal protective equipment should be selected specifically for the working place,	
3.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection Skin protection	not applicable Ensure adequate ventilation on workstation. safety glasses The details concerned are recommendations. Please contact the glove supplier for furthe information. > 0,4 mm: Viton, >480 min (EN 374). > 0,4 mm: Nitrile rubber, >120 min (EN 374). Iight protective clothing Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier.	
3.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection Skin protection Other	<ul> <li>not applicable</li> <li>Ensure adequate ventilation on workstation.</li> <li>safety glasses</li> <li>The details concerned are recommendations. Please contact the glove supplier for furthe information.</li> <li>&gt; 0,4 mm: Viton, &gt;480 min (EN 374).</li> <li>&gt; 0,4 mm: Nitrile rubber, &gt;120 min (EN 374).</li> <li>light protective clothing</li> <li>Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.</li> </ul>	
8.1	Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection Skin protection Other Respiratory protection	not applicable Ensure adequate ventilation on workstation. safety glasses The details concerned are recommendations. Please contact the glove supplier for furthe information. > 0,4 mm: Viton, >480 min (EN 374). > 0,4 mm: Nitrile rubber, >120 min (EN 374). light protective clothing Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. Not required under normal conditions.	

# Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015



Version 02. Supersedes version: 01

Page 4 / 8

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

	••••••••••••••••••••••••••••••••••••••
Form	liquid
Color	green
Odor	characteristic
Odour threshold	not applicable
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	not determined
Flash point [°C]	> 100
Flammability (solid, gas) [°C]	not determined
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	1,1 (20 °C / 68,0 °F)
Bulk density [kg/m³]	not applicable
Solubility in water	virtually insoluble
Partition coefficient [n-octanol/water]	not determined
Viscosity	ca. 550 mPas (25°C)
Relative vapour density determined in air	not determined
Evaporation speed	not determined
Melting point [°C]	not determined
Autoignition temperature [°C]	not determined
Decomposition temperature [°C]	not determined

#### 9.2 Other information

none

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reactions known if used as directed.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

#### 10.3 Possibility of hazardous reactions

Reactions with acids, alkalies and oxidizing agents. Reactions with reducing agents.

#### 10.4 Conditions to avoid

Strong heating.

#### 10.5 Incompatible materials

See SECTION 10.3. Oxidizing agent strong acids

# Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015



Version 02. Supersedes version: 01 Page 5 / 8

## 10.6 Hazardous decomposition products

No hazardous decomposition products known.

#### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity

Serious eye damage/irritation	Slight irritant effect - does not require labelling.
Skin corrosion/irritation	not determined
Respiratory or skin sensitisation	not determined
Specific target organ toxicity — single exposure	not determined
Specific target organ toxicity — repeated exposure	not determined
Mutagenicity	not determined
Reproduction toxicity	not determined
Carcinogenicity	not determined
General remarks	Has a degreasing effect on the skin.
	Toxicological data of complete product are not available. No classification on the basis of the calculation procedure of the preparation directive.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

#### 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### 12.6 Other adverse effects

Do not discharge product unmonitored into the environment. The product is insoluble in water.

# Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015



Version 02. Supersedes version: 01

Page 6 / 8

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

	Coordinate disposal with the disposal contractor/authorities if necessary. Disposal in an incineration plant in accordance with the regulations of the local authorities.
Waste no. (recommended)	080410
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling.
Waste no. (recommended)	150102 150104

#### **SECTION 14: Transport information**

#### 14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

#### 14.2 UN proper shipping name

Transport by land according to ADR/RID	NO DANGEROUS GOODS
Inland navigation (ADN)	NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS" IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

#### 14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

#### 14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

#### 14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

## Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015



Version 02. Supersedes version: 01

Page 7 / 8

#### **SECTION 15: Regulatory information** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **EEC-REGULATIONS** 1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC TRANSPORT-REGULATIONS DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015). NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4 - Observe employment restrictions no for people - VOC (1999/13/CE) not determined 15.2 Chemical safety assessment not applicable **SECTION 16: Other information** 16.1 Abbreviations and acronyms: ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived Minimum Effect Level DNEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances ELINCS = European List of Notified Chemical Substances GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database LC50 = Lethal concentration, 50% LD50 = Median lethal dose MARPOL = International Convention for the Prevention of Marine Pollution from Ships PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit VOC = Volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative 16.2 Other information **Classification procedure** Modified position SECTION 4 been added: Forward this sheet to the doctor. SECTION 7 been added: Take off contaminated clothing and wash before reuse. SECTION 7 been added: Contaminated work clothing should not be allowed out of the workplace.

SECTION 7 been added: Do not eat, drink or smoke when using this product.

SECTION 8 been added: Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 15 been added: 1 (self-classification)

SECTION 15 deleted: 2, gem. VwVwS vom 27.07.2005

# Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015



Version 02. Supersedes version: 01 Page 8 / 8