Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 12.02.2014



Version 05. Supersedes version: 04

Page 1 / 8

| SEC | FION 1: Identification of the substa | nce / preparation and of the company | |
|-------|---|--|--|
| 1.1 | Product identifier | | |
| | | febi 29934 automatic transmission fluid (ATF) Article number 29934 | |
| 1.2 | Relevant identified uses of the sul | bstance or mixture and uses advised against | |
| 1.2.1 | Relevant uses | | |
| | | Lubricant | |
| 1.2.2 | Uses advised against | | |
| | | None known. | |
| 1.3 | Details of the supplier of the safety data sheet | | |
| | Company | Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com | |
| | Address enquiries to | | |
| | Technical information | info@febi.com | |
| | Safety Data Sheet | info@febi.com | |
| 1.4 | Emergency phone | | |
| | Advisory body Company | +49 (0)89-19240 (24h) (english) +49 2333 911-0 | |
| SEC | FION 2: Hazards identification | | |
| 2.1 | Classification of the substance or | mixture | |
| 2.1.1 | Classification according to Regula | ation (EC) No 1272/2008 [CLP] | |
| 2 | | not determined | |
| 2.1.2 | Classification according to Regula | ation 67/548/EEC or 1999/45/EC No classification. | |
| 2.2 | Label elements | | |
| | | The product does not require a hazard warning label in accordance with EC-directives. | |
| | Labelling according to Regulation Hazard symbols | 67/548/EEC or 1999/45/EC none | |
| | R-phrases | none | |
| | Special labelling | Safety data sheet available for professional user on request. | |
| 2.3 | Other hazards | | |
| | Physico-chemical hazards | No particular hazards known. | |
| | Human health dangers | Frequent persistent contact with the skin can cause skin irritation. If swallowed or in the event of vomiting, risk of product entering the lungs. | |
| | Environmental hazards | Does not contain any PBT or vPvB substances. | |
| | Other hazards | none | |
| | | | |



Date printed 18.02.2014, Revision 12.02.2014



Version 05. Supersedes version: 04

Page 2 / 8

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

| | Range [%] Substance | | |
|-----|--|---|--|
| | 2 - 5 Methacrylate copolymer | | |
| | EINECS/ELINCS: Polymer | | |
| | GHS/CLP: Eye Irrit. 2: H319 | | |
| | EEC: Xi, R 36 | | |
| | Comment on component parts | Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%. For full text of H-statements and R-phrases: see SECTION 16. | |
| SEC | TION 4: First aid measures | | |
| 4.1 | Description of first aid measure | S | |
| | General information | Change soaked clothing. | |
| | Inhalation | Ensure supply of fresh air. In the event of symptoms seek for medical treatment. | |
| | Skin contact | When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists. | |
| | Eye contact | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. | |
| | Ingestion | Seek medical advice immediately. Do not induce vomiting. Rinse out mouth and give plenty of water to drink. | |
| 4.2 | Most important symptoms and | effects, both acute and delayed | |
| | | Irritant effects | |
| | | Headache | |
| 4.3 | Indication of any immediate me | dical attention and special treatment needed | |
| 4.0 | | Treat symptomatically. | |
| | | Forward this sheet to the doctor. | |
| SEC | TION 5: Fire-fighting measures | | |
| SEC | TION 5. File-ingliting measures | | |
| 5.1 | Extinguishing media | | |
| | Suitable extinguishing media | Carbon dioxide. Dry powder. Foam. | |
| | Extinguishing media that must not be used | Full water jet. | |
| 5.2 | Special hazards arising from the | e substance or mixture | |
| | | Unknown risk of formation of toxic pyrolysis products. Carbon monoxide (CO) | |
| 5.3 | Advice for firefighters | | |
| | | Use self-contained breathing apparatus. | |
| | | Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations. | |

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.



Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 12.02.2014

Page 3 / 8

| 6.2 | Environmental precautions | |
|-------------------------|---|--|
| | | Do not discharge into the drains/surface waters/groundwater. Prevent spread over a wide area (e.g. by containment or oil barriers). |
| 6.3 | Methods and material for contain | ment and cleaning up |
| | | Take up residues with absorbent material (e.g. sand). Dispose of absorbed material in accordance within the regulations. |
| 6.4 | Reference to other sections | |
| | | See SECTION 8+13 |
| SEC | TION 7: Handling and storage | |
| 7.1 | Precautions for safe handling | |
| | | No special measures necessary if used correctly. |
| | | The product is combustible. |
| | | Wash hands before breaks and after work. Use barrier skin cream. |
| | | Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse. |
| 7.2 | Conditions for safe storage, inclu | ding any incompatibilities |
| | | Keep only in original container. Prevent penetration into the ground. |
| | | Do not store together with food and animal food/diet. |
| | | Keep container tightly closed. Protect from heat/overheating. |
| 7.3 | Specific end use(s) | |
| | , | See product use, SECTION 1.2 |
| | | |
| SEC | TION 8: Exposure controls / perso | nal protection |
| SEC ⁻ 8.1 | Control parameters | nal protection |
| | | nal protection |
| | Control parameters Ingredients with occupational | not applicable |
| | Control parameters Ingredients with occupational | |
| | Control parameters Ingredients with occupational | |
| 8.1 | Control parameters Ingredients with occupational exposure limits to be monitored (GB) | |
| 8.1 | Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection | not applicable Ensure adequate ventilation on workstation. If there is a risk of splashing: Safety glasses. |
| 8.1 | Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design | not applicable Ensure adequate ventilation on workstation. If there is a risk of splashing: |
| 8.1 | Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection | not applicable Ensure adequate ventilation on workstation. If there is a risk of splashing: Safety glasses. The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >480 min (EN 374). |
| 8.1 | Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection | not applicable Ensure adequate ventilation on workstation. If there is a risk of splashing: Safety glasses. The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >480 min (EN 374). Neoprene, >480 min (EN 374). |
| 8.1 | Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection Skin protection | not applicable Ensure adequate ventilation on workstation. If there is a risk of splashing: Safety glasses. The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >480 min (EN 374). Neoprene, >480 min (EN 374). Neoprene, >480 min (EN 374). light protective clothing Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. |
| 8.1 | Control parameters Ingredients with occupational exposure limits to be monitored (GB) Exposure controls Additional advice on system design Eye protection Hand protection Skin protection Other | not applicable Ensure adequate ventilation on workstation. If there is a risk of splashing: Safety glasses. The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >480 min (EN 374). Neoprene, >480 min (EN 374). Ilight protective clothing Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin. |

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 12.02.2014



Version 05. Supersedes version: 04

Page 4 / 8

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| internation on subie physical and | |
|--|-------------------------------------|
| Form | liquid |
| Color | dark brown |
| Odor | characteristic |
| Odour threshold | not determined |
| pH-value | not applicable |
| pH-value [1%] | not applicable |
| Boiling point [°C] | not applicable |
| Flash point [°C] | 216 (EN ISO 2592) |
| Flammability [°C] | not determined |
| Lower explosion limit | not applicable |
| Upper explosion limit | not applicable |
| Oxidizing properties | no |
| Vapour pressure/gas pressure [kPa] | not determined |
| Density [g/ml] | 0,852 (DIN 51757) (15 °C / 59,0 °F) |
| Bulk density [kg/m³] | not applicable |
| Solubility in water | insoluble |
| Partition coefficient [n-octanol/water] | not determined |
| Viscosity | 37,3 mm²/s (DIN 51562) (40°C) |
| Relative vapour density determined in air | not applicable |
| Evaporation speed | not applicable |
| Melting point [°C] | not determined |
| Autoignition temperature [°C] | not applicable |
| Decomposition temperature [°C] | not determined |
| | |

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 12.02.2014



Version 05. Supersedes version: 04

Page 5 / 8

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Serious eye damage/irritation | not determined |
|--|-------------------|
| Skin corrosion/irritation | not determined |
| Respiratory or skin sensitisation | not determined |
| Specific target organ toxicity — single exposure | not determined |
| Specific target organ toxicity — repeated exposure | not determined |
| Mutagenicity | not determined |
| Reproduction toxicity | not determined |
| Carcinogenicity | not determined |
| General remarks | |
| | The texisity date |

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. Toxicological data of complete product are not available.

SECTION 12: Ecological information

12.1 Toxicity

12.2 Persistence and degradability

| Behaviour in environment compartments | not determined |
|--|----------------|
| Behaviour in sewage plant | not determined |
| Biological degradability | not determined |

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive.

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 12.02.2014



Version 05. Supersedes version: 04 Pa

Page 6 / 8

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

| | Disposal in an incineration plant in accordance with the regulations of the local authorities. For recycling, consult manufacturer. In according to RoHS! |
|-------------------------|---|
| Waste no. (recommended) | 130205* mineral-based non-chlorinated engine, gear and lubricating oils |
| Contaminated packaging | |
| | Uncontaminated packaging may be taken for recycling. Uncontaminated packaging may be reused. |
| Waste no. (recommended) | 150102 150104 150110* |

SECTION 14: Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

| Transport by land according to ADR/RID | NO DANGEROUS GOODS |
|---|--------------------|
| | |

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS" IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 12.02.2014



Version 05. Supersedes version: 04

Page 7 / 8

| SECTION 15: Regulatory information | | |
|--|---|--|
| 15.1 Safety, health and environmental EEC-REGULATIONS | regulations/legislation specific for the substance or mixture 1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); | |
| TRANSPORT-REGULATIONS | 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC DOT-Classification, ADR (2013); IMDG-Code (2013, 36. Amdt.); IATA-DGR (2013). | |
| NATIONAL REGULATIONS (GB): | EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4 | |
| - Observe employment restrictions for people | no | |
| - VOC (1999/13/CE) | 0% | |
| 15.2 Chemical safety assessment | not applicable | |
| SECTION 40: Other information | | |
| SECTION 16: Other information | | |
| 16.1 R-phrases (SECTION 3) | R 36: Irritating to eyes. | |
| 16.2 Hazard statements (SECTION 3) | H319 Causes serious eye irritation. | |
| 16.3 Abbreviations and acronyms: | | |
| | ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure CAS = Chemical Abstracts Service CLP = Classification, Labelling and Packaging DMEL = Derived No Effect Level EC50 = Median effective concentration ECB = European Chemicals Bureau EEC = European Chemicals Bureau EEC = European Inventory of Existing Commercial Chemical Substances ELINCS = European Inventory of Existing Commercial Chemical Substances ELINCS = European List of Notified Chemical Substances GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk IC50 = Inhibition concentration, 50% IMDG = International Uniform ChemicaL Information Database LC50 = Lethal concentration, 50% LD50 = Median lethal dose MARPOL = International Convention for the Prevention of Marine Pollution from Ships PBT = Persistent, Bioaccumulative and Toxic substance PNEC = Predicted No-Effect Concentration REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals TLV®/TWA = Threshold limit value – time-weighted average TLV®/TWA = Threshold limit value – short-time exposure limit VOC = Volatile Organic Compounds VPVB = very Persistent and very Bioaccumulative | |

16.4 Other information

Ferdinand Bilstein GmbH + Co. KG

Date printed 18.02.2014, Revision 12.02.2014



Version 05. Supersedes version: 04

Page 8 / 8

Modified position

SECTION 4 been added: Rinse out mouth and give plenty of water to drink.
SECTION 4 been added: Forward this sheet to the doctor.
SECTION 4 been added: If eye irritation persists: Get medical advice/attention.
SECTION 4 been added: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
SECTION 7 been added: Take off contaminated clothing and wash before reuse.
SECTION 7 been added: Contaminated work clothing should not be allowed out of the workplace.
SECTION 15 been added: 1, gem. VwVwS vom 27.07.2005
SECTION 15 deleted: 2, gem. VwVwS vom 27.07.2005