

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

EVO-STIK MULTI-PURPOSE SILICONE SEALANT CLEAR

Supercedes Date: 10-Oct-2018

Revision Date 10-Oct-2018 Revision Number 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product Identifier

Product Name EVO-STIK MULTI-PURPOSE SILICONE SEALANT CLEAR

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Sealant.
Uses advised against None known

1.3. Details of the supplier of the safety data sheet

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom	+44 (1785) 272650
Ireland	+353 (1) 8624900 (Monday- Friday 9am-5pm)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

2.2. Label Elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

Signal word

None

EU Specific Hazard Statements

EUH208 - Contains 3(2H)-Isothiazolone, 4,5-dichloro-2-octyl-. May produce an allergic reaction

EUH210 - Safety data sheet available on request

Precautionary statements

P101 - If medical advice is needed, have product container or label at hand

P102 - Keep out of reach of children

2.3. Other Hazards

General Hazards

No information available.

PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB

EVO-STIK MULTI-PURPOSE SILICONE SEALANT CLEAR

Supercedes Date: 10-Oct-2018 Revision Number 1

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

Chemical Name	EC No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Hydrocarbons, C13-C23, n-alkanes, isoalkanes, cyclics, < 0.03% aromatics	932-078-5		>25 - <40	Asp. Tox. 1 (H304)		01-2119552497-29 -xxxx
Triacetoxy(propyl)silane	241-816-9	17865-07-5	1 - <3	Skin Corr. 1B (H314)		01-2119966899-07 -XXXX
Silanetriol, methyl-, triacetate	224-221-9	4253-34-3	1 - <3	Skin Corr. 1C (H314) Acute Tox. 4 (H302) (EUH014)		01-2119962266-32 -XXXX
3(2H)-Isothiazolone, 4,5-dichloro-2-octyl-	264-843-8	64359-81-5	0.01 - <0.1	Skin Corr. 1B (H314) Eye Dam. 1 (H318) Skin Sens. 1A (H317) Acute Tox. 4 (H302) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic Chronic 1 (410)		No data available

Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classifed, however, the substance is listed in section 3 as it has an OEL.

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

Inhalation Remove to fresh air.

Skin contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Eye contact Rinse thoroughly with plenty of water, also under the eyelids.

Ingestion Clean mouth with water and drink afterwards plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms None known.

4.3. Indication of any immediate medical attention and special treatment needed

Revision Date 10-Oct-2018

EVO-STIK MULTI-PURPOSE SILICONE SEALANT CLEAR

Supercedes Date: 10-Oct-2018

Revision Date 10-Oct-2018 Revision Number 1

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating and toxic gases and vapours.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions

Ensure adequate ventilation, especially in confined areas.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Collect spillage.

6.3. Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning upTake up mechanically, placing in appropriate containers for disposal.

6.4. Reference to other sections

Reference to other sections Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Section 13: DISPOSAL CONSIDERATIONS

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Ensure adequate ventilation, especially in confined areas.

General Hygiene Considerations

Handle in accordance with good industrial hygiene and safety practice.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place.

7.3. Specific end use(s)

Specific Use(s)

EVO-STIK MULTI-PURPOSE SILICONE SEALANT CLEAR

Supercedes Date: 10-Oct-2018 Revision Number 1

Sealant.

Other Information

Observe technical data sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Derived No Effect Level (DNEL) No information available

Predicted No Effect Concentration No information available. **(PNEC)**

8.2. Exposure controls

Engineering Controls Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Eye/Face Protection Skin and Body ProtectionTight sealing safety goggles.
Suitable protective clothing.

Environmental Exposure Controls No information available.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical StatePaste / GelColourclearOdourAcetic acid

Odour Threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH

Melting point / freezing point

Boiling point / boiling range
Flash Point

Evaporation Rate
Flammability (solid, gas)

No information available
No information available
No information available
No information available

Flammability Limit in Air

Upper flammability or explosive No information available

limits

Lower flammability or explosive No information available

limits

No information available **Vapour Pressure** Vapour Density No information available No information available **Relative Density** Immiscible in water **Water Solubility Solubility in Other Solvents** No information available Partition coefficient No information available **Autoignition Temperature** No information available **Decomposition Temperature** No information available **Explosive Properties** No information available **Oxidising Properties** No information available **Kinematic Viscosity** No information available

Dynamic Viscosity No information available

9.2. Other information

Revision Date 10-Oct-2018

EVO-STIK MULTI-PURPOSE SILICONE SEALANT CLEAR

Softening PointNo information availableMolecular WeightNo information availableSolvent content (%)No information availableSolid content (%)No information available

Density

Bulk Density

VOC (volatile organic compound)

0.97 g/cm³

No data available

No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

None under normal use conditions.

Supercedes Date: 10-Oct-2018

10.2. Chemical stability

Stable under normal conditions.

Explosion Data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

Possibility of Hazardous Reactions

None under normal processing.

10.4. Conditions to avoid

Heat, flames and sparks.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

None under normal use conditions.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Information on likely routes of exposure

Product Information

No information or data specific to the product on this toxicological (health) effect is available.

InhalationBased on available data, the classification criteria are not met.Eye contactBased on available data, the classification criteria are not met.Skin contactBased on available data, the classification criteria are not met.IngestionBased on available data, the classification criteria are not met.

Sensitisation No data available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation By analogy to another tested similar product: No irritation after contact with the skin .

(H315 is void.).

Serious eye damage/eye irritation By analogy to another tested similar product: No irritation after contact to the eyes.

(H318 is void).

Revision Date 10-Oct-2018

Revision Number 1

EVO-STIK MULTI-PURPOSE SILICONE SEALANT CLEAR

Supercedes Date: 10-Oct-2018

Revision Date 10-Oct-2018

Revision Number 1

Sensitisation Not applicable.

Germ Cell Mutagenicity Not applicable.

Carcinogenicity Not applicable.

Reproductive Toxicity No information available.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposureBased on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

Numerical measures of toxicity

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 64,000.00 mg/kg

Component Information

Toxicity Data Data obtained on the component(s) include

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Hydrocarbons, C13-C23,	LD50 > 5000 mg/kg (rat)	LD50 > 2000 mg/kg (rabbit)	-
n-alkanes, isoalkanes, cyclics, <	OECD 401	OECD 402	
0.03% aromatics			
Silanetriol, methyl-, triacetate	LD50 = 1600 mg/kg (Rat) OECD	-	-
4253-34-3	401		

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity No information available

Component Information

Chemical Name	Algae/aquatic plants	Fish	Crustacea	M-Factor
Hydrocarbons, C13-C23,	EL50 (72h) > 10 000 mg/L	LL50 (96h) > 1028 mg/L	LL50 (48h) > > 3193 mg/l	
n-alkanes, isoalkanes,	(Skeletonema costatum)	(Scophthalmus maximus)	(Acartia tonsa)	
cyclics, < 0.03% aromatics				
3(2H)-Isothiazolone,	EC50 (72h) =0.025 mg/L	LC50 (96h) 0.0078 mg/L Fish	EC50 (48h) 0.0097 mg/L	100
4,5-dichloro-2-octyl-	Algae (Scenedesmus	(Oncorhynchus mykiss)(OECD	Daphnia magna (OECD 202)	
64359-81-5	subspicatus)(OECD 201)	203)		

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Partition coefficient No information available

EVO-STIK MULTI-PURPOSE SILICONE SEALANT CLEAR

•

12.4. Mobility in soil

Supercedes Date: 10-Oct-2018

Mobility in soil No information available.

12.5. Results of PBT and vPvB assessment

. The components in this formulation do not meet the criteria for classification as PBT or vPvB.

Chemical Name	PBT and vPvB assessment
Triacetoxy(propyl)silane 17865-07-5	The substance is not PBT / vPvB
Silanetriol, methyl-, triacetate 4253-34-3	The substance is not PBT / vPvB

12.6. Other adverse effects

No information available

Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors.

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal.

Section 14: TRANSPORT INFORMATION

Land transport (ADR/RID)

14.1 UN NumberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing GroupNot regulated14.5 Environmental hazardsNot applicable

14.6 Special Provisions None

IMDG

14.1 UN NumberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing GroupNot regulated14.5 Marine PollutantNp

14.5 Marine Pollutant Np 14.6 Special Provisions None

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information available

Air transport (ICAO-TI / IATA-DGR)

14.1 UN NumberNot regulated14.2 Proper Shipping NameNot regulated14.3 Transport hazard class(es)Not regulated14.4 Packing GroupNot regulated14.5 Environmental hazardsNot applicable14.6 Special ProvisionsNone

Section 15: REGULATORY INFORMATION

Revision Date 10-Oct-2018

Revision Number 1

EVO-STIK MULTI-PURPOSE SILICONE SEALANT CLEAR

Supercedes Date: 10-Oct-2018 Revision Number 1

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

EU-REACH (1907/2006) - Candidate List of Substances of Very High Concern (SVHC) for Authorization in accordance with Article 59

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

EU-REACH (1907/2006) - Annex XIV - List of substances subject to Authorization

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H314 - Causes severe skin burns and eye damage

H302 - Harmful if swallowed

H318 - Causes serious eye damage

H317 - May cause an allergic skin reaction

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H304 - May be fatal if swallowed and enters airways

EUH014 - Reacts violently with water

Legend

SVHC: Substances of Very High Concern for Authorisation:

Legend SECTION 8: Exposure controls/personal protection

Revision Date 10-Oct-2018

EVO-STIK MULTI-PURPOSE SILICONE SEALANT CLEAR

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals STOT (RE): Specific target organ toxicity - Repeated exposure STOT (SE): Specific target organ toxicity - Single exposure

EWC: European Waste Catalogue

Supercedes Date: 10-Oct-2018

Key literature references and sources for data

Classification and labeling data calculated from data received from raw material suppliers

Prepared By Product Safety & Regulatory Affairs

Revision Date 10-Oct-2018

Indication of changes

Revision Note SDS sections updated: 3, 11.

Training Advice No information available

Further information No information available

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

Revision Date 10-Oct-2018

Revision Number 1