

Ferdinand Bilstein GmbH + Co. KG

Date printed 05.06.2015, Revision 05.06.2015

Version 03. Supersedes version: 02

Page 1 / 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

febi 32941 Engine Oil 5W - 30 Longlife Article number 32941, 32942, 32943, 32944, 39336

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Engine oil

1.2.2 Uses advised against

For all uses not specified in SECTION 1.2.1

1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com

E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

Advisory body +49 (0)89-19240 (24h) (english)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

No classification.

2.2 Label elements

The product is required to be labelled in accordance with GHS/CLP-Directives.

Hazard pictogramsnoneSignal wordnoneHazard statementsnonePrecautionary statementsnone

Special labelling EUH210 Safety data sheet available on request.

2.3 Other hazards

Physico-chemical hazards No particular hazards known.

Human health dangers If swallowed or in the event of vomiting, risk of product entering the lungs.

Frequent persistent contact with the skin can cause skin irritation.

Environmental hazards Does not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.06.2015, Revision 05.06.2015

Version 03. Supersedes version: 02

Page 2 / 8

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

Range [%]	Substance
4 5 - 55	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
	CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, Reg-No.: 01-2119474889-13-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - 5	Bis(nonylphenyl)amine
	CAS: 36878-20-3, EINECS/ELINCS: 253-249-4, Reg-No.: 05-2114603735-51-xxxx
	GHS/CLP: Aquatic Chronic 4: H413

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

For full text of H-statements and R-phrases: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information Change soaked clothing.

Inhalation Ensure supply of fresh air.

In the event of symptoms seek for medical treatment.

Skin contact In case of contact with skin wash off immediately with soap and water.

Consult a doctor if skin irritation persists.

Eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Ingestion Consult a doctor immediately.

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed

If swallowed or in the event of vomiting, risk of product entering the lungs.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Forward this sheet to the doctor.

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing media foam, dry powder, water spray jet, carbon dioxide

Extinguishing media that must not

be used

Full water jet

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Nitrogen oxides (NOx). Carbon monoxide (CO) Sulphur oxides (SOx). Hydrogen sulfide ((H2S).

5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

Collect contaminated firefighting water separately, must not be discharged into the drains.



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.06.2015, Revision 05.06.2015

Version 03. Supersedes version: 02

Page 3 / 8

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Forms slippery surfaces with water.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. general-purpose binder).

Dispose of absorbed material in accordance within the regulations.

6.4 Reference to other sections

See SECTION 8+13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid formation of aerosols.

Do not smoke.

Fire class (DIN EN 2): B

Wash hands before breaks and after work.

Cloths contaminated with product should not be kept in trouser pockets.

Use barrier skin cream.

Do not eat, drink or smoke when using this product.

Remove soiled clothing.

7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Protect from heat/overheating and from sun.

7.3 Specific end use(s)

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.06.2015, Revision 05.06.2015 Version 03. Supersedes version: 02 Page 4 / 8

8.2 Exposure controls

Additional advice on system design
Ensure adequate ventilation on workstation.

Eye protection Safety glasses.

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information

> 0,11 mm: Nitrile rubber, >480 min (EN 374).

Skin protection Light protective clothing.

Other Avoid contact with eyes and skin.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective

supplier.

Respiratory protection Breathing apparatus in the event of aerosol or mist formation.

Short term: filter apparatus, combination filter A-P1.

Thermal hazards

Delimitation and monitoring of the

environmental exposition

See SECTION 6+7.

No information available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form liquid

Color yellow-brown Odor characteristic **Odour threshold** not determined pH-value not applicable pH-value [1%] not applicable Boiling point [°C] not determined Flash point [°C] > 200 (ISO 2592) Flammability (solid, gas) [°C] not applicable Lower explosion limit not determined **Upper explosion limit** not determined

Oxidizing properties no

Vapour pressure/gas pressure [kPa] < 0,01 (20°C)

Density [g/ml] ~0,85 (DIN 51757) (15 °C / 59,0 °F)

 Bulk density [kg/m³]
 not applicable

 Solubility in water
 virtually insoluble

 Partition coefficient [n-octanol/water]
 not determined

Viscosity 11,4 - 12,4 mm²/s (100°C) (DIN 51562/T1)

> 20,5 mm²/s (40°C)

Relative vapour density determined

in air

not determined

Evaporation speed not determined

Melting point [°C] < -33 (DIN ISO 3016)

Autoignition temperature [°C] not determined

Decomposition temperature [°C] not determined

9.2 Other information

No information available

SECTION 10: Stability and reactivity

10.1 Reactivity

See SECTION 10.3.



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.06.2015, Revision 05.06.2015

Version 03. Supersedes version: 02

Page 5 / 8

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

Strong oxidizing agent.

10.6 Hazardous decomposition products

In the case of heating following (decomposition) products may occure: Hydrogen sulfide ((H2S).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Range [%]	Substance
1 - 5	Bis(nonylphenyl)amine, CAS: 36878-20-3
	LD50, oral, Rat: >5000 mg/kg (IUCLID).
4 5 - 55	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
	LD50, dermal, Rabbit: >= 2000 mg/kg (OECD 402).
	LD50, oral, Rat: >= 5000 mg/kg (OECD 401).
	LC50, inhalative, Rat; >= 5.53 mg/l (OECD 403).

Serious eye damage/irritation not determined Skin corrosion/irritation not determined Respiratory or skin sensitisation not determined Specific target organ toxicity not determined single exposure Specific target organ toxicity not determined repeated exposure Mutagenicity not determined Reproduction toxicity not determined Carcinogenicity not determined General remarks

Frequent persistent contact with the skin can cause skin irritation.

Has a degreasing effect on the skin.

No classification on the basis of the calculation procedure of the preparation directive.

Toxicological data of complete product are not available.

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.06.2015, Revision 05.06.2015

Version 03. Supersedes version: 02

Page 6 / 8

SECTION 12: Ecological information

12.1 Toxicity

Range [%]	Substance
1 - 5	Bis(nonylphenyl)amine, CAS: 36878-20-3
	LC50, (96h), Crustacea: 18,9 - 39,2 mg/l.
	LC50, (96h), fish: >1000 mg/l.
4 5 - 55	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
	LC50, (96h), fish: > 100 mg/l (OECD 203).
	EC50, (48h), Crustacea: > 100 mg/l (OECD 202).
	ErC50, (72h), Algae: > 100 mg/l (OECD 201).

12.2 Persistence and degradability

Behaviour in environment

compartments

not determined

Behaviour in sewage plant

Biological degradability

The product is not readily biodegradable.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive.

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

Coordinate disposal with the authorities if necessary.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

In according to RoHS!

Waste no. (recommended) 130205* mineral-based non-chlorinated engine, gear and lubricating oils

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110'



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.06.2015, Revision 05.06.2015 Version 03. Supersedes version: 02 Page 7 / 8

SECTION 14: Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

Transport by land according to

NO DANGEROUS GOODS

ADR/RID

NO DANGEROUS GOODS Inland navigation (ADN)

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EEC-REGULATIONS 1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach);

1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC

TRANSPORT-REGULATIONS DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

CHIP 3/ CHIP 4

- Observe employment restrictions

for people

- VOC (1999/13/CE) not applicable

15.2 Chemical safety assessment

not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H304 May be fatal if swallowed and enters airways. H413 May cause long lasting harmful effects to aquatic life.



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.06.2015, Revision 05.06.2015

Version 03. Supersedes version: 02

Page 8 / 8

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform Chemical Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position SECTION 3 been added: Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based

SECTION 15 been added: EUH210 Safety data sheet available on request.