

Ferdinand Bilstein GmbH + Co. KG

Date printed 05.06.2015, Revision 05.06.2015

Version 05. Supersedes version: 04 Page 1 / 8

SEC	TION 1: Identification of the substa	ance/mixture and of the company/undertaking
1.1	Product identifier	
		febi 34608 automatic transmission fluid (ATF) Article number 34608, 38935, 38936, 38937
1.2	Relevant identified uses of the su	bstance or mixture and uses advised against
1.2.1	Relevant uses	
		Lubricant
1.2.2	Uses advised against	
		None known.
1.3	Details of the supplier of the safe	ty data sheet
	Company	Ferdinand Bilstein GmbH + Co. KG Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com
	Address enquiries to	
	Technical information	info@febi.com
	Safety Data Sheet	info@febi.com
1.4	Emergency telephone number	
	Advisory body	+49 (0)89-19240 (24h) (english)
	Company	+49 2333 911-0
SEC	TION 2: Hazards identification	
2.1	Classification of the substance of	r mixture
		No classification.
2.2	Label elements	
		The product is required to be labelled in accordance with GHS/CLP-Directives.
	Hazard pictograms	none
	Signal word	none
	Hazard statements	none
	Precautionary statements	none
	Special labelling	EUH210 Safety data sheet available on request.

2.3 Other hazards

Environmental hazards	Does not contain any PBT or vPvB substances.
Other hazards	No particular hazards known.

reaction.

Contains: Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs.. EUH208 May produce an allergic



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.06.2015, Revision 05.06.2015

SECTION 3: Composition / Information on ingredients

Product-type:

The product is a mixture.

	Range [%]	Substance		
	50 - < 100	50 - < 100 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based		
		CAS: 72623-87-1,	EINECS/ELINCS: 276-738-4, Reg-No.: 01-2119474889-13-XXXX	
		GHS/CLP: Asp. To	эх. 1: H304	
	0,1 - < 1	Ethanol, 2,2'-imino	bis-, N-tallow alkyl derivs.	
		CAS: 61791-44-4,	EINECS/ELINCS: 263-177-5	
		GHS/CLP: Skin Se	ens. 1: H317 - Skin Corr. 1B: H314 - Acute Tox. 4: H302 - Aquatic Chronic 3: H412	
	Comment on com	ponent parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%. For full text of H-statements and R-phrases: see SECTION 16.	
SEC	TION 4: First aid I	measures		
4.1	Description of first aid measures			
	General information	on	Take off contaminated clothing and wash before reuse.	
	Inhalation		Ensure supply of fresh air. In the event of symptoms seek for medical treatment.	
	Skin contact		When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.	
	Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.	
	Ingestion		Do not induce vomiting. Seek medical advice immediately. Rinse out mouth and give plenty of water to drink.	
4.2	Most important symptoms and effects, both acute and delayed		ffects, both acute and delayed	
	Headache			
4.3	Indication of any immediate medical attention and special treatment needed			
			Treat symptomatically. Forward this sheet to the doctor.	
SEC	TION 5: Fire-fight	ing measures		
5.1	Extinguishing media			
	Suitable extinguis	hing media	Foam, dry powder, water spray jet, carbon dioxide.	
	Extinguishing med be used	-	Full water jet.	
5.2	Special hazards	arising from the	substance or mixture	
			Risk of formation of toxic pyrolysis products. Carbon monoxide (CO)	
5.3	Advice for firefig	phters		
	-		Do not inhale explosion and/or combustion gases. Use self-contained breathing apparatus.	
			Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.	



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.06.2015, Revision 05.06.2015

SEC	TION 6: Accidental release measur	es	
6.1	Personal precautions, protective equipment and emergency procedures		
		Some risk of slipping due to spillage of product. Forms slippery surfaces with water.	
6.2	Environmental precautions		
		Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. Do not discharge into the subsoil/soil.	
6.3	Methods and material for contain	ment and cleaning up	
		Take up with absorbent material (e.g. oil binder). Dispose of absorbed material in accordance within the regulations.	
6.4	Reference to other sections		
		See SECTION 8+13	
SEC	TION 7: Handling and storage		
7.1	Precautions for safe handling		
		Avoid formation of aerosols. Use only in well-ventilated areas.	
		The product is combustible.	
		Do not eat, drink or smoke when using this product. After worktime and before work breaks the affected skin areas must be thoroughly cleaned. Use barrier skin cream. Take off contaminated clothing and wash before reuse. Contaminated work clothing should not be allowed out of the workplace. Cloths contaminated with product should not be kept in trouser pockets.	
7.2	Conditions for safe storage, inclu	ding any incompatibilities	
		Keep only in original container. Prevent penetration into the ground.	
		Do not store together with food and animal food/diet.	
		Keep container in a well-ventilated place. Keep container tightly closed.	
7.3	Specific end use(s)		

See product use, SECTION 1.2

SECTION 8: Exposure controls / personal protection

Ingredients with occupational exposure limits to be monitored (GB)

8.1 Control parameters

not applicable

Ferdinand Bilstein GmbH + Co. KG

Date printed 05.06.2015, Revision 05.06.2015

Version 05. Supersedes version: 04 Page 4 / 8

8.2	Exposure controls Additional advice on system design	Ensure adequate ventilation on workstation.
	Eye protection	Safety glasses.
	Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. Nitrile rubber, >120 min (EN 374).
	Skin protection	light protective clothing
	Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
	Respiratory protection	No special measures necessary.
	Thermal hazards	No information available.
	Delimitation and monitoring of the environmental exposition	See SECTION 6+7.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Form	liquid
Color	light brown
Odor	characteristic
Odour threshold	not determined
pH-value	not determined
pH-value [1%]	not determined
Boiling point [°C]	not applicable
Flash point [°C]	200 (EN ISO 2592)
Flammability (solid, gas) [°C]	not determined
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidizing properties	no
Vapour pressure/gas pressure [kPa]	not determined
Density [g/ml]	0,85 15°C (DIN 51757)
Bulk density [kg/m³]	not applicable
Solubility in water	immiscible
Partition coefficient [n-octanol/water]	not determined
Viscosity	29,6 mm²/s (40°C) (DIN 53211/4)
Relative vapour density determined in air	not determined
Evaporation speed	not determined
Melting point [°C]	not determined
Autoignition temperature [°C]	not applicable
Decomposition temperature [°C]	not determined
Other information	
	2020
	none

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

No dangerous reactions known if used as directed.



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.06.2015, Revision 05.06.2015

Version 05. Supersedes version: 04 Page 5 / 8

10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

10.3 Possibility of hazardous reactions

No hazardous reactions known.

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

No information available.

10.6 Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Range [%]	Substance	
50 - < 100 Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1		
LD50, dermal, Rabbit: >= 2000 mg/kg (OECD 402).		
LD50, oral, Rat: >= 5000 mg/kg (OECD 401).		
	LC50, inhalative, Rat: >= 5,53 mg/l (OECD 403).	

Serious eye damage/irritation	not determined
Skin corrosion/irritation	not determined
Respiratory or skin sensitisation	not determined
Specific target organ toxicity — single exposure	not determined
Specific target organ toxicity — repeated exposure	not determined
Mutagenicity	not determined
Reproduction toxicity	not determined
Carcinogenicity	not determined
General remarks	
	Toxicological data of complete prod

Toxicological data of complete product are not available. No classification on the basis of the calculation procedure of the preparation directive.

SECTION 12: Ecological information

1

2.1	Toxicity	
	Range [%]	Substance
	50 - < 100	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
		LC50, (96h), fish: > 100 mg/l (OECD 203).
		EC50, (48h), Crustacea: > 100 mg/l (OECD 202).
		ErC50, (72h), Algae: > 100 mg/l (OECD 201).



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.06.2015, Revision 05.06.2015

12.2 Persistence and degradability

not determined
not determined
not determined

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive. Ecological data of complete product are not available. Do not discharge product unmonitored into the environment or into the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

Product

	In according to RoHS! Coordinate disposal with the authorities if necessary.
Waste no. (recommended)	130205* mineral-based non-chlorinated engine, gear and lubricating oils
Contaminated packaging	
	Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Waste no. (recommended)	150102 150104 150110*

SECTION 14: Transport information

14.1 UN number

See SECTION 14.2 in accordance with UN shipping name



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.06.2015, Revision 05.06.2015

14.2	UN proper shipping name	

Transport by land according to	NO DANGEROUS GOODS
ADR/RID	

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS" IMDG

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

	EEC-REGULATIONS	1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach); 1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC
	TRANSPORT-REGULATIONS	DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015).
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011). CHIP 3/ CHIP 4
	- Observe employment restrictions for people	no
	- VOC (1999/13/CE)	not applicable
15.2 Chemical safety assessment		
		not applicable

SECTION 16: Other information

16.1 Hazard statements (SECTION 3)

H304 May be fatal if swallowed and enters airways.

H412 Harmful to aquatic life with long lasting effects.

H302 Harmful if swallowed.

- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.



Ferdinand Bilstein GmbH + Co. KG

Date printed 05.06.2015, Revision 05.06.2015

Version 05. Supersedes version: 04 Page 8 / 8

16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

MARPOL = International Convention for the Prevention of Marine Pollution from Ships PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

TLV®/TWA = Threshold limit value - time-weighted average

TLV®STEL = Threshold limit value - short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

16.3 Other information

Classification procedure

Modified position

none