

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 04. Supersedes version: 03

Page 1 / 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

febi 37400 antifreeze 12++ Article number 37402, 37401, 37400

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

1.2.1 Relevant uses

Anti-freezing agents

1.2.2 Uses advised against

For all uses not specified in SECTION 1.2.1

#### 1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47 58256 Ennepetal / GERMANY Phone +49 2333 911-0 Fax +49 2333 911-444

Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (english)

Company +49 2333 911-0

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Acute Tox. 4: H302 Harmful if swallowed.

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.

2.2 Label elements

The product is classified and required to be labelled in accordance with EC-Directives

Hazard pictograms



Signal word WARNING

Contains: Ethylene glycol

Hazard statements H302 Harmful if swallowed.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P260 Do not breathe vapours.
P270 Do no eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER / doctor if you feel unwell.

P314 Get medical advice / attention if you feel unwell.

P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of

disposal.

#### 2.3 Other hazards

Other hazards Further hazards were not determined with the current level of knowledge.



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 04. Supersedes version: 03

Page 2 / 9

#### **SECTION 3: Composition / Information on ingredients**

#### Product-type:

The product is a mixture.

Range [%]	Substance
90 - < 100	Ethylene glycol
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1
	GHS/CLP: Acute Tox. 4: H302 - STOT RE 2: H373
<1	(benzothiazol-2-ylthio)acetic acid
	CAS: 6295-57-4, EINECS/ELINCS: 228-565-0
	GHS/CLP: Acute Tox. 4: H302 - Eye Irrit. 2: H319 - Aquatic Chronic 2: H411

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

For full text of H-statements and R-phrases: see SECTION 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

**General information** Take off contaminated clothing and wash before reuse.

**Inhalation** Remove person to fresh air and keep comfortable for breathing.

In the event of symptoms seek for medical treatment.

Skin contact In case of contact with skin wash off immediately with plenty of water.

Consult a doctor if skin irritation persists.

**Eye contact** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Consult a doctor immediately.

Rinse out mouth and give plenty of water to drink.

Do not induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Tiredness Spasms Diarrhoea Unconsciousness

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

If swallowed or in the event of vomiting, risk of product entering the lungs.

Forward this sheet to the doctor. Monitor kidney function and hematology.

#### **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Product itself is non-combustible. Fire extinguishing method of surrounding areas must be

considered.

Extinguishing media that must not

be used

Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Carbon monoxide (CO)

#### 5.3 Advice for firefighters

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

# ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 04. Supersedes version: 03

Page 3 / 9

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

High risk of slipping due to leakage/spillage of product.

Use personal protective equipment (protective gloves, safety glasses, protective clothing).

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Pick up with absorbent material (e.g. sand, sawdust, universal absorbent, diatomaceous

earth).

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provide suitable vacuuming at the processing area.

Take off contaminated clothing and wash before reuse.

Do not eat, drink or smoke when using this product.

Use barrier skin cream.

Wash hands before breaks and after work.

Contaminated work clothing should not be allowed out of the workplace.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Do not store together with food and animal food/diet.

Keep container tightly closed.

Keep container in a well-ventilated place.

#### 7.3 Specific end use(s)

See product use, SECTION 1.2



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 04. Supersedes version: 03

Page 4 / 9

#### **SECTION 8: Exposure controls / personal protection**

#### **Control parameters**

Ingredients with occupational exposure limits to be monitored (GB)

Range [%]	Substance
90 - < 100	Ethylene glycol
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
	Long-term exposure: 20 ppm, 52 mg/m³, Vapour, particulate: 10 mg/m³
	Short-term exposure (15-minute): 40 ppm, 104 mg/m³

#### Ingredients with occupational exposure limits to be monitored (EU)

Range [%]	Substance / EC LIMIT VALUES
90 - < 100	Ethylene glycol
	CAS: 107-21-1, EINECS/ELINCS: 203-473-3, EU-INDEX: 603-027-00-1, Reg-No.: 01-2119456816-28-XXXX
	Eight hours: 20 ppm, 52 mg/m³, H
	Short-term (15-minute): 40 ppm, 104 mg/m³

#### 8.2 Exposure controls

Additional advice on system design Ensure adequate ventilation on workstation.

Eye protection Safety glasses.

Hand protection The details concerned are recommendations. Please contact the glove supplier for further

information.

> 0,4 mm: Nitrile rubber, >480 min (EN 374).

Skin protection Light protective clothing.

Other Personal protective equipment should be selected specifically for the working place,

depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective

supplier.

Avoid contact with eyes and skin.

Do not inhale vapours.

Respiratory protection Breathing apparatus in the event of high concentrations.

Short term: filter apparatus, combination filter A-P2.

Thermal hazards

Delimitation and monitoring of the

Protect the environment by applying appropriate control measures to prevent or limit environmental exposition

emissions.

## ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 04. Supersedes version: 03

Page 5 / 9

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Form liquid

Color red-violet
Purple

Odor characteristic **Odour threshold** not determined pH-value 7,5 - 8,8 (33%) pH-value [1%] not determined Boiling point [°C] not determined Flash point [°C] > 100 (DIN 51758) Flammability (solid, gas) [°C] not applicable Lower explosion limit not determined Upper explosion limit not determined

Oxidizing properties no

Vapour pressure/gas pressure [kPa] <0,01 (20°C)

**Density [g/ml]** ~ 1,126 (DIN 51757) (20 °C / 68,0 °F)

Bulk density [kg/m³] not applicable
Solubility in water miscible
Partition coefficient [n-octanol/water] Log Pow -1,34
Viscosity not determined
Relative vapour density determined not determined

in air

not determined not determined > 400 (DIN 51757)

Decomposition temperature [°C]

Autoignition temperature [°C]

not determined

#### 9.2 Other information

**Evaporation speed** 

Melting point [°C]

No information available.

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

No dangerous reactions known if used as directed.

#### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

#### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

Reactions with acids.

#### 10.4 Conditions to avoid

Strong heating.

#### 10.5 Incompatible materials

See SECTION 10.3.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 04. Supersedes version: 03

Page 6 / 9

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

Product
ATE-mix, oral, 532,4 mg/kg bw.

Range [%]	Substance
90 - < 100	Ethylene glycol, CAS: 107-21-1
	LD50, dermal, mouse: > 3500 mg/kg Lit
	LD50, oral, Rat: 4700 mg/kg.
	LC50, inhalative, Rat: > 200 mg/m³ 4h.
	LDLo, oral, Human: ca. 1600 mg/kg Lit

Serious eye damage/irritation not determined Skin corrosion/irritation not determined Respiratory or skin sensitisation not determined Specific target organ toxicity not determined single exposure Specific target organ toxicity not determined repeated exposure Mutagenicity not determined Reproduction toxicity not determined Carcinogenicity not determined

The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

#### **SECTION 12: Ecological information**

**General remarks** 

#### 12.1 Toxicity

-		
	Range [%]	Substance
	90 - < 100	Ethylene glycol, CAS: 107-21-1
		LC50, (96h), fish: 41000 mg/l.
		EC50, (48h), Daphnia magna: 34250 mg/l.

#### 12.2 Persistence and degradability

Behaviour in environment not determined

compartments

Behaviour in sewage plant

not determined

Biological degradability

The product is readily biodegradable.

#### 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 04. Supersedes version: 03

Page 7 / 9

#### 12.6 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

**Product** 

Dispose of as hazardous waste.

Disposal in an incineration plant in accordance with the regulations of the local authorities.

Waste no. (recommended)

160114\*

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

Waste no. (recommended) 150110\*

#### **SECTION 14: Transport information**

#### 14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

#### 14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

#### 14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

#### 14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

## ebi bilstein

#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 04. Supersedes version: 03

Page 8 / 9

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach);

1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC

TRANSPORT-REGULATIONS DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015).

NATIONAL REGULATIONS (GB): EH40/2005 Workplace exposure limits (Second edition, published December 2011).

CHIP 3/ CHIP 4

- Observe employment restrictions

for people

Observe employment restrictions for mothers-to-be and nursing mothers. Observe

employment restrictions for young people.

- VOC (1999/13/CE) 90 - <100

#### 15.2 Chemical safety assessment

not applicable

#### **SECTION 16: Other information**

#### 16.1 Hazard statements (SECTION 3)

H373 May cause damage to organs through prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

H319 Causes serious eye irritation. H302 Harmful if swallowed.

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par

Route

RID = Règlement concernant le transport international ferroviaire de marchandises

dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par

voie de navigation intérieure

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform ChemicaL Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

#### 16.3 Other information

Classification procedure Acute Tox. 4: H302 Harmful if swallowed. (Calculation method)

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure.

(Calculation method)



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 04. Supersedes version: 03

Page 9 / 9

**Modified position** 

SECTION 2 been added: H373 May cause damage to organs through prolonged or repeated

exposure.

SECTION 2 been added: STOT RE 2

SECTION 2 been added: H302 Harmful if swallowed.

SECTION 2 been added: Acute Tox. 4

SECTION 15 been added: Storage class 10 (VCI)