febi 39095 automatic transmission fluid Article number 39095, 39096, 39097, 39098



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 02. Supersedes version: 01

Page 1 / 8

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

febi 39095 automatic transmission fluid Article number 39095, 39096, 39097, 39098

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Gearbox oil

1.2.2 Uses advised against

None known.

## 1.3 Details of the supplier of the safety data sheet

Company Ferdinand Bilstein GmbH + Co. KG

Wilhelmstr. 47 58256 Ennepetal / GERMANY

Phone +49 2333 911-0 Fax +49 2333 911-444 Homepage www.febi.com E-mail info@febi.com

Address enquiries to

Technical information info@febi.com
Safety Data Sheet info@febi.com

## 1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (english)

#### **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

No classification.

2.2 Label elements

The product is required to be labelled in accordance with EC-Directives.

Hazard pictogramsnoneSignal wordnoneHazard statementsnone

**Special labelling** EUH210 Safety data sheet available on request.

Contains: Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs.. EUH208 May produce an allergic

reaction.

2.3 Other hazards

**Human health dangers** Frequent persistent contact with the skin can cause skin irritation.

**Environmental hazards**Does not contain any PBT or vPvB substances.

Other hazards Further hazards were not determined with the current level of knowledge.

febi 39095 automatic transmission fluid Article number 39095, 39096, 39097, 39098



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 02. Supersedes version: 01

Page 2 / 8

## **SECTION 3: Composition / Information on ingredients**

#### Product-type:

The product is a mixture.

Range [%]	Substance
50 - < 100	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
	CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, Reg-No.: 01-2119474889-13-XXXX
	GHS/CLP: Asp. Tox. 1: H304
0,1 - < 1	Ethanol, 2,2'-iminobis-, N-tallow alkyl derivs.
	CAS: 61791-44-4, EINECS/ELINCS: 263-177-5
	GHS/CLP: Skin Sens. 1: H317 - Skin Corr. 1B: H314 - Acute Tox. 4: H302 - Aquatic Chronic 3: H412

Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0,1%.

For full text of H-statements and R-phrases: see SECTION 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information Change soaked clothing.

**Inhalation** Ensure supply of fresh air.

In the event of symptoms seek for medical treatment.

**Skin contact** When in contact with the skin, clean with soap and water.

Consult a doctor if skin irritation persists.

**Eye contact** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

**Ingestion** Seek medical advice immediately.

Do not induce vomiting.

# 4.2 Most important symptoms and effects, both acute and delayed

No information available.

## 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

If swallowed or in the event of vomiting, risk of product entering the lungs.

Forward this sheet to the doctor.

## **SECTION 5: Fire-fighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Foam, dry powder, water spray jet, carbon dioxide.

Extinguishing media that must not

be used

Full water jet.

# 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

#### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.

Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within

the local regulations.

febi 39095 automatic transmission fluid Article number 39095, 39096, 39097, 39098



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 02. Supersedes version: 01

Page 3 / 8

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.

Forms slippery surfaces with water.

Keep away from all sources of ignition.

#### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).

Do not discharge into the drains/surface waters/groundwater.

#### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).

Dispose of absorbed material in accordance within the regulations.

#### 6.4 Reference to other sections

See SECTION 8+13

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid formation of aerosols.

Use only in well-ventilated areas.

Do not eat, drink or smoke when using this product.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Cloths contaminated with product should not be kept in trouser pockets.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with food and animal food/diet.

Keep container in a well-ventilated place.

Keep container tightly closed.

## 7.3 Specific end use(s)

See product use, SECTION 1.2

# SECTION 8: Exposure controls / personal protection

# 8.1 Control parameters

Ingredients with occupational exposure limits to be monitored (GB)

not applicable

febi 39095 automatic transmission fluid Article number 39095, 39096, 39097, 39098



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 02. Supersedes version: 01

Page 4 / 8

8.2 Exposure controls

Additional advice on system design 
Ensure adequate ventilation on workstation.

Eye protection Safety glasses.

**Hand protection** The details concerned are recommendations. Please contact the glove supplier for further

information

> 0,4 mm: Nitrile rubber, >120 min (EN 374).

Skin protection light protective clothing

Other Do not inhale gases/vapours/aerosols.

Avoid contact with eyes and skin.

Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity of the hazardous substances handled. The resistance of these equipments to chemicals should be ascertained with the respective

supplier.

**Respiratory protection** Breathing apparatus in the event of aerosol or mist formation.

Short term: filter apparatus, combination filter A-P2.

Thermal hazards No information available.

Delimitation and monitoring of the

environmental exposition

Comply with applicable environmental regulations limiting discharge to air, water and soil.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Form liquid Color green

Odor characteristic
Odour threshold not determined
pH-value not applicable
pH-value [1%] not applicable
Boiling point [°C] not applicable

Flash point [°C] 200 (EN ISO 2592)(COC)

Flammability (solid, gas) [°C] not determined Lower explosion limit not applicable Upper explosion limit not applicable

Oxidizing properties no

Vapour pressure/gas pressure [kPa] not determined

**Density [g/ml]** 0,849 (DIN 51757) (15 °C / 59,0 °F)

 Bulk density [kg/m³]
 not applicable

 Solubility in water
 virtually insoluble

 Partition coefficient [n-octanol/water]
 not determined

Viscosity 29,6 mm<sup>2</sup>/s 40°C (DIN 51562)

Relative vapour density determined

in air

not determined

Evaporation speed not determined Melting point [°C] not determined Autoignition temperature [°C] not applicable Decomposition temperature [°C] not determined

9.2 Other information

none

#### **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

No dangerous reactions known if used as directed.

febi 39095 automatic transmission fluid Article number 39095, 39096, 39097, 39098



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 02. Supersedes version: 01

Page 5 / 8

#### 10.2 Chemical stability

The product is stable under standard conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions known.

#### 10.4 Conditions to avoid

See SECTION 7.2. strong acids Strong oxidizing agent.

## 10.5 Incompatible materials

not determined

#### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### **Acute toxicity**

Range [%]	Substance
50 - < 100	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
	LD50, dermal, Rabbit: >= 2000 mg/kg (OECD 402).
	LD50, oral, Rat: >= 5000 mg/kg (OECD 401).
	LC50, inhalative, Rat: >= 5,53 mg/l (OECD 403).

Serious eye damage/irritation not determined Skin corrosion/irritation not determined Respiratory or skin sensitisation not determined Specific target organ toxicity not determined single exposure not determined Specific target organ toxicity repeated exposure Mutagenicity not determined Reproduction toxicity not determined Carcinogenicity not determined **General remarks** 

Toxicological data of complete product are not available.

No classification on the basis of the calculation procedure of the preparation directive. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists. The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

## **SECTION 12: Ecological information**

# 12.1 Toxicity

Range [%]	Substance
50 - < 100	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
	LC50, (96h), fish: > 100 mg/l (OECD 203).
	EC50, (48h), Crustacea: > 100 mg/l (OECD 202).
	ErC50, (72h), Algae: > 100 mg/l (OECD 201).

febi 39095 automatic transmission fluid Article number 39095, 39096, 39097, 39098



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 02. Supersedes version: 01 Page 6 / 8

#### 12.2 Persistence and degradability

Behaviour in environment

Behaviour in sewage plant

not determined

compartments

not determined

# Biological degradability 12.3 Bioaccumulative potential

No information available.

#### 12.4 Mobility in soil

No information available.

#### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

## 12.6 Other adverse effects

No classification on the basis of the calculation procedure of the preparation directive.

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

The toxicity data pertaining to the ingredients were supplied by the manufacturers of raw materials.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

## Product

Disposal in an incineration plant in accordance with the regulations of the local authorities.

In according to RoHS!

Waste no. (recommended) 130205\* mineral-based non-chlorinated engine, gear and lubricating oils

Contaminated packaging

Uncontaminated packaging may be taken for recycling.

Packaging that cannot be cleaned should be disposed of as for product.

**Waste no. (recommended)** 150110\* 150102

# **SECTION 14: Transport information**

## 14.1 UN number

See SECTION 14.2 in accordance with UN shipping name

febi 39095 automatic transmission fluid Article number 39095, 39096, 39097, 39098



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015 Version 02. Supersedes version: 01 Page 7 / 8

## 14.2 UN proper shipping name

Transport by land according to

ADR/RID

NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

**IMDG** 

Marine transport in accordance with NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

## 14.3 Transport hazard class(es)

See SECTION 14.2 in accordance with UN shipping name

#### 14.4 Packing group

See SECTION 14.2 in accordance with UN shipping name

#### 14.5 Environmental hazards

See SECTION 14.2 in accordance with UN shipping name

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 1967/548 (1999/45); 1991/689 (2001/118); 1999/13; 2004/42; 648/2004; 1907/2006 (Reach);

1272/2008; 75/324/EEC (2008/47/EC); 453/2010/EC

TRANSPORT-REGULATIONS DOT-Classification, ADR (2015); IMDG-Code (2015, 37. Amdt.); IATA-DGR (2015).

**NATIONAL REGULATIONS (GB):** EH40/2005 Workplace exposure limits (Second edition, published December 2011).

CHIP 3/ CHIP 4

- Observe employment restrictions

for people

no

- VOC (1999/13/CE) 0 %

## 15.2 Chemical safety assessment

not applicable

# **SECTION 16: Other information**

# 16.1 Hazard statements (SECTION 3)

H412 Harmful to aquatic life with long lasting effects.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H304 May be fatal if swallowed and enters airways.

febi 39095 automatic transmission fluid Article number 39095, 39096, 39097, 39098



#### Ferdinand Bilstein GmbH + Co. KG

Date printed 08.06.2015, Revision 08.06.2015

Version 02. Supersedes version: 01

Page 8 / 8

#### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

CAS = Chemical Abstracts Service

CLP = Classification, Labelling and Packaging

DMEL = Derived Minimum Effect Level

DNEL = Derived No Effect Level

EC50 = Median effective concentration

ECB = European Chemicals Bureau

EEC = European Economic Community

EINECS = European Inventory of Existing Commercial Chemical Substances

ELINCS = European List of Notified Chemical Substances

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IATA = International Air Transport Association

IBC-Code = International Code for the Construction and Equipment of Ships carrying

Dangerous Chemicals in Bulk

IC50 = Inhibition concentration, 50%

IMDG = International Maritime Code for Dangerous Goods

IUCLID = International Uniform Chemical Information Database

LC50 = Lethal concentration, 50%

LD50 = Median lethal dose

MARPOL = International Convention for the Prevention of Marine Pollution from Ships

PBT = Persistent, Bioaccumulative and Toxic substance

PNEC = Predicted No-Effect Concentration

REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals

TLV®/TWA = Threshold limit value – time-weighted average TLV®STEL = Threshold limit value – short-time exposure limit

VOC = Volatile Organic Compounds

vPvB = very Persistent and very Bioaccumulative

## 16.3 Other information

Classification procedure

Modified position none