according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 08.09.2017 Date of first issue: 08.07.2016

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : LUKOIL GENESIS ADVANCED 10W-40

Product code : 563040

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Engine oil

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : LUKOIL Lubricants Europe GmbH

Ölhafen Lobau - Uferstr. 8

1220 Wien Austria

Telephone : +43 (1) 205 222 - 8800

Responsible/issuing person : info.product-safety@lukoil.com

1.4 Emergency telephone number

Telephone : +43 (1) 205 222 – 8800

(5d/08:00 - 17:00)

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary statements : Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

Additional Labelling

EUH210 Safety data sheet available on request.

EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

GB / EN 1 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 08.09.2017 Date of first issue: 08.07.2016

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Material can create slippery conditions.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Mixture

Hydrocarbons Additives

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)	
The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3.:				
paraffin oils (petroleum), catalytic dewaxed heavy	64742-70-7 265-174-4 01-2119487080-42		>= 40 - <= 60	
distillates (petroleum), solvent-refined heavy par- affinic	64741-88-4 265-090-8 01-2119488706-23-0024		< 30	
distillates (petroleum), solvent-refined hydrotreat- ed heavy, hydrogenated	94733-08-1 305-588-5 01-2119527818-28		<= 15	
distillates (petroleum), hydrotreated heavy paraf- finic	64742-54-7 265-157-1 01-2119484627-25	Asp. Tox. 1; H304	<= 15	
lubricating oils (petroleum), C20-50, hydrotreated neu- tral oil-based	72623-87-1 276-738-4 01-2119474889-13	Asp. Tox. 1; H304	< 5	
bis(nonylphenyl)amine	36878-20-3 253-249-4 01-2119488911-28	Aquatic Chronic 4; H413	>= 1 - < 2,5	
C14-16-18 Alkyl phenol	01-2119498288-19	Skin Sens. 1B; H317 STOT RE 2; H373	>= 0,1 - < 1	

For explanation of abbreviations see section 16.

GB / EN 2 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 08.09.2017 Date of first issue: 08.07.2016

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : First aider needs to protect himself.

If inhaled : If breathed in, move person into fresh air.

Move to fresh air in case of accidental inhalation of vapours.

In case of skin contact : Wash skin thoroughly with soap and water or use recognized

skin cleanser.

If on clothes, remove clothes.

In case of eye contact : Irrigate copiously with clean, fresh water for at least 10

minutes, holding the eyelids apart. Keep eye wide open while rinsing.

If eye irritation persists, consult a specialist.

If swallowed : Do NOT induce vomiting.

Obtain medical attention.

When symptoms persist or in all cases of doubt seek medical

advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Gastrointestinal discomfort

Stomach/intestinal disorders

Vomiting Pneumonia irritant effects

Risks : May cause eye irritation.

Risk of product entering the lungs on vomiting after ingestion. Aspiration may cause pulmonary oedema and pneumonitis.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Later control for pneumonia and lung oedema.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Dry powder

Foam

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire- : Vapours are heavier than air and may spread along floors.

fighting Vapours may form explosive mixtures with air.

GB / EN 3 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 08.09.2017 Date of first issue: 08.07.2016

Cool closed containers exposed to fire with water spray.

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Extinguishing media - large fires Complete suit protecting

against chemicals

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Keep people away from and upwind of spill/leak.

Use personal protective equipment. First aider needs to protect himself. Avoid contact with skin, eyes and clothing.

Ensure adequate ventilation, especially in confined areas. The danger areas must be delimited and identified using rele-

vant warning and safety signs.

Refer to section 15 for specific national regulation.

6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage.

Avoid subsoil penetration. Do not contaminate water.

Prevent product from entering drains.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

Soak up with oil absorbent material.

Offer surplus and non-recyclable solutions to a licensed dis-

posal company.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Take care to avoid waste and spillage when weighing, loading

and mixing the product. Avoid formation of aerosol.

Use only in area provided with appropriate exhaust ventilation.

Provide exhaust ventilation close to floor level.

Do not get on skin or clothing.

GB / EN 4 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 Date of first issue: 08.07.2016 Date of first issue: 08.07.2016

Avoid inhalation, ingestion and contact with skin and eyes.

Advice on protection against

fire and explosion

To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air. Take measures to prevent the build up of electrostatic charge. Keep away from heat and sources of ignition. Keep in a bunded area. Do not smoke.

Hygiene measures : Remove all contaminated clothing under the shower.

Wash contaminated clothing before re-use.

Do not get in eyes.

Avoid contact with skin and clothing.

Fire-fighting class : Fires involving liquids or liquid containing substances. Also

includes substances which become liquid at elevated temper-

atures.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Keep tightly closed.

Keep in a well-ventilated place.

To prevent leaks or spillages from spreading, provide a suita-

ble liquid retention system.

Further information on stor-

age conditions

Keep away from heat and sources of ignition.

Advice on common storage : Do not store together with explosives, gases, oxidizing solids,

products which form flammable gases in contact with water, oxidizing products, infectious products and radioactive prod-

ucts.

Do not store together with oxidizing and self-igniting products. Do not store together with explosives, oxidizing agents, organ-

ic peroxides and infectious products.

Do not store together with acids and ammonium salts.

Other data : Keep away from direct sunlight.

7.3 Specific end use(s)

Specific use(s) : For further information, refer to the product technical data

sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
bis(nonylphenyl)ami	Workers	Skin contact	Long-term systemic effects	0,62 mg/kg
ne				

GB / EN 5 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 08.09.2017 Date of first issue: 08.07.2016

	Workers	Inhalation	Long-term systemic effects	4,37 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0,31 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,09 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0,31 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
bis(nonylphenyl)amine	Fresh water	0,1 mg/l
	Marine water	0,01 mg/l
	Fresh water sediment	132000 mg/kg
	Marine sediment	13200 mg/kg
	Soil	263000 mg/kg

8.2 Exposure controls

Engineering measures

Ensure adequate ventilation, especially in confined areas.

Apply technical measures to comply with the occupational exposure limits.

Personal protective equipment

Eye protection : Wear the following personal protective equipment:

Safety glasses with side-shields conforming to EN166

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0,40 mm

Material : Viton (R)
Break through time : 480 min
Glove thickness : 0,70 mm

Material : butyl-rubber
Break through time : 120 min
Glove thickness : 0,70 mm

Material : Neoprene
Break through time : 60 min
Glove thickness : 0,60 mm

Remarks : Protective gloves complying with EN 374.

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). Be aware that in daily use the durability of a chemical resistant protective glove can be notably shorter than the break through time measured according to EN 374, due to the nu-

merous outside influences (e.g. temperature).

The choice of an appropriate glove does not only depend on

GB / EN 6 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 08.09.2017 Date of first issue: 08.07.2016

its material but also on other quality features and is different

from one producer to the other.

Skin and body protection : Flame retardant protective clothing

Workers should wear antistatic footwear.

Respiratory protection : Use respirator when performing operations involving potential

exposure to vapour of the product.

Respirator with filter type A

The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Suitable respiratory equipment:

Self-contained breathing apparatus (EN 133)

Protective measures : Wear suitable protective equipment.

Avoid contact with the skin and the eyes.

Handle in accordance with good industrial hygiene and safety

practice.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : tan

Odour : No data available

Odour Threshold : No data available

pH : No data available

pour point <= -40 °C

Method: ISO 3016

No data available

Flash point : $>= 200 \, ^{\circ}\text{C}$

Method: Cleveland open cup

Evaporation rate : No data available

Burning rate : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

GB / EN 7 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 08.09.2017 Date of first issue: 08.07.2016

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 0,855 g/cm3 (20 °C)

Method: DIN 51757

Bulk density : No data available

Solubility(ies)

Water solubility : $< 0.01 \text{ g/l} (20 ^{\circ}\text{C})$

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

not determined

Ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 80 mm2/s (40 °C)

Method: ASTM D 445

Flow time : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Self-heating substances : No data available

Impact sensitivity : No data available

Surface tension : No data available

Refractive index : No data available

: No data available

Molecular weight : No data available

Self-ignition :

GB / EN 8 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 08.09.2017 Date of first issue: 08.07.2016

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is chemically stable.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Incompatible with strong acids and oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Strong acids and oxidizing agents

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product:

Acute oral toxicity : No data available

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

Acute toxicity (other routes of :

administration) No data available

Components:

paraffin oils (petroleum), catalytic dewaxed heavy:

Acute oral toxicity : LD50 (Rat, male and female): > 5.000 mg/kg

Method: OECD Test Guideline 401

Information given is based on data obtained from similar sub-

stances.

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Information given is based on data obtained from similar sub-

stances.

GB / EN 9 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 08.09.2017 Date of first issue: 08.07.2016

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2.000 mg/kg

Method: OECD Test Guideline 402

Information given is based on data obtained from similar sub-

stances.

distillates (petroleum), solvent-refined hydrotreated heavy, hydrogenated:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Information given is based on data obtained from similar sub-

stances.

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Information given is based on data obtained from similar sub-

stances.

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

Information given is based on data obtained from similar sub-

stances.

bis(nonylphenyl)amine:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Based on available data, the classification criteria are not met.

Acute dermal toxicity : LD50 (Rat): > 2.000 mg/kg

Method: OECD Test Guideline 402

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Product:

slight irritation

Non persistent irritation

Components:

paraffin oils (petroleum), catalytic dewaxed heavy:

Result: Mild skin irritation

Based on available data, the classification criteria are not met.

bis(nonylphenyl)amine:

Species: Rabbit

Method: OECD Test Guideline 404

Result: No skin irritation Test substance: yes

GB / EN 10 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 Date of first issue: 08.07.2016 Date of first issue: 08.07.2016

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Non persistent irritation

Components:

paraffin oils (petroleum), catalytic dewaxed heavy:

Method: OECD Test Guideline 405

Result: No eye irritation

Information given is based on data obtained from similar substances.

bis(nonylphenyl)amine:

Species: Rabbit

Method: OECD Test Guideline 405

Result: No eye irritation Test substance: yes

Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Result: May cause sensitisation of susceptible persons.

Components:

paraffin oils (petroleum), catalytic dewaxed heavy:

Method: OECD Test Guideline 406

Result: negative

Information given is based on data obtained from similar substances.

bis(nonylphenyl)amine:

Test Type: Maximisation Test Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product:

Genotoxicity in vitro : No data available

Genotoxicity in vivo : No data available

GB / EN 11 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 08.09.2017 Date of first issue: 08.07.2016

Germ cell mutagenicity- As-

sessment

No data available

Components:

paraffin oils (petroleum), catalytic dewaxed heavy:

Genotoxicity in vivo : Test Type: Micronucleus test

Species: Mouse

Method: OECD Test Guideline 474

Result: negative

Information given is based on data obtained from similar sub-

stances.

bis(nonylphenyl)amine:

Genotoxicity in vitro : Result: negative

Genotoxicity in vivo : Species: Mouse

Result: negative

Carcinogenicity

Product:

This information is not available.

Carcinogenicity - Assess-

ment

ment

: No data available

Components:

paraffin oils (petroleum), catalytic dewaxed heavy:

Species: Mouse

Application Route: Skin contact Method: OECD Test Guideline 451

Result: negative

Information given is based on data obtained from similar substances.

Carcinogenicity - Assess-

Classified based on DMSO extract content < 3% (Regulation

(EC) 1272/2008, Annex VI, Part 3, Note L)

distillates (petroleum), solvent-refined heavy paraffinic:

Carcinogenicity - Assess- : Classified based on DMSO extract content < 3% (Regulation

ment (EC) 1272/2008, Annex VI, Part 3, Note L)

distillates (petroleum), solvent-refined hydrotreated heavy, hydrogenated:

Carcinogenicity - Assess- : Classified based on DMSO extract content < 3% (Regulation

ment (EC) 1272/2008, Annex VI, Part 3, Note L)

GB / EN 12 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 08.09.2017 Date of first issue: 08.07.2016

Reproductive toxicity

Product:

Effects on fertility

This information is not available.

Effects on foetal develop-

ment

: This information is not available.

Reproductive toxicity - As-

sessment

No data available

Components:

paraffin oils (petroleum), catalytic dewaxed heavy:

Effects on foetal develop-

: Application Route: Oral

ment

Method: OECD Test Guideline 421

Result: negative

Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

No data available

STOT - repeated exposure

Product:

No data available

Repeated dose toxicity

Product:

This information is not available.

Repeated dose toxicity -

No data available

Assessment

Components:

paraffin oils (petroleum), catalytic dewaxed heavy:

Species: Rabbit NOAEL: 1000 mg/kg

Application Route: Skin contact Method: OECD Test Guideline 407

NOAEL: > 0.28 mg/l

Application Route: Inhalation

(local)

NOAEL: > 0.98 mg/l

Application Route: Inhalation

GB / EN 13 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 08.09.2017 Date of first issue: 08.07.2016

(systemic)

NOAEL: > 2000 mg/kg

Application Route: Skin contact

Exposure time: 90 d Subchronic toxicity

Aspiration toxicity

Product:

No data available

Further information

Product:

No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish (Chronic tox-

icity)

No data available

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

No data available

Ecotoxicology Assessment

Acute aquatic toxicity : No data available

Chronic aquatic toxicity : No data available

Toxicity Data on Soil : No data available

Other organisms relevant to

the environment

No data available

Components:

paraffin oils (petroleum), catalytic dewaxed heavy:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h Test Type: static test

Method: OECD Test Guideline 203

Information given is based on data obtained from similar sub-

stances.

Toxicity to daphnia and other : EL50 (Daphnia magna (Water flea)): > 10.000 mg/l

GB / EN 14 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 08.09.2017 Date of first issue: 08.07.2016

aquatic invertebrates Exposure time: 48 h

Method: OECD Test Guideline 202

Information given is based on data obtained from similar sub-

stances.

LL50 : > 10.000 mg/l Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 202

Information given is based on data obtained from similar sub-

stances.

NOEL: > 10.000 mg/l Exposure time: 96 h Test Type: semi-static test

Method: OECD Test Guideline 202

Information given is based on data obtained from similar sub-

stances.

Toxicity to algae : NOEL (Pseudokirchneriella subcapitata (green algae)): > 100

mg/l

Exposure time: 72 h Test Type: static test

Method: OECD Test Guideline 201

Information given is based on data obtained from similar sub-

stances.

Toxicity to microorganisms : NOEL (Photobacterium phosphoreum): > 1,93 mg/l

Exposure time: 4 d

Test Type: Respiration inhibition of activated sludge

Method: No data available

Information given is based on data on the components and

the ecotoxicology of similar products.

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEL: 10 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Information given is based on data obtained from similar sub-

stances.

distillates (petroleum), solvent-refined hydrotreated heavy, hydrogenated:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Information given is based on data obtained from similar sub-

stances.

NOEL : >= 100 mg/l

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

GB / EN 15 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 08.09.2017 Date of first issue: 08.07.2016

Information given is based on data obtained from similar sub-

stances.

NOEL : >= 10.000 mg/l

Toxicity to algae : NOEL (Pseudokirchneriella subcapitata (green algae)): >=

100 mg/l

Exposure time: 72 h

Test Type: Growth inhibition Method: OECD Test Guideline 201

Information given is based on data obtained from similar sub-

stances.

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEL: 10 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Information given is based on data obtained from similar sub-

stances.

bis(nonylphenyl)amine:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 100 mg/l

Exposure time: 4 d Test Type: static test

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 100 mg/l

Exposure time: 2 d Test Type: static test Test substance: yes

Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l

Exposure time: 3 d Test Type: static test

Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (activated sludge): > 1.000 mg/l

Exposure time: 0,1 d

12.2 Persistence and degradability

Product:

Biodegradability : Result: Not readily biodegradable.

Physico-chemical removabil- :

ity

The product is insoluble and floats on water.

May be separated mechanically in waste water plants.

Impact on Sewage Treat-

ment

No data available

GB / EN 16 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 08.09.2017 Date of first issue: 08.07.2016

Components:

paraffin oils (petroleum), catalytic dewaxed heavy:

Biodegradability : Result: not rapidly degradable

bis(nonylphenyl)amine:

Biodegradability : Test Type: aerobic

Inoculum: activated sludge Result: Not biodegradable Biodegradation: 1 % Exposure time: 28 d

Method: OECD Test Guideline 301B

12.3 Bioaccumulative potential

Product:

Bioaccumulation : No data available

Partition coefficient: n-

octanol/water

: not determined

Components:

bis(nonylphenyl)amine:

Bioaccumulation : Bioconcentration factor (BCF): 1.584,89

Partition coefficient: n-

octanol/water

log Pow: > 7,6

12.4 Mobility in soil

Product:

Mobility : Should not be released into the environment.

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher...

12.6 Other adverse effects

Product:

Additional ecological infor-

mation

Should not be released into the environment.

Do not let product enter drains.

GB / EN 17 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 08.09.2017 Date of first issue: 08.07.2016

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

13 02 08*

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

15 01 10*

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : not required

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 1999/13/EC on the limitation of emissions of : not required under normal use volatile organic compounds

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

15.2 Chemical safety assessment

No data available

GB / EN 18 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 08.09.2017 Date of first issue: 08.07.2016

SECTION 16: Other information

Full text of H-Statements

H304 : May be fatal if swallowed and enters airways.

H317 : May cause an allergic skin reaction.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H413 : May cause long lasting harmful effects to aquatic life.

Full text of other abbreviations

Aquatic Chronic : Chronic aquatic toxicity
Asp. Tox. : Aspiration hazard
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory: TRGS - Technical Rule for Hazardous Substances: TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information : Changes since the last version are highlighted in the margin.

This version replaces all previous versions.

GB / EN 19 / 20

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS ADVANCED 10W-40

Version Revision Date: Date of last issue: 08.07.2016 2.0 08.09.2017 Date of first issue: 08.07.2016

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN 20 / 20