according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C2 5W-30

Version 2.0	Revision Date: 08.09.2017	Date of last issue: 13.03.2015 Date of first issue: 13.03.2015
SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1 Product identifier		
Trade name	: LUKOIL GENESIS SP	PECIAL C2 5W-30
Product code	: 563107	
1.2 Relevant identified uses of	the substance or mixture a	and uses advised against
Use of the Sub- stance/Mixture	: Engine oil	
1.3 Details of the supplier of t	the safety data sheet	
Company	 LUKOIL Lubricants Eu Ölhafen Lobau – Ufers 1220 Wien Austria 	
Telephone Responsible/issuing person	: +43 (1) 205 222 - 880 : info.product-safety@lu	
1.4 Emergency telephone nur	mber	
Telephone	: +43 (1) 205 222 - 880 (5d/08:00 - 17:00)	00

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary statements	:	Disposal:
		P501 Dispose of contents/ container to an approved waste disposal plant.

Additional Labelling

EUH210 EUH208	Safety data sheet available on request.
EUH208	Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.



LUKOIL GENESIS SPECIAL C2 5W-30

Version	Revision Date:	Date of last issue: 13.03.2015
2.0	08.09.2017	Date of first issue: 13.03.2015

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Material can create slippery conditions.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Mixture Hydrocarbons Additives

Hazardous components

-			
Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Registration number		(,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
The classification as a carci	nogen need not apply if it car	he shown that the subst	anco containe
less than 3 % DMSO extrac			
	nd asphaltene free petroleum		
refractive index method", Ins	stitute of Petroleum, London.	This note applies only to	certain complex
oil-derived substances in Pa	art 3. :		
distillates (petroleum),	64742-54-7	Asp. Tox. 1; H304	>= 50 - < 70
hydrotreated heavy paraf-	265-157-1	• •	
finic	01-2119484627-25		
distillates (petroleum),	64742-54-7		>= 20 - <= 40
			>= 20 - <= 40
hydrotreated heavy paraf-	265-157-1		
finic	01-2119484627-25		
bis(nonylphenyl)amine	36878-20-3	Aquatic Chronic 4;	>= 1 - < 2,5
	253-249-4	H413	
	01-2119488911-28		
C14-16-18 Alkyl phenol		Skin Sens. 1B; H317	>= 0,1 - < 1
	01-2119498288-19	STOT RE 2; H373	
	01-2113430200-19	5101 KE 2, H373	

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

GB / EN		2 / 17
In case of skin contact	:	Wash skin thoroughly with soap and water or use recognized skin cleanser. If on clothes, remove clothes.
If inhaled	:	If breathed in, move person into fresh air. Move to fresh air in case of accidental inhalation of vapours.
General advice	:	First aider needs to protect himself.

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C2 5W-30

Version 2.0	Revision Date: 08.09.2017	Date of last issue: 13.03.2015 Date of first issue: 13.03.2015
In case of eye contact	minutes, holding the Keep eye wide open	
If swallowed	: Do NOT induce vomi Obtain medical atten When symptoms per advice.	-
4.2 Most important symptoms	and effects. both acute ar	nd delaved
Symptoms	: Gastrointestinal disco Stomach/intestinal di Vomiting Pneumonia irritant effects	omfort
Risks		ion. ing the lungs on vomiting after ingestion. e pulmonary oedema and pneumonitis.
4.3 Indication of any immediate	e medical attention and sr	pecial treatment needed
Treatment	-	umonia and lung oedema.
SECTION 5: Firefighting me	asures	
5.1 Extinguishing media		
Suitable extinguishing media	a : Dry powder Foam Carbon dioxide (CO2	2)
Unsuitable extinguishing media	: High volume water je	et

Specific hazards during fire- : fighting	:	Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air. Cool closed containers exposed to fire with water spray.
5.3 Advice for firefighters		
Special protective equipment : for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Extinguishing media - large fires Complete suit protecting

against chemicals

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C2 5W-30

Version	Revision Date:	Date of last issue: 13.03.2015
2.0	08.09.2017	Date of first issue: 13.03.2015

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Keep people away from and upwind of spill/leak.
	Use personal protective equipment.
	First aider needs to protect himself.
	Avoid contact with skin, eyes and clothing.
	Ensure adequate ventilation, especially in confined areas.
	The danger areas must be delimited and identified using rele- vant warning and safety signs.
	Refer to section 15 for specific national regulation.

6.2 Environmental precautions

Environmental precautions	 Prevent further leakage or spillage. Avoid subsoil penetration. Do not contaminate water. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.
---------------------------	---

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Use mechanical handling equipment.
		Soak up with oil absorbent material.
		Offer surplus and non-recyclable solutions to a licensed dis-
		posal company.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	 Take care to avoid waste and spillage when weighing, loading and mixing the product. Avoid formation of aerosol. Use only in area provided with appropriate exhaust ventilation. Provide exhaust ventilation close to floor level. Do not get on skin or clothing. Avoid inhalation, ingestion and contact with skin and eyes.
Advice on protection against fire and explosion	:	To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air. Take measures to prevent the build up of electrostatic charge. Keep away from heat and sources of ignition. Keep in a bunded area. Do not smoke.
Hygiene measures	:	Remove all contaminated clothing under the shower. Wash contaminated clothing before re-use. Do not get in eyes.
GB / EN		4 / 17

according to Regulation (EC) No. 1907/2006





Version 2.0	Revision Date: 08.09.2017	Date of last issue: 13.03.2015 Date of first issue: 13.03.2015
	Avoid contact with skin and	d clothing.
Fire-fighting class		quid containing substances. Also become liquid at elevated temper-
7.2 Conditions for safe storage	e, including any incompatibilitie	es
Requirements for storage areas and containers	: Keep tightly closed. Keep in a well-ventilated p To prevent leaks or spillag ble liquid retention system	es from spreading, provide a suita-
Further information on stor- age conditions	- : Keep away from heat and	sources of ignition.
Advice on common storage	products which form flamn oxidizing products, infection ucts. Do not store together with Do not store together with ic peroxides and infectious	explosives, gases, oxidizing solids, nable gases in contact with water, ous products and radioactive prod- oxidizing and self-igniting products. explosives, oxidizing agents, organ- s products. acids and ammonium salts.
Other data	: Keep away from direct sur	nlight.
7.3 Specific end use(s)		
Specific use(s)	: For further information, ref sheet.	er to the product technical data

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
bis(nonylphenyl)ami	Workers	Skin contact	Long-term systemic effects	0,62 mg/kg
ne				
	Workers	Inhalation	Long-term systemic effects	4,37 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0,31 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,09 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0,31 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
bis(nonylphenyl)amine	Fresh water	0,1 mg/l
	Marine water	0,01 mg/l
	Intermittent use/release	1 mg/l
	Sewage treatment plant	1 mg/l

according to Regulation (EC) No. 1907/2006



Version 2.0	Revision Date: 08.09.2017	Date of last issue: 13.03.2015 Date of first issue: 13.03.2015
	Fresh water sed	iment 132000 mg/kg
	Marine sedimen	8
	Soil	263000 mg/k
3.2 Exposure controls		
Engineering measures		
Ensure adequate ventilation Apply technical measures t		
Personal protective equip	oment	
Eye protection		personal protective equipment: a side-shields conforming to EN166
Hand protection Material Break through time Glove thickness	: Nitrile rubber : 480 min : 0,40 mm	
Giove Inickness	. 0,40 mm	
Material Break through time Glove thickness	: Viton (R) : 480 min : 0,70 mm	
Material	: butyl-rubber	
Break through time	: 120 min	
Glove thickness	: 0,70 mm	
Material	: Neoprene	
Break through time Glove thickness	: 60 min : 0,60 mm	
Remarks	Take note of the in ing permeability an workplace conditio Be aware that in da sistant protective g through time meas merous outside infl The choice of an a	complying with EN 374. formation given by the producer concern- d break through times, and of special ns (mechanical strain, duration of contact). aily use the durability of a chemical re- love can be notably shorter than the break ured according to EN 374, due to the nu- uences (e.g. temperature). ppropriate glove does not only depend on o on other quality features and is different to the other.
Skin and body protection	: Flame retardant pr Workers should we	otective clothing ear antistatic footwear.
Respiratory protection	: Use respirator whe exposure to vapou	n performing operations involving potential rof the product.
GB / EN	6 / 17	

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C2 5W-30

Version 2.0	Revision Date: 08.09.2017	Date of last issue: 13.03.2015 Date of first issue: 13.03.2015
	imum expected contaminat (gas/vapour/aerosol/particu	irator must be suitable for the max- nt concentration ulates) that may arise when han- ncentration is exceeded, self- atus must be used.
	Self-contained breathing a	pparatus (EN 133)
Protective measures	: Wear suitable protective ed Avoid contact with the skin Handle in accordance with practice.	

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	tan
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
pour point	:	<= -40 °C Method: ISO 3016
	:	No data available
Flash point	:	>= 210 °C Method: Cleveland open cup
Evaporation rate	:	No data available
Burning rate	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	No data available
Relative vapour density	:	No data available
Relative density	:	No data available
Density	:	0,8454 g/cm3 (20 °C) Method: DIN 51757
GB / EN		7 / 17

according to Regulation (EC) No. 1907/2006





	Revision Date: 08.09.2017	Date of last issue: 13.03.2015 Date of first issue: 13.03.2015
Bulk density	: No data available	
Solubility(ies) Water solubility	: < 0,1 g/l (20 °C)	
Solubility in other solvents	s : No data available	
Partition coefficient: n- octanol/water	: not determined	
Ignition temperature	: No data available	
Decomposition temperature	: No data available	
Viscosity Viscosity, dynamic	: not determined	
Viscosity, kinematic	: 59,4 mm2/s (40 °C) Method: ASTM D 445	
Flow time	: No data available	
Explosive properties	: Not explosive	
Oxidizing properties	: The substance or mixtur	e is not classified as oxidizing.
9.2 Other information		
Self-heating substances	: No data available	
Impact sensitivity	: No data available	
Surface tension	: No data available	
Refractive index	: No data available	
	: No data available	
Molecular weight	: No data available	
Self-ignition	:	

SECTION 10: Stability and reactivity

10.1 Reactivity

The product is chemically stable.

10.2 Chemical stability

The product is chemically stable.

10.3 Possibility of hazardous reactions

Hazardous reactions : Incompatible with strong acids and oxidizing agents.

according to Regulation (EC) No. 1907/2006



10.4 Conditions to avoid : Conditions to avoid : 10.5 Incompatible materials . Materials to avoid : 10.6 Hazardous decomposition proc . No decomposition if stored and ap SECTION 11: Toxicological infor 11.1 Information on toxicological eff Acute toxicity Product: Acute oral toxicity Acute inhalation toxicity	pplied as directed.	agents
10.5 Incompatible materials Materials to avoid 10.6 Hazardous decomposition proc No decomposition if stored and ap SECTION 11: Toxicological infor 11.1 Information on toxicological eff Acute toxicity Product: Acute oral toxicity Acute inhalation toxicity	Strong acids and oxidizing a ducts pplied as directed. rmation	agents
Materials to avoid 10.6 Hazardous decomposition proc No decomposition if stored and an SECTION 11: Toxicological infor 11.1 Information on toxicological eff Acute toxicity <u>Product:</u> Acute oral toxicity Acute inhalation toxicity	ducts pplied as directed. rmation	agents
10.6 Hazardous decomposition proc No decomposition if stored and ap SECTION 11: Toxicological infor 11.1 Information on toxicological eff Acute toxicity Product: Acute oral toxicity Acute inhalation toxicity	ducts pplied as directed. rmation	agents
No decomposition if stored and an SECTION 11: Toxicological infor 11.1 Information on toxicological eff Acute toxicity Product: Acute oral toxicity : Acute inhalation toxicity :	pplied as directed. rmation	
SECTION 11: Toxicological infor 11.1 Information on toxicological eff Acute toxicity <u>Product:</u> Acute oral toxicity : Acute inhalation toxicity :	rmation	
I1.1 Information on toxicological eff Acute toxicity Product: Acute oral toxicity Acute inhalation toxicity	fects	
Acute toxicityProduct:Acute oral toxicity:Acute inhalation toxicity:		
Product:Acute oral toxicity:Acute inhalation toxicity:	No data available	
Acute oral toxicity:Acute inhalation toxicity:	No data available	
Acute inhalation toxicity :	No data available	
A outo dormal toxicity	No data available	
Acute dermal toxicity :	No data available	
Acute toxicity (other routes of : administration)	No data available	
Components:		
distillates (petroleum), hydrotre	eated heavy paraffinic:	
Acute oral toxicity :	LD50 Oral (Rat): > 5.000 mg. Information given is based or stances.	/kg n data obtained from similar sub
Acute inhalation toxicity :	LC50 (Rat): > 5,53 mg/l	
	Exposure time: 4 h Information given is based or stances.	n data obtained from similar sub
Acute dermal toxicity :	LD50 Dermal (Rat): > 2.000 Information given is based or stances.	mg/kg n data obtained from similar sub
distillates (petroleum), hydrotre	eated heavy paraffinic:	
Acute oral toxicity :	LD50 Oral (Rat): > 5.000 mg. Information given is based or stances.	/kg n data obtained from similar sub
Acute inhalation toxicity :	LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Information given is based or	n data obtained from similar sub

according to Regulation (EC) No. 1907/2006

LUKOIL GENESIS SPECIAL C2 5W-30



Version 2.0	Revision Date: 08.09.2017	Date of last issue: 13.03.2015 Date of first issue: 13.03.2015		
Acute dermal toxicity	stances. : LD50 Dermal (Rat): Information given is stances.	> 2.000 mg/kg based on data obtained from similar sub-		
bis(nonylphenyl)amine:				
Acute oral toxicity	: LD50 (Rat): > 5.000 Method: OECD Tes Test substance: Re			
Acute dermal toxicity	: LD50 (Rat): > 2.000 Method: OECD Tes Test substance: Ret) mg/kg t Guideline 402 ad-across (Analogy)		
Skin corrosion/irritation				
<u>Product:</u> slight irritation Non persistent irritation				
Components:				
bis(nonylphenyl)amine:				
Species: Rabbit Method: OECD Test Guidel Result: No skin irritation Test substance: yes	ine 404			
Serious eye damage/eye i	rritation			
Product:				
Non persistent irritation				
Components:	Components:			
bis(nonylphenyl)amine:				
Species: Rabbit Method: OECD Test Guidel Result: No eye irritation Test substance: yes	ine 405			
Respiratory or skin sensit	tisation			
Product:				
	Result: May cause sensitisation of susceptible persons.			
Components:				

bis(nonylphenyl)amine:

according to Regulation (EC) No. 1907/2006



Version 2.0		vision Date: 09.2017	Date of last issue: 13.03.2015 Date of first issue: 13.03.2015	
Test Type: Maximisation Test Exposure routes: Skin contact Species: Guinea pig Method: OECD Test Guideline 406 Result: negative Test substance: Read-across (Analogy)				
Germ cell mutagenicity				
Product:				
Genotoxicity in vitro	:	No data available		
Genotoxicity in vivo	:	No data available		
Germ cell mutagenicity- As- sessment	:	No data available		
Components:				
bis(nonylphenyl)amine:				
Genotoxicity in vitro	:	Result: negative Test substance: Read-acros	s (Analogy)	
Genotoxicity in vivo	:	Species: Mouse Result: negative Test substance: Read-acros	s (Analogy)	
Carcinogenicity				
Product: This information is not availa	ble.			
Carcinogenicity - Assess- ment	:	No data available		
Components:				
distillates (petroleum), hyd	rotro	eated heavy paraffinic:		
Carcinogenicity - Assess- ment	:	Classified based on DMSO ((EC) 1272/2008, Annex VI, F	extract content < 3% (Regulation Part 3, Note L)	
Reproductive toxicity				
Product: Effects on fertility	:	This information is not availa	able.	
Effects on foetal develop- ment	:	This information is not availa	able.	
GB / EN		11 / 17		

according to Regulation (EC) No. 1907/2006

LUKOIL GENESIS SPECIAL C2 5W-30



Version 2.0	Revision Date: 08.09.2017	Date of last issue: 13.03.2015 Date of first issue: 13.03.2015
Reproductive toxicity - sessment	As- : No data available	
STOT - single expos	ure	
<u>Product:</u> No data available		
STOT - repeated exp	osure	
<u>Product:</u> No data available		
Repeated dose toxic	ity	
Product: This information is not	available.	
Repeated dose toxicit Assessment	y - : No data available	
Aspiration toxicity		
<u>Product:</u> No data available		
Components:		
distillates (petroleun	n), hydrotreated heavy paraffinic	:
May be fatal if swallov	ved and enters airways.	
Further information		
<u>Product:</u> No data available		
SECTION 12: Ecologic	al information	
12.1 Toxicity		
Product: Toxicity to fish (Chron icity)	ic tox- : No data available	

Toxicity to daphnia and other : No data available aquatic invertebrates (Chronic toxicity)

according to Regulation (EC) No. 1907/2006



Version 2.0		sion Date: 0.2017	Date of last issue: 13.03.2015 Date of first issue: 13.03.2015
Ecotoxicology Assessmen	t		
Acute aquatic toxicity	: 1	No data available	
Chronic aquatic toxicity	: 1	No data available	
Toxicity Data on Soil	: 1	No data available	
Other organisms relevant to the environment	: 1	No data available	
Components:			
distillates (petroleum), hyc	Irotrea	ted heavy paraffinic:	
Toxicity to fish	I	L50 (Fish): > 100 mg/l nformation given is based or stances.	n data obtained from similar sub-
Toxicity to algae	I	NOEL (algae): > 100 mg/l Information given is based or stances.	n data obtained from similar sub-
Toxicity to fish (Chronic tox- icity)		NOEL: 10 mg/l Species: Fish	
Toxicity to daphnia and othe aquatic invertebrates (Chronic toxicity)	-	NOEL: 10 mg/l Information given is based or stances.	n data obtained from similar sub-
distillates (petroleum), hyc	Irotrea	ted heavy paraffinic:	
Toxicity to fish		_L50 (Fish): > 100 mg/l	
Toxicity to daphnia and othe aquatic invertebrates	r: E	EL50 : > 10.000 mg/l	
Toxicity to algae	: 1	NOEL (algae): > 100 mg/l	
Toxicity to fish (Chronic tox- icity)		NOEL: 10 mg/l Species: Fish	
Toxicity to daphnia and othe aquatic invertebrates (Chronic toxicity)		NOEL: 10 mg/l	
bis(nonylphenyl)amine:			
Toxicity to fish	E T T	LC50 (Danio rerio (zebra fish Exposure time: 96 h Test Type: static test Test substance: Read-across Method: OECD Test Guidelin	s (Analogy)
Toxicity to daphnia and othe	r: E	EC50 (Daphnia magna (Wate	er flea)): > 100 mg/l
GB / EN		13 / 17	

according to Regulation (EC) No. 1907/2006



Version 2.0	Revision Date: 08.09.2017	Date of last issue: 13.03.2015 Date of first issue: 13.03.2015
aquatic invertebrates	Exposure time: 48 h Test Type: static test Test substance: yes Method: OECD Test	
Toxicity to algae	: EC50 (Desmodesmus Exposure time: 72 h Test Type: static test Test substance: Read Method: OECD Test	d-across (Analogy)
12.2 Persistence and degradabi	lity	
Product:		
Biodegradability	: Result: Not readily bio	odegradable.
Physico-chemical removabil- ity		ble and floats on water. echanically in waste water plants.
Impact on Sewage Treat- ment	: No data available	
Components:		
distillates (petroleum), hyd		
Biodegradability	: Result: Not readily bid Biodegradation: 30 % Exposure time: 28 d Method: OECD Test	6
bis(nonylphenyl)amine:		
Biodegradability	: Test Type: aerobic Inoculum: activated s Result: Not biodegrad Biodegradation: 1 % Exposure time: 28 d Method: OECD Test Test substance: Read	dable Guideline 301B
12.3 Bioaccumulative potential		
Product:		
Bioaccumulation	: No data available	
Partition coefficient: n- octanol/water	: not determined	
Components:		
bis(nonylphenyl)amine:		
Partition coefficient: n-	: log Pow: > 7,6	
GB / EN	14 / 17	

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C2 5W-30

Version 2.0	Revision Date: 08.09.2017	Date of last issue: 13.03.2015 Date of first issue: 13.03.2015	
octanol/water			
12.4 Mobility in soil			
Product:			
Mobility	: Should not be releas	ed into the environment.	
Components:			
bis(nonylphenyl)amine:			
Mobility	: After release, adsorb	s onto soil.	
12.5 Results of PBT and vPvB	assessment		
Product:			
Assessment	to be either persisten	ure contains no components considered at, bioaccumulative and toxic (PBT), or ery bioaccumulative (vPvB) at levels of	
12.6 Other adverse effects			
Product:			
Additional ecological infor- mation	: Should not be releas Do not let product en	ed into the environment. Iter drains.	
SECTION 13: Disposal considerations			
13.1 Waste treatment methods			
Product	: Dispose of in accorda	ance with local regulations.	
	13 02 06*		
Contaminated packaging	: Empty containers sho dling site for recycling	ould be taken to an approved waste han- g or disposal.	
	15 01 10*		

SECTION 14: Transport information

14.1 UN number

Not regulated as a dangerous good

14.2 UN proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class(es)

Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C2 5W-30

Version	Revision Date:	Date of last issue: 13.03.2015
2.0	08.09.2017	Date of first issue: 13.03.2015

14.4 Packing group

Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : not required

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 1999/13/EC on the limitation of emissions of : not required under normal use volatile organic compounds

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

15.2 Chemical safety assessment

No data available

SECTION 16: Other information

Full text of H-Statements

H304 H317 H373	::	May be fatal if swallowed and enters airways. May cause an allergic skin reaction. May cause damage to organs through prolonged or repeated exposure.	
H413	:	May cause long lasting harmful effects to aquatic life.	
Full text of other abbreviations			
Aquatic Chronic Asp. Tox.	:	Chronic aquatic toxicity Aspiration hazard	

Asp. 10A.	•	Aspiration nazaru
Skin Sens.	:	Skin sensitisation
STOT RE	:	Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - In-

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006



LUKOIL GENESIS SPECIAL C2 5W-30

Version	Revision Date:	Date of last issue: 13.03.2015
2.0	08.09.2017	Date of first issue: 13.03.2015

ternational Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations: vPvB - Very Persistent and Very Bioaccumulative

Further information

Other information

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

1