according to Regulation (EC) No. 1907/2006



# LUKOIL GENESIS SPECIAL C2 0W-30

Version 3.0	Revision Date: 14.05.2018	Date of last issue: 11.09.2017 Date of first issue: 27.07.2016		
SECTION 1: Identification of the substance/mixture and of the company/undertaking				
1.1 Product identifier Trade name	: LUKOIL GENESIS SPE	ECIAL C2 0W-30		
Product code	: 563108			
<ul> <li>1.2 Relevant identified uses of Use of the Substance/Mixture</li> <li>1.3 Details of the supplier of the supplier of the supplice of</li></ul>	: Engine oil	nd uses advised against		
Company	: LUKOIL Lubricants Eur Ölhafen Lobau – Uferst 1220 Wien Austria			
Telephone Responsible/issuing persor	: +43 (1) 205 222 - 8800 : info.product-safety@lul			
<b>1.4 Emergency telephone nu</b> Telephone	mber : +43 (1) 205 222 – 8800 (5d/08:00 – 17:00)	)		

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification (REGULATION (EC) No 1272/2008)

Chronic aquatic toxicity, Category 3 H412: Harmful to aquatic life with long lasting effects.

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

• •	• •	-	
Hazard statements	:	H412 Harmful to aquatic life with long lasting effects.	
Precautionary statements	:	Prevention:	
		P273 Avoid release to the environment.	
		Disposal:	
		P501 Dispose of contents/ container to an approved wast disposal plant.	te



# LUKOIL GENESIS SPECIAL C2 0W-30

Version	Revision Date:	Date of last issue: 11.09.2017
3.0	14.05.2018	Date of first issue: 27.07.2016

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Material can create slippery conditions.

### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical nature

: Mixture Hydrocarbons Additives

#### Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)		
The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in unused lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction refractive index method", Institute of Petroleum, London. This note applies only to certain complex oil-derived substances in Part 3. :					
1-Decene, homopolymer, hydrogenated	68037-01-4 01-2119486452-34	Asp. Tox. 1; H304	>= 35 - < 55		
distillates (petroleum), hydrotreated heavy paraf- finic	64742-54-7 265-157-1 01-2119484627-25	Asp. Tox. 1; H304	>= 10 - < 30		
bis(nonylphenyl)amine	36878-20-3 253-249-4 01-2119488911-28	Aquatic Chronic 4; H413	>= 1 - < 2,5		
A mixture of isomers of: C7-9-alkyl 3-(3,5-di-trans- butyl-4- hydroxyphenyl)propionate	125643-61-0 406-040-9 01-0000015551-76	Aquatic Chronic 4; H413	>= 1 - < 2,5		
Calcium branched alkyl phenate sulphide (Poly- mer)		Aquatic Chronic 4; H413	>= 1 - < 2,5		
Alcohols, C12-16, ethox- ylated	68551-12-2	Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	>= 0,1 - < 0,25		
phenol, dodecyl-, branched	121158-58-5 310-154-3 01-2119513207-49	Eye Dam. 1; H318 Skin Corr. 1C; H314 Aquatic Chronic 1; H410 Aquatic Acute 1; H400 Repr. 1B; H360F	>= 0,025 - < 0,1		

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006



# LUKOIL GENESIS SPECIAL C2 0W-30

Version	Revision Date:	Date of last issue: 11.09.2017
3.0	14.05.2018	Date of first issue: 27.07.2016

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice	:	First aider needs to protect himself.
If inhaled	:	If breathed in, move person into fresh air.
In case of skin contact	:	Wash off with warm water and soap. If on clothes, remove clothes.
In case of eye contact	:	Immediately flush eye(s) with plenty of water.
		In case of eye contact, remove contact lens and rinse imme- diately with plenty of water, also under the eyelids, for at least 15 minutes.
		If eye irritation persists, consult a specialist.
If swallowed	:	Do NOT induce vomiting. Obtain medical attention.
		When symptoms persist or in all cases of doubt seek medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms	: Gastrointestinal discomfort Stomach/intestinal disorders Vomiting Pneumonia irritant effects
Risks	: May cause eye irritation. Risk of product entering the lungs on vomiting after ingestion. Aspiration may cause pulmonary oedema and pneumonitis.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment	:	Later control for pneumonia and lung oedema.
-----------	---	--

### **SECTION 5: Firefighting measures**

5.1 Extinguishing media				
Suitable extinguishing media	:	Dry powder Foam Carbon dioxide (CO2)		
Unsuitable extinguishing media	:	High volume water jet		



# LUKOIL GENESIS SPECIAL C2 0W-30

Ver 3.0	sion	Revision Date: 14.05.2018		Date of last issue: 11.09.2017 Date of first issue: 27.07.2016	
5.2 Special hazards arising from the substance or mixture					
	Specific hazards during fire- fighting	:	Vapours are heavier than air Vapours may form explosive Cool closed containers expo		
5.3 Advice for firefighters					
	Special protective equipment for firefighters	: :	In the event of fire, wear self Complete suit protecting aga	-contained breathing apparatus. iinst chemicals	
	Specific extinguishing meth- ods	:	Use extinguishing measures cumstances and the surroun	that are appropriate to local cir- ding environment.	
	Further information	:	Fire residues and contamina be disposed of in accordance	ted fire extinguishing water must e with local regulations.	

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures Personal precautions : Keep people away from and upwind of spill/leak. First aider needs to protect himself. Use personal protective equipment. Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined areas. The danger areas must be delimited and identified using relevant warning and safety signs. Refer to section 15 for specific national regulation. **6.2 Environmental precautions Environmental precautions** Prevent further leakage or spillage. : Avoid subsoil penetration. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained. Do not contaminate water. 6.3 Methods and material for containment and cleaning up Methods for cleaning up : Use mechanical handling equipment. Soak up with oil absorbent material. Offer surplus and non-recyclable solutions to a licensed disposal company.

### 6.4 Reference to other sections

For personal protection see section 8.

according to Regulation (EC) No. 1907/2006



# LUKOIL GENESIS SPECIAL C2 0W-30

Version	Revision Date:	Date of last issue: 11.09.2017
3.0	14.05.2018	Date of first issue: 27.07.2016

## SECTION 7: Handling and storage

7.1 Precautions for safe handling			
Advice on safe handling :	Take care to avoid waste and spillage when weighing, loading and mixing the product. Use only with adequate ventilation. Avoid formation of aerosol. Do not get on skin or clothing. Avoid inhalation, ingestion and contact with skin and eyes.		
Advice on protection against : fire and explosion	To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air. Mixture may charge electro- statically: always use earthing leads when transferring from one container to another. Take measures to prevent the build up of electrostatic charge. Keep away from heat and sources of ignition. Keep in a bunded area. Do not smoke.		
Hygiene measures :	Avoid contact with skin, eyes and clothing.		
	Take off all contaminated clothing immediately.		
Fire-fighting class :	Fires involving liquids or liquid containing substances. Also includes substances which become liquid at elevated temper- atures.		
7.2 Conditions for safe storage, including any incompatibilities			
Doquiromonto for storogo	Koon tightly aloogd		

Requirements for storage areas and containers	:	Keep tightly closed. Keep in a well-ventilated place. To prevent leaks or spillages from spreading, provide a suita- ble liquid retention system.
Further information on stor- age conditions	:	Keep away from heat and sources of ignition.
Advice on common storage	:	Do not store together with explosives, gases, oxidizing solids, products which form flammable gases in contact with water, oxidizing products, infectious products and radioactive prod- ucts. Do not store together with oxidizing and self-igniting products. Do not store together with explosives, oxidizing agents, organ- ic peroxides and infectious products. Do not store together with acids and ammonium salts.
Other data	:	Keep away from direct sunlight.
7.3 Specific end use(s) Specific use(s)	:	For further information, refer to the product technical data sheet.

according to Regulation (EC) No. 1907/2006



# LUKOIL GENESIS SPECIAL C2 0W-30

Version	Revision Date:	Date of last issue: 11.09.2017
3.0	14.05.2018	Date of first issue: 27.07.2016

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value
	No data			
	available			
Remarks:	No data availa	ble		

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Remarks:	No data available	

#### 8.2 Exposure controls

#### **Engineering measures**

Provide adequate ventilation.

Apply technical measures to comply with the occupational exposure limits.

#### Personal protective equipment

Eye protection	:	Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.
		If splashes are likely to occur, wear:
		Safety glasses with side-shields conforming to EN166
Hand protection Material Break through time Glove thickness	-	Nitrile rubber 480 min 0,40 mm
Material Break through time Glove thickness		Viton (R) 480 min 0,70 mm
Material Break through time Glove thickness	:	butyl-rubber 120 min 0,70 mm
Material Break through time Glove thickness	:	Neoprene 60 min 0,60 mm
Remarks	:	Protective gloves complying with EN 374.

according to Regulation (EC) No. 1907/2006



# LUKOIL GENESIS SPECIAL C2 0W-30

Version 3.0	Revision Date: 14.05.2018	Date of last issue: 11.09.2017 Date of first issue: 27.07.2016
	in the safety data sho cation specified by u Take note of the info ing permeability and workplace conditions The choice of an app	ormation given by the producer concern- break through times, and of special s (mechanical strain, duration of contact). propriate glove does not only depend on on other quality features and is different
Skin and body protection	: Wear suitable protect	ctive equipment.
Respiratory protection	: No personal respirat quired.	ory protective equipment normally re-
	Apply technical mean exposure limits.	sures to comply with the occupational
Protective measures	gloves, safety goggle These precautions a	urs or spray mist. equipment comprising: suitable protective es and protective clothing re for room temperature handling. Use at e or aerosol/spray applications may re-
	practice, based on th sessment Please follow all app	e with good industrial hygiene and safety ne results of the workplace exposure as- licable local/national requirements when measures for a specific workplace.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Appearance	:	liquid
Colour	:	tan
Odour	:	No data available
Odour Threshold	:	No data available
рН	:	No data available
pour point	:	<= -45 °C Method: ISO 3016

according to Regulation (EC) No. 1907/2006



# LUKOIL GENESIS SPECIAL C2 0W-30

ersion 0		ion Date: .2018	Date of last issue: 11.09.2017 Date of first issue: 27.07.2016
	:	No data available	
Flash point		>= 225 °C Method: Cleveland open cu	р
Evaporation rate	:	No data available	
Burning rate	:	No data available	
Upper explosion limit	:	No data available	
Lower explosion limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density		0,839 g/cm3 (20 °C) Method: DIN 51757	
Bulk density	:	No data available	
Solubility(ies) Water solubility	:	< 0,01 g/l (20 °C)	
Solubility in other solvents	6 :	No data available	
Partition coefficient: n- octanol/water	:	not determined	
Ignition temperature	:	No data available	
Decomposition temperature	:	No data available	
Viscosity Viscosity, dynamic	:	No data available	
Viscosity, kinematic		9,3 - 12,5 mm2/s (100 °C) Method: ASTM D 445	
Flow time	:	No data available	
Explosive properties	:	Not explosive	
Oxidizing properties	:	The substance or mixture is	s not classified as oxidizing.
2 Other information			
Self-heating substances	:	No data available	
Impact sensitivity	:	No data available	

according to Regulation (EC) No. 1907/2006



# LUKOIL GENESIS SPECIAL C2 0W-30

Version 3.0	Revision Date: 14.05.2018	Date of last issue: 11.09.2017 Date of first issue: 27.07.2016
Surface tension	: No data available	
Refractive index	: No data available	
	: No data available	
Molecular weight	: No data available	
Self-ignition	:	
SECTION 10: Stability and	reactivity	
<b>10.1 Reactivity</b> The product is chemically	stable.	
<b>10.2 Chemical stability</b> The product is chemically	stable.	
10.3 Possibility of hazardous	reactions	
Hazardous reactions	: Incompatible with stro	ong acids and oxidizing agents.
10.4 Conditions to avoid		
Conditions to avoid	: No decomposition if u	used as directed.
10.5 Incompatible materials		
Materials to avoid	: Strong acids and oxic	lizing agents
10.6 Hazardous decomposition	on products	
No decomposition if stored	and applied as directed.	
SECTION 11: Toxicologica	l information	
11.1 Information on toxicolog	jical effects	
Acute toxicity		

Product:

Acute oral toxicity	:	Based on available data, the classification criteria are not met.
Acute inhalation toxicity	:	Based on available data, the classification criteria are not met.
Acute dermal toxicity	:	Based on available data, the classification criteria are not met.
Acute toxicity (other routes of administration)	:	No data available

### Components:

1-Decene, homopolymer,	hydrogenated:
Acute oral toxicity	: LD50 (Rat): > 5.000 mg/kg
GB / EN	9 / 18

according to Regulation (EC) No. 1907/2006



# LUKOIL GENESIS SPECIAL C2 0W-30

		vision Date: 05.2018	Date of last issue: 11.09.2017 Date of first issue: 27.07.2016
Acute inhalation toxicity	:	LC50 (Rat, male and fer Exposure time: 4 h Test atmosphere: dust/r	, 2
Acute dermal toxicity	:	LD50 (Rat): > 2.000 mg	/kg
distillates (petroleum), hy	drotre	eated heavy paraffinic:	
Acute oral toxicity	:	LD50 Oral (Rat): > 5.00	0 mg/kg ed on data obtained from similar sul
Acute inhalation toxicity	:	LC50 (Rat): > 5,53 mg/l Exposure time: 4 h Test atmosphere: Aeros Information given is bas stances.	
Acute dermal toxicity	:	LD50 Dermal (Rabbit): : Information given is bas stances.	> 2.000 mg/kg ed on data obtained from similar sul
Product:			
slight irritation Non persistent irritation Based on available data, th	e clas	sification criteria are not r	net.
slight irritation Non persistent irritation Based on available data, th <u>Components:</u>			net.
slight irritation Non persistent irritation Based on available data, th <u>Components:</u>	hydro		net.
slight irritation Non persistent irritation Based on available data, th <u>Components:</u> <b>1-Decene, homopolymer,</b> Assessment: No skin irritati	<b>hydro</b> on	ogenated:	net.
slight irritation Non persistent irritation Based on available data, th <u>Components:</u> <b>1-Decene, homopolymer,</b> Assessment: No skin irritati Serious eye damage/eye i	<b>hydro</b> on	ogenated:	net.
slight irritation Non persistent irritation Based on available data, th <u>Components:</u> <b>1-Decene, homopolymer,</b> Assessment: No skin irritati Serious eye damage/eye i <u>Product:</u>	<b>hydro</b> on	ogenated:	net.
slight irritation Non persistent irritation Based on available data, th <u>Components:</u> <b>1-Decene, homopolymer,</b> Assessment: No skin irritati Serious eye damage/eye i	hydrc on irritati	ogenated: on	
slight irritation Non persistent irritation Based on available data, th <u>Components:</u> <b>1-Decene, homopolymer,</b> Assessment: No skin irritati Serious eye damage/eye i <u>Product:</u> Non persistent irritation	hydrc on irritati	ogenated: on	
slight irritation Non persistent irritation Based on available data, th <u>Components:</u> <b>1-Decene, homopolymer,</b> Assessment: No skin irritati Serious eye damage/eye i <u>Product:</u> Non persistent irritation Based on available data, th	hydrc on irritati e class	ogenated: on sification criteria are not r	
slight irritation Non persistent irritation Based on available data, th <u>Components:</u> <b>1-Decene, homopolymer,</b> Assessment: No skin irritati Serious eye damage/eye i <u>Product:</u> Non persistent irritation Based on available data, th <u>Components:</u>	hydro on irritati e class hydro	ogenated: on sification criteria are not r	
slight irritation Non persistent irritation Based on available data, th <u>Components:</u> <b>1-Decene, homopolymer,</b> Assessment: No skin irritati Serious eye damage/eye i <u>Product:</u> Non persistent irritation Based on available data, th <u>Components:</u> <b>1-Decene, homopolymer,</b>	hydro on irritati e class hydro on	ogenated: on sification criteria are not r	

Exposure routes: Skin contact No known sensitising effect.

according to Regulation (EC) No. 1907/2006



# LUKOIL GENESIS SPECIAL C2 0W-30

Version	Revision Date:	Date of last issue: 11.09.2017
3.0	14.05.2018	Date of first issue: 27.07.2016

Based on available data, the classification criteria are not met.

Exposure routes: Inhalation No known sensitising effect. Based on available data, the classification criteria are not met.

### Components:

### 1-Decene, homopolymer, hydrogenated:

Result: Did not cause sensitisation on laboratory animals.

### Germ cell mutagenicity


#### Product:

Genotoxicity in vitro	:	Based on available data, the classification criteria are not met.
Genotoxicity in vivo	:	Based on available data, the classification criteria are not met.
Germ cell mutagenicity- As- sessment	:	Based on available data, the classification criteria are not met.

### **Components:**

1-Decene, homopolymer, hyd	Irogenated:
Germ cell mutagenicity- As- sessment	: Animal testing did not show any mutagenic effects.
Carcinogenicity	
Product:	
Carcinogenicity - Assess- ment	: Based on available data, the classification criteria are not met.
Components:	
1-Decene, homopolymer, hyd	Irogenated:
Carcinogenicity - Assess- ment	: Weight of evidence does not support classification as a car- cinogen
distillates (petroleum), hydro	treated heavy paraffinic:
Carcinogenicity - Assess- ment	: Classified based on DMSO extract content < 3% (Regulation (EC) 1272/2008, Annex VI, Part 3, Note L)
Reproductive toxicity	
Product:	
Effects on fertility	:
	This information is not available.
B/EN	11 / 18

according to Regulation (EC) No. 1907/2006





# LUKOIL GENESIS SPECIAL C2 0W-30

0	Revision Date: 14.05.2018	Date of last issue: 11.09.2017 Date of first issue: 27.07.2016
Effects on foetal develop- ment	: This information is no	ot available.
Reproductive toxicity - As- sessment	: Based on available da	ata, the classification criteria are not met.
Components:		
1-Decene, homopolymer, h	nydrogenated:	
Reproductive toxicity - As- sessment	: No toxicity to reprodu Animal testing did not ment.	ction t show any effects on foetal develop-
STOT - single exposure		
Product:		
Based on available data, the	e classification criteria are no	ot met.
Components:		
1-Decene, homopolymer, ł	vdrogenated:	
	.,	
Exposure routes: inhalation Target Organs: Mucous mer Assessment: May cause res	(dust/mist/fume), inhalation mbranes, Upper respiratory	
Exposure routes: inhalation Target Organs: Mucous mer	(dust/mist/fume), inhalation nbranes, Upper respiratory piratory irritation.	
Exposure routes: inhalation Target Organs: Mucous mer Assessment: May cause res	(dust/mist/fume), inhalation nbranes, Upper respiratory piratory irritation.	tract
Exposure routes: inhalation Target Organs: Mucous mer Assessment: May cause res STOT - repeated exposure <u>Product:</u>	(dust/mist/fume), inhalation nbranes, Upper respiratory piratory irritation.	tract
Exposure routes: inhalation Target Organs: Mucous mer Assessment: May cause res <b>STOT - repeated exposure</b> <u><b>Product:</b></u> Based on available data, the	(dust/mist/fume), inhalation nbranes, Upper respiratory piratory irritation.	tract
Exposure routes: inhalation Target Organs: Mucous mer Assessment: May cause res STOT - repeated exposure <u>Product:</u> Based on available data, the Repeated dose toxicity	(dust/mist/fume), inhalation nbranes, Upper respiratory piratory irritation.	tract
Exposure routes: inhalation Target Organs: Mucous mer Assessment: May cause res STOT - repeated exposure <u>Product:</u> Based on available data, the Repeated dose toxicity <u>Product:</u>	(dust/mist/fume), inhalation nbranes, Upper respiratory piratory irritation.	tract
Exposure routes: inhalation Target Organs: Mucous mer Assessment: May cause res <b>STOT - repeated exposure</b> <u>Product:</u> Based on available data, the <b>Repeated dose toxicity</b> <u>Product:</u> This information is not availa Repeated dose toxicity -	(dust/mist/fume), inhalation nbranes, Upper respiratory piratory irritation.	tract
Exposure routes: inhalation Target Organs: Mucous mer Assessment: May cause res <b>STOT - repeated exposure</b> <b>Product:</b> Based on available data, the <b>Repeated dose toxicity</b> <b>Product:</b> This information is not availa Repeated dose toxicity - Assessment	(dust/mist/fume), inhalation nbranes, Upper respiratory piratory irritation. e classification criteria are no able. : No data available	tract

May be fatal if swallowed and enters airways.

according to Regulation (EC) No. 1907/2006



# LUKOIL GENESIS SPECIAL C2 0W-30

|--|

### Further information

### Product:

No data available

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish (Chronic tox- icity)	:	No data available
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	No data available
Ecotoxicology Assessment		
Acute aquatic toxicity	:	No data available No data available
Chronic aquatic toxicity	:	Harmful to aquatic life with long lasting effects. No data available
Toxicity Data on Soil	:	No data available No data available
Other organisms relevant to the environment	:	No data available No data available

### Components:

1-Decene, homopolymer, hyd	rogenated:
Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l Exposure time: 96 h
	LC50 (Pimephales promelas (fathead minnow)): > 750 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	EC50 (Daphnia magna (Water flea)): 190 mg/l Exposure time: 48 h
Toxicity to algae	NOELR (Scenedesmus capricornutum (fresh water algae)): 1.000 mg/l Exposure time: 72 h Method: OECD Test Guideline 201
distillates (petroleum), hydrot	reated heavy paraffinic:
Toxicity to fish	LL50 (Fish): > 100 mg/l Information given is based on data obtained from similar sub-
GB / EN	13 / 18

according to Regulation (EC) No. 1907/2006



# LUKOIL GENESIS SPECIAL C2 0W-30

		ision Date: 05.2018	Date of last issue: 11.09.2017 Date of first issue: 27.07.2016	
		stances.		
Toxicity to daphnia and other aquatic invertebrates	:		n data obtained from similar sub-	
Toxicity to algae	:	NOEL (algae): > 100 mg/l Information given is based of stances.	n data obtained from similar sub-	
Toxicity to fish (Chronic tox- icity)	:	NOEL: 10 mg/l Species: Fish Information given is based of stances.	n data obtained from similar sub	
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	NOEL: 10 mg/l Information given is based or stances.	n data obtained from similar sub	
phenol, dodecyl-, branched:	•			
Toxicity to fish	:	LC50 (Fat head minnow): 40 Exposure time: 96 h	mg/l	
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Wat Exposure time: 48 h	er flea)): 0,037 mg/l	
		EC50 (Mysidopsis bahia (ope Exposure time: 96 h	ossum shrimp)): > 0,58 mg/l	
Toxicity to algae	:	EC50 (Scenedesmus quadrie Exposure time: 48 h	cauda (Green algae)): 0,36 mg/l	
M-Factor (Acute aquatic tox- icity)	:	10		
Toxicity to microorganisms	:	EC50 : > 1.000 mg/l Exposure time: 0,1 d		
Toxicity to daphnia and other aquatic invertebrates (Chron-ic toxicity)	:	EC50: 0,0079 mg/l Exposure time: 21 d Species: Daphnia magna (W	'ater flea)	
		NOEC: 0,0037 mg/l Exposure time: 21 d Species: Daphnia magna (W	'ater flea)	
M-Factor (Chronic aquatic toxicity)	:	10		
2.2 Persistence and degradabil	ity			
Product:				

according to Regulation (EC) No. 1907/2006





Version 3.0	Revision Date: 14.05.2018	Date of last issue: 11.09.2017 Date of first issue: 27.07.2016
Physico-chemical removabil- ity		oluble and floats on water. I mechanically in waste water plants.
Impact on Sewage Treat- ment	: No data available No data available	
Components:		
1-Decene, homopolymer, hy	ydrogenated:	
Biodegradability	: Result: Inherently	biodegradable.
phenol, dodecyl-, branched	:	
Biodegradability	: Biodegradation: 2 Exposure time: 28 Method: OECD Te	
12.3 Bioaccumulative potential		
Product: Bioaccumulation	: No data available	
Partition coefficient: n- octanol/water	: not determined	
Components:		
1-Decene, homopolymer, hy	ydrogenated:	
Bioaccumulation	: Bioaccumulation i	s unlikely.
phenol, dodecyl-, branched	:	
Bioaccumulation	: Bioconcentration	factor (BCF): 794,33
Partition coefficient: n- octanol/water	: log Pow: 7,14	
12.4 Mobility in soil		
Product:		
Mobility	: Should not be rele	eased into the environment.
12.5 Results of PBT and vPvB a	ssessment	
Product:		
Assessment	to be either persis	ixture contains no components considered stent, bioaccumulative and toxic (PBT), or id very bioaccumulative (vPvB) at levels of
GB / EN	15 / 18	

according to Regulation (EC) No. 1907/2006



# LUKOIL GENESIS SPECIAL C2 0W-30

Version 3.0	Revision Date: 14.05.2018	Date of last issue: 11.09.2017 Date of first issue: 27.07.2016
12.6 Other adverse effects		
Product:		
Additional ecological infor- mation	: Do not let product en	ter drains.
	Should not be release	ed into the environment.
SECTION 13: Disposal cons	iderations	
13.1 Waste treatment methods		
Product	: Dispose of in accorda	ance with local regulations.
	13 02 06*	
Contaminated packaging	dling site for recycling	ould be taken to an approved waste han- g or disposal. ance with local regulations.
	15 01 10*	

### **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

#### 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

### 14.4 Packing group

<b>ADN</b> Remarks	:	Not regulated as a dangerous good Packed / Inland tanker
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
IATA (Cargo)	:	Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Remarks : not required

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

according to Regulation (EC) No. 1907/2006

# LUKOIL GENESIS SPECIAL C2 0W-30



Version	Revision Date:	Date of last issue: 11.09.2017
3.0	14.05.2018	Date of first issue: 27.07.2016
Remarks	: Not applicable for product as supplied.	

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

#### **15.2 Chemical safety assessment**

No data available

### **SECTION 16: Other information**

#### Full text of H-Statements

H304 :	May be fatal if swallowed and enters airways.
H314 :	Causes severe skin burns and eye damage.
H318 :	Causes serious eye damage.
H360F :	May damage fertility.
H400 :	Very toxic to aquatic life.
H410 :	Very toxic to aquatic life with long lasting effects.
H412 :	Harmful to aquatic life with long lasting effects.
H413 :	May cause long lasting harmful effects to aquatic life.

#### Full text of other abbreviations

Aquatic Acute	:	Acute aquatic toxicity
Aquatic Chronic	:	Chronic aquatic toxicity
Asp. Tox.	:	Aspiration hazard
Eye Dam.	:	Serious eye damage
Repr.	:	Reproductive toxicity
Skin Corr.	:	Skin corrosion

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not



# LUKOIL GENESIS SPECIAL C2 0W-30

:

Version	Revision Date:	Date of last issue: 11.09.2017
3.0	14.05.2018	Date of first issue: 27.07.2016

Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Other information

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.