according to Regulation (EC) No. 1907/2006



# **LUKOIL GENESIS SPECIAL JLR 0W-20**

Version Revision Date: Date of last issue: -

1.0 12.04.2018 Date of first issue: 12.04.2018

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : LUKOIL GENESIS SPECIAL JLR 0W-20

Product code : 563119

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Engine oil

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : LUKOIL Lubricants Europe GmbH

Ölhafen Lobau - Uferstr. 8

1220 Wien Austria

Telephone : +43 (1) 205 222 - 8800

Responsible/issuing person : info.product-safety@lukoil.com

1.4 Emergency telephone number

Telephone : +43 (1) 205 222 – 8800

(5d/08:00 - 17:00)

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

## 2.2 Label elements

## Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Precautionary statements : Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

### **Additional Labelling**

EUH210 Safety data sheet available on request.

EUH208 Contains C14-16-18 Alkyl phenol. May produce an allergic reaction.

GB / EN 1 / 17

according to Regulation (EC) No. 1907/2006



# **LUKOIL GENESIS SPECIAL JLR 0W-20**

Version Revision Date: Date of last issue: -

1.0 12.04.2018 Date of first issue: 12.04.2018

## 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Material can create slippery conditions.

# **SECTION 3: Composition/information on ingredients**

## 3.2 Mixtures

Chemical nature : Mixture

Hydrocarbons Additives

# **Hazardous components**

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)			
The election of a const						
	nogen need not apply if it car					
	less than 3 % DMSO extract as measured by IP 346 "Determination of polycyclic aromatics in un-					
	used lubricating base oils and asphaltene free petroleum fractions - Dimethyl sulphoxide extraction					
1	stitute of Petroleum, London.	This note applies only to	certain complex			
oil-derived substances in Pa						
distillates (petroleum),	64742-54-7	Asp. Tox. 1; H304	>= 50 - < 70			
hydrotreated heavy paraf-	265-157-1					
finic	01-2119484627-25					
1-Decene, homopolymer,	68037-01-4	Asp. Tox. 1; H304	>= 10 - < 20			
hydrogenated	01-2119486452-34	•				
paraffin oils (petroleum),	64742-70-7		<= 10			
catalytic dewaxed heavy	265-174-4		-			
	01-2119487080-42					
baseoil - unspecified*		Asp. Tox. 1; H304	< 10			
		, , , , , , , , , , , , , , , , , , , ,				
bis(nonylphenyl)amine	36878-20-3	Aquatic Chronic 4;	>= 1 - < 2,5			
Dis(non),pnon),janino	253-249-4	H413	, , , , ,			
	01-2119488911-28	11110				
	0.2.10.00011.20					
C14-16-18 Alkyl phenol		Skin Sens. 1B; H317	>= 0,1 - < 1			
	931-468-2	STOT RE 2; H373	- 0,1 11			
	01-2119498288-19					

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

General advice : First aider needs to protect himself.

GB / EN 2 / 17

according to Regulation (EC) No. 1907/2006



# **LUKOIL GENESIS SPECIAL JLR 0W-20**

Version Revision Date: Date of last issue: -

1.0 12.04.2018 Date of first issue: 12.04.2018

If inhaled : If breathed in, move person into fresh air.

In case of skin contact : Wash off with warm water and soap.

If on clothes, remove clothes.

In case of eye contact : Immediately flush eye(s) with plenty of water.

In case of eye contact, remove contact lens and rinse immediately with plenty of water, also under the eyelids, for at least

15 minutes.

If eye irritation persists, consult a specialist.

If swallowed : Do NOT induce vomiting.

Obtain medical attention.

When symptoms persist or in all cases of doubt seek medical

advice.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Gastrointestinal discomfort

Stomach/intestinal disorders

Vomiting Pneumonia irritant effects

Risks : May cause eye irritation.

Risk of product entering the lungs on vomiting after ingestion. Aspiration may cause pulmonary oedema and pneumonitis.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Later control for pneumonia and lung oedema.

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media : Dry powder

Foam

Carbon dioxide (CO2)

Unsuitable extinguishing

media

High volume water jet

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Vapours are heavier than air and may spread along floors.

Vapours may form explosive mixtures with air.

Cool closed containers exposed to fire with water spray.

GB / EN 3 / 17

according to Regulation (EC) No. 1907/2006



# **LUKOIL GENESIS SPECIAL JLR 0W-20**

Version Revision Date: Date of last issue: -

1.0 12.04.2018 Date of first issue: 12.04.2018

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Complete suit protecting against chemicals

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Further information : Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Keep people away from and upwind of spill/leak.

First aider needs to protect himself.
Use personal protective equipment.

Avoid contact with skin, eyes and clothing.

Ensure adequate ventilation, especially in confined areas. The danger areas must be delimited and identified using rele-

vant warning and safety signs.

Refer to section 15 for specific national regulation.

### 6.2 Environmental precautions

Environmental precautions : Prevent further leakage or spillage.

Avoid subsoil penetration.

Prevent product from entering drains.

Local authorities should be advised if significant spillages

cannot be contained.

Do not contaminate water.

## 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Use mechanical handling equipment.

Soak up with oil absorbent material.

Offer surplus and non-recyclable solutions to a licensed dis-

posal company.

## 6.4 Reference to other sections

For personal protection see section 8.

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Advice on safe handling : Take care to avoid waste and spillage when weighing, loading

and mixing the product.

Use only with adequate ventilation.

GB / EN 4 / 17

according to Regulation (EC) No. 1907/2006



# **LUKOIL GENESIS SPECIAL JLR 0W-20**

Version Revision Date: Date of last issue: -

Date of first issue: 12.04.2018 1.0 12.04.2018

> Avoid formation of aerosol. Do not get on skin or clothing.

Avoid inhalation, ingestion and contact with skin and eyes.

Advice on protection against

fire and explosion

To avoid ignition of vapours by static electricity discharge, all metal parts of the equipment must be grounded. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Take measures to prevent the build up of electrostatic charge. Keep away from heat and sources of ignition. Keep in a bunded area. Do not smoke.

Hygiene measures Avoid contact with skin, eyes and clothing.

Take off all contaminated clothing immediately.

Fire-fighting class Fires involving liquids or liquid containing substances. Also

includes substances which become liquid at elevated temper-

atures.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Keep tightly closed.

Keep in a well-ventilated place.

To prevent leaks or spillages from spreading, provide a suita-

ble liquid retention system.

Further information on stor-

age conditions

Keep away from heat and sources of ignition.

Advice on common storage Do not store together with explosives, gases, oxidizing solids,

> products which form flammable gases in contact with water, oxidizing products, infectious products and radioactive prod-

Do not store together with oxidizing and self-igniting products. Do not store together with explosives, oxidizing agents, organ-

ic peroxides and infectious products.

Do not store together with acids and ammonium salts.

Other data Keep away from direct sunlight.

7.3 Specific end use(s)

Specific use(s) For further information, refer to the product technical data

sheet.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

# Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

	Substance name	End Use	Exposure routes	Potential health effects	Value
GB	/ EN		5 / 17		

according to Regulation (EC) No. 1907/2006



# **LUKOIL GENESIS SPECIAL JLR 0W-20**

Version Revision Date: Date of last issue: -

1.0 12.04.2018 Date of first issue: 12.04.2018

bis(nonylphenyl)ami	Workers	Skin contact	Long-term systemic effects	0,62 mg/kg
ne				
	Workers	Inhalation	Long-term systemic effects	4,37 mg/m3
	Consumers	Skin contact	Long-term systemic effects	0,31 mg/kg
	Consumers	Inhalation	Long-term systemic effects	1,09 mg/m3
	Consumers	Ingestion	Long-term systemic effects	0,31 mg/kg

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
bis(nonylphenyl)amine	Fresh water	0,1 mg/l
	Marine water	0,01 mg/l
	Intermittent use/release	1 mg/l
	Sewage treatment plant	1 mg/l
	Fresh water sediment	132000 mg/kg
	Marine sediment	13200 mg/kg
	Soil	263000 mg/kg

## 8.2 Exposure controls

## **Engineering measures**

Ensure adequate ventilation, especially in confined areas.

Apply technical measures to comply with the occupational exposure limits.

## Personal protective equipment

Eye protection : Please follow all applicable local/national requirements when

selecting protective measures for a specific workplace.

If splashes are likely to occur, wear:

Safety glasses with side-shields conforming to EN166

Hand protection

Material : Nitrile rubber
Break through time : 480 min
Glove thickness : 0,40 mm

Material : Viton (R)
Break through time : 480 min
Glove thickness : 0,70 mm

Material : butyl-rubber
Break through time : 120 min
Glove thickness : 0,70 mm

Material : Neoprene
Break through time : 60 min
Glove thickness : 0,60 mm

Remarks : Protective gloves complying with EN 374.

GB / EN 6 / 17

according to Regulation (EC) No. 1907/2006



# **LUKOIL GENESIS SPECIAL JLR 0W-20**

Version Revision Date: Date of last issue: -

1.0 12.04.2018 Date of first issue: 12.04.2018

This recommendation is only valid for the product mentioned in the safety data sheet and provided by us and for the application specified by us.

Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact). The choice of an appropriate glove does not only depend on its material but also on other quality features and is different from one producer to the other.

Skin and body protection : Wear suitable protective equipment.

Respiratory protection : Use respirator when performing operations involving potential

exposure to vapour of the product.

Respirator with filter type A

The filter class for the respirator must be suitable for the max-

imum expected contaminant concentration

(gas/vapour/aerosol/particulates) that may arise when handling the product. If this concentration is exceeded, self-

contained breathing apparatus must be used.

Suitable respiratory equipment:

Self-contained breathing apparatus (EN 133)

Protective measures : Wear suitable protective equipment.

Avoid contact with the skin and the eyes.

Handle in accordance with good industrial hygiene and safety

practice.

Please follow all applicable local/national requirements when selecting protective measures for a specific workplace.

## **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : tan

Odour : No data available

Odour Threshold : No data available

pH : No data available

pour point :  $<= -39 \, ^{\circ}\text{C}$ 

Method: ISO 3016

GB / EN 7 / 17

according to Regulation (EC) No. 1907/2006



# **LUKOIL GENESIS SPECIAL JLR 0W-20**

Version Revision Date: Date of last issue: -

1.0 12.04.2018 Date of first issue: 12.04.2018

No data available

Flash point :  $>= 200 \, ^{\circ}\text{C}$ 

Method: Cleveland open cup

Evaporation rate : No data available

Burning rate : No data available

Upper explosion limit : No data available

Lower explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : 0,836 g/cm3 (20 °C)

Method: DIN 51757

Bulk density : No data available

Solubility(ies)

Water solubility : < 0.01 g/l (20 °C)

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

not determined

Ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : 38,5 mm2/s (40 °C)

Method: ASTM D 445

Flow time : No data available

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Self-heating substances : No data available

Impact sensitivity : No data available

GB / EN 8 / 17

according to Regulation (EC) No. 1907/2006



# **LUKOIL GENESIS SPECIAL JLR 0W-20**

Version Revision Date: Date of last issue: -

1.0 12.04.2018 Date of first issue: 12.04.2018

Surface tension : No data available

Refractive index : No data available

: No data available

Molecular weight : No data available

Self-ignition :

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

The product is chemically stable.

## 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Incompatible with strong acids and oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : No decomposition if used as directed.

10.5 Incompatible materials

Materials to avoid : Strong acids and oxidizing agents

## 10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

## **Acute toxicity**

**Product:** 

Acute oral toxicity : Based on available data, the classification criteria are not met.

Acute inhalation toxicity : Based on available data, the classification criteria are not met.

Acute dermal toxicity : Based on available data, the classification criteria are not met.

Acute toxicity (other routes of :

administration) No data available

### **Components:**

## distillates (petroleum), hydrotreated heavy paraffinic:

Acute oral toxicity : LD50 Oral: > 5.000 mg/kg

GB / EN 9 / 17

according to Regulation (EC) No. 1907/2006



# **LUKOIL GENESIS SPECIAL JLR 0W-20**

Version Revision Date: Date of last issue: -

1.0 12.04.2018 Date of first issue: 12.04.2018

Acute inhalation toxicity : LC50: > 5 mg/l

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg

1-Decene, homopolymer, hydrogenated:

Acute oral toxicity : LD50 Oral (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,2 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : LD50 Dermal (Rat): > 2.000 mg/kg

### Skin corrosion/irritation

### **Product:**

slight irritation

Non persistent irritation

Based on available data, the classification criteria are not met.

# **Components:**

# distillates (petroleum), hydrotreated heavy paraffinic:

Species: Rabbit

Result: Mild skin irritation Non persistent irritation

Species: Human

Result: Mild skin irritation Non persistent irritation

# Serious eye damage/eye irritation

### **Product:**

Non persistent irritation

Based on available data, the classification criteria are not met.

### **Components:**

## distillates (petroleum), hydrotreated heavy paraffinic:

Result: No eye irritation

### Respiratory or skin sensitisation

# **Product:**

Exposure routes: Skin contact

Result: May cause sensitisation of susceptible persons.

Exposure routes: Inhalation

GB / EN 10 / 17

according to Regulation (EC) No. 1907/2006



# **LUKOIL GENESIS SPECIAL JLR 0W-20**

Version Revision Date: Date of last issue: -

1.0 12.04.2018 Date of first issue: 12.04.2018

No known sensitising effect.

Based on available data, the classification criteria are not met.

# **Components:**

# distillates (petroleum), hydrotreated heavy paraffinic:

Exposure routes: Skin contact No known sensitising effect.

Exposure routes: Inhalation

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

**Product:** 

Genotoxicity in vitro : Based on available data, the classification criteria are not met.

Genotoxicity in vivo : Based on available data, the classification criteria are not met.

Germ cell mutagenicity- As-

sessment

Based on available data, the classification criteria are not met.

### **Components:**

## distillates (petroleum), hydrotreated heavy paraffinic:

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

### Carcinogenicity

**Product:** 

Carcinogenicity - Assess-

ment

Based on available data, the classification criteria are not met.

#### Components:

## distillates (petroleum), hydrotreated heavy paraffinic:

Carcinogenicity - Assess-

ment

Classified based on DMSO extract content < 3% (Regulation

(EC) 1272/2008, Annex VI, Part 3, Note L)

baseoil - unspecified\*:

Carcinogenicity - Assess-

ment

Classified based on DMSO extract content < 3% (Regulation

(EC) 1272/2008, Annex VI, Part 3, Note L)

## Reproductive toxicity

**Product:** 

Effects on fertility

GB / EN 11 / 17

according to Regulation (EC) No. 1907/2006



# **LUKOIL GENESIS SPECIAL JLR 0W-20**

Version Revision Date: Date of last issue: -

1.0 12.04.2018 Date of first issue: 12.04.2018

This information is not available.

Effects on foetal develop-

ment

This information is not available.

Reproductive toxicity - As-

sessment

Based on available data, the classification criteria are not met.

## **Components:**

### distillates (petroleum), hydrotreated heavy paraffinic:

Effects on foetal develop-

ment

: Developmental Toxicity: NOAEL: > 2.000 mg/kg body weight Based on available data, the classification criteria are not met.

Reproductive toxicity - As-

sessment

Based on available data, the classification criteria are not met.

# STOT - single exposure

### **Product:**

Based on available data, the classification criteria are not met.

### STOT - repeated exposure

### **Product:**

Based on available data, the classification criteria are not met.

## Repeated dose toxicity

## **Product:**

This information is not available.

Repeated dose toxicity -

No data available

Assessment

## **Components:**

### distillates (petroleum), hydrotreated heavy paraffinic:

NOAEL: 1.000 mg/kg

Application Route: Skin contact

Subchronic toxicity

NOAEL: 220 mg/m<sup>3</sup>

Application Route: Inhalation

Local effects

NOAEL: 980 mg/m<sup>3</sup>

Application Route: Inhalation

Systemic effects

GB / EN 12 / 17

according to Regulation (EC) No. 1907/2006



# **LUKOIL GENESIS SPECIAL JLR 0W-20**

Version Revision Date: Date of last issue: -

1.0 12.04.2018 Date of first issue: 12.04.2018

## **Aspiration toxicity**

## **Product:**

No aspiration toxicity classification

### **Further information**

### **Product:**

No data available

## **SECTION 12: Ecological information**

## 12.1 Toxicity

### **Product:**

Toxicity to fish (Chronic tox-

icity)

No data available

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

No data available

# **Ecotoxicology Assessment**

Acute aquatic toxicity : No data available

Chronic aquatic toxicity : No data available

Toxicity Data on Soil : No data available

Other organisms relevant to

the environment

: No data available

### Components:

## distillates (petroleum), hydrotreated heavy paraffinic:

Toxicity to fish : LL50 (Fish): > 100 mg/l

Toxicity to algae : NOEL (algae): > 100 mg/l

Toxicity to fish (Chronic tox-

icity)

NOEL: 10 mg/l Species: Fish

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEL: 10 mg/l

## 1-Decene, homopolymer, hydrogenated:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 1.000 mg/l

Exposure time: 96 h

GB / EN 13 / 17

according to Regulation (EC) No. 1907/2006



# **LUKOIL GENESIS SPECIAL JLR 0W-20**

Version Revision Date: Date of last issue: -

1.0 12.04.2018 Date of first issue: 12.04.2018

LC50 (Pimephales promelas (fathead minnow)): > 750 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 190 mg/l

Exposure time: 48 h

Toxicity to algae : NOELR (Scenedesmus capricornutum (fresh water algae)):

1.000 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

### 12.2 Persistence and degradability

**Product:** 

Biodegradability : Result: Not readily biodegradable.

Physico-chemical removabil-

ity

The product is insoluble and floats on water.

May be separated mechanically in waste water plants.

Impact on Sewage Treat-

ment

No data available

## **Components:**

### distillates (petroleum), hydrotreated heavy paraffinic:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 30 % Exposure time: 28 d

Method: OECD Test Guideline 301F

### 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : No data available

Partition coefficient: n-

octanol/water

: not determined

## 12.4 Mobility in soil

Product:

Mobility : Should not be released into the environment.

### 12.5 Results of PBT and vPvB assessment

**Product:** 

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher..

GB / EN 14 / 17

according to Regulation (EC) No. 1907/2006



# **LUKOIL GENESIS SPECIAL JLR 0W-20**

Version Revision Date: Date of last issue: -

1.0 12.04.2018 Date of first issue: 12.04.2018

### 12.6 Other adverse effects

**Product:** 

Additional ecological infor-

mation

Do not let product enter drains.

Should not be released into the environment.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

13 02 06\*

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Dispose of in accordance with local regulations.

15 01 10\*

## **SECTION 14: Transport information**

## 14.1 UN number

Not regulated as a dangerous good

## 14.2 UN proper shipping name

Not regulated as a dangerous good

## 14.3 Transport hazard class(es)

Not regulated as a dangerous good

## 14.4 Packing group

Not regulated as a dangerous good

### 14.5 Environmental hazards

Not regulated as a dangerous good

### 14.6 Special precautions for user

Remarks : not required

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

## **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2010/75/EU of 24 November 2010 on industrial : Volatile organic compounds (VOC) emissions (integrated pollution prevention and control) content, not required under normal

GB / EN 15 / 17

according to Regulation (EC) No. 1907/2006



# **LUKOIL GENESIS SPECIAL JLR 0W-20**

Version Revision Date: Date of last issue: -

1.0 12.04.2018 Date of first issue: 12.04.2018

use

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

## 15.2 Chemical safety assessment

No data available

### **SECTION 16: Other information**

#### **Full text of H-Statements**

H304 : May be fatal if swallowed and enters airways.

H317 : May cause an allergic skin reaction.

H373 : May cause damage to organs through prolonged or repeated

exposure.

H413 : May cause long lasting harmful effects to aquatic life.

### Full text of other abbreviations

Aquatic Chronic : Chronic aquatic toxicity
Asp. Tox. : Aspiration hazard
Skin Sens. : Skin sensitisation

STOT RE : Specific target organ toxicity - repeated exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization: ISHL - Industrial Safety and Health Law (Japan): ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Sub-

GB / EN 16 / 17

according to Regulation (EC) No. 1907/2006



# **LUKOIL GENESIS SPECIAL JLR 0W-20**

Version Revision Date: Date of last issue: -

1.0 12.04.2018 Date of first issue: 12.04.2018

stances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

**Further information** 

Other information : baseoil - unspecified

\*

CAS-No. REACH No.

72623-87-1/01-2119474889-13;64742-54-7/01-2119484627-

25;72623-86-0/01-2119474878-16

Changes since the last version are highlighted in the margin.

This version replaces all previous versions.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

GB / EN 17 / 17