SAFETY DATA SHEET



1. Identification of the substance/preparation and company/undertaking

Product name	Castrol Hydraulic System Mineral Oil Plus
SDS no.	454054
Product use	Hydraulic fluid For specific application advice see appropriate Technical Data Sheet or consult our company representative.
Supplier	Castrol (UK) Ltd Wakefield House Pipers Way Swindon Wiltshire SN3 1RE
EMERGENCY TELEPHONE	
NUMBER	Carechem: +44 (0) 208 762 8322 (24 hours)

2. Composition/information on ingredients

Highly refined base oil (IP 346 DMSO extract < 3%). Proprietary performance additives.

Chemical name	CAS no.	%	EINECS / ELINCS.	Classification
Gas oil - unspecified Highly refined base oil	64742-46-7 8042-47-5	20 - 50 5 - 10	265-148-2 232-455-8	Xn; R65 Xn; R65 R66

See section 16 for the full text of the R-phrases declared above Occupational exposure limits, if available, are listed in section 8.

3. Hazards identification

This preparation is not classified as dangerous according to Directive 1999/45/EC as amended and adapted.

Physical/chemical hazards	Not classified as dangerous.
Human health hazards	Not classified as dangerous.
Environmental hazards	Unlikely to be harmful to aquatic organisms.
Effects and symptoms	
Eyes	No significant health hazards identified.
Skin	No significant health hazards identified.
	Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. See 'Medical Advice' under First-Aid Measures, Section 4 of this Safety Data Sheet.
Inhalation	No significant health hazards identified.
Ingestion	No significant health hazards identified.

4. First-aid measures

Eye contact	In case of contact, immediately flush eyes with a copious amount of water for at least 15 minutes. Get medical attention if irritation occurs.
Skin contact	Immediately wash exposed skin with soap and water. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention if irritation develops.
Inhalation	If inhaled, remove to fresh air. Get medical attention if symptoms appear.
Ingestion	Do NOT induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If large quantities of this material are swallowed, call a physician immediately.
Notes to physician	Treatment should in general be symptomatic and directed to relieving any effects.
	Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discoloured and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the

wound and underlying tissue is necessary to minimise tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances along tissue planes.

Product name Castrol Hydraulic System Mineral Oil Plus			Product code	454054-GB10	Page: 1/5
Version 1	Date of issue 6 August 2007	Format	United Kingdom (UK)	Language	ENGLISH
		Build 8.2.4	(United Kingdom)		(ENGLISH)

5. Fire-fighting measures

Extinguishing media	
Suitable	In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.
Not suitable	Do not use water jet.
Hazardous decomposition products	These products are carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide).
Unusual fire/explosion hazards	None identified.
Special fire-fighting procedures	None identified.
Protection of fire-fighters	Fire-fighters should wear self-contained positive pressure breathing apparatus (SCBA) and full turnout gear.

6. Accidental release measures

Personal precautions	Immediately contact emergency personnel. Keep unnecessary personnel away. Use suitable protective equipment (See Section: "Exposure controls/personal protection"). Follow all fire fighting procedures (See Section: "Fire-fighting measures").
Environmental precautions and clean-up methods	If emergency personnel are unavailable, contain spilled material. For small spills add absorbent (soil may be used in the absence of other suitable materials) scoop up material and place in a sealed, liquid-proof container for disposal. For large spills dike spilled material or otherwise contain material to ensure runoff does not reach a waterway. Place spilled material in an appropriate container for disposal. Minimize contact of spilled material with soils to prevent runoff to surface waterways. See Section 13 for Waste Disposal Information.
Personal protection in case of a large spill	Splash goggles. Full suit. Boots. Gloves.

7. Handling and storage

Handling	Wash thoroughly after handling.
Storage	Keep container tightly closed. Keep container in a cool, well-ventilated area.
Not suitable	Prolonged exposure to elevated temperature.

8. Exposure controls/personal protection

In our dia stances	Occurrent and an accurrent institu
Ingredient name	Occupational exposure limits
Gas oil - unspecified	EH40-OES (United Kingdom (UK)).
	STEL: 10 mg/m ³ 15 minute(s). Form: Oil mist, mineral
	TWA: 5 mg/m ³ 8 hour(s). Form: Oil mist, mineral
Base oil - unspecified	EH40 (United Kingdom (UK)).
	STEL: 10 mg/m ³ 15 minute(s). Form: Oil mist, mineral
	TWA: 5 mg/m ³ 8 hour(s). Form: Oil mist, mineral
	ponents are included in this SDS, it should be noted that other components of the preparation will be roduced. For this reason, the specific OELs may not be applicable to the product and are provided for
Control Measures	Provide exhaust ventilation or other engineering controls to keep the relevant airborne concentrations below their respective occupational exposure limits.
	All chemicals should be assessed for their risks to health and appropriate control measures put in place to prevent or adequately control exposure. A hierarchy of control measures exists (e.g. elimination, substitution, general ventilation, containment, systems of work, changing the process or activity) that must be considered before use of personal protective equipment. Personal protective equipment should conform to appropriate standards, be suitable for use, be kept in good condition and properly maintained. Your supplier of personal protective equipment should be consulted for advice on selection and appropriate standards. For further information contact your national organisation for standards.
	The final choice of protective equipment will depend upon a risk assessment. It is important to ensure that all items of personal protective equipment are compatible.
Hygiene measures	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.
Personal protective equipment	

Product na	ame Castrol Hydraulic System Mineral Oil Plus		Product code	454054-GB10	Page: 2/5
Version 1	Date of issue 6 August 2007	Format	United Kingdom (UK)	Language	ENGLISH
		Build 8.2.4	(United Kingdom)		(ENGLISH)

Respiratory system	Respiratory protective equipment is not normally required where there is adequate natural or local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protective equipment must be checked to ensure it fits correctly each time it is worn.
	Air-filtering respirators, also called air-purifying respirators, will not be adequate under conditions of oxygen deficiency (i.e. low oxygen concentration), and would not be considered suitable where airborne concentrations of chemicals with a significant hazard are present. In these cases air-supplied breathing apparatus will be required.
	Provided an air-filtering/air-purifying respirator is suitable, a filter for particulates can be used for mist or fume. Use filter type P or comparable standard. A combination filter for particles and organic gases and vapours (boiling point >65°C) may be required if vapour or abnormal odour is also present due to high product temperature. Use filter type AP or comparable standard.
Skin and body	Use of protective clothing is good industrial practice.
	Cotton or polyester/cotton overalls will only provide protection against light superficial contamination that will not soak through to the skin. Overalls should be laundered on a regular basis. When the risk of skin exposure is high (e.g. when cleaning up spillages or if there is a risk of splashing) then chemical resistant aprons and/or impervious chemical suits and boots will be required.
Hands	Wear protective gloves if prolonged or repeated contact is likely. Wear chemical resistant gloves.
	Recommended: nitrile gloves
	Protective gloves will deteriorate over time due to physical and chemical damage. Inspect and replace gloves on a regular basis. The frequency of replacement will depend upon the circumstances of use.
Eyes	Safety glasses with side shields.

9. Physical and chemical properties

Pour point	-62 °C
Viscosity Index	355
Colour	Green.
Odour	Oily.
Physical state	Liquid.
Density	845 kg/m³ (0.845 g/cm³) at 15°C
Solubility	Insoluble in water.
LogKow	>3
Viscosity	Kinematic: 18 mm²/s (18 cSt) at 40°C Kinematic: 6.3 mm²/s (6.3 cSt) at 100°C

10 . Stability and reactivity

Incompatibility with various substances	Reactive with oxidising agents.
Hazardous polymerisation	Will not occur.
Hazardous decomposition products	These products are carbon oxides (CO, CO ₂) (carbon monoxide, carbon dioxide).

11. Toxicological information

Acute toxicity	Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.				
	Unlikely to cause harm to the skin on brief or occasional contact but prolonged or repeated exposure may lead to dermatitis.				
	Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause nausea and diarrhoea.				
	At normal ambient temperatures this product will be unlikely to present an inhalation hazard because of its low volatility. May be harmful by inhalation if exposure to vapour, mists or fumes resulting from thermal decomposition products occurs.				
Chronic toxicity					
Carcinogenic effects	No component of this product at levels greater than or equal to 0.1% is identified as a carcinogen by ACGIH, the International Agency for Research on Cancer (IARC) or the European Commission (EC).				

Product na	ame Castrol Hydraulic System Mineral Oil Plus		Product code	454054-GB10	Page: 3/5
Version 1	Date of issue 6 August 2007	Format	United Kingdom (UK)	Language	ENGLISH
		Build 8.2.4	(United Kingdom)		(ENGLISH)

12. Ecological information

Persistence/degradability	Inherently biodegradable.
Mobility	Spillages may penetrate the soil causing ground water contamination.
Bioaccumulative potential	This product is not expected to bioaccumulate through food chains in the environment.
Environmental hazards	Unlikely to be harmful to aquatic organisms.
Other ecological information	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.

13. Disposal considerations

Disposal Consideration /
Waste informationWhere possible, arrange for product to be recycled. Dispose of via an authorised person/ licensed waste
disposal contractor in accordance with local regulations.

14. Transport information

Not classified as hazardous for transport (ADR/RID, ADNR, IMDG, ICAO/IATA)

15. Regulatory information

Label requirements

Risk phrases	This product is not classified according to the EU regulations.			
EU regulations	Classification and labelling have been performed according to EU directives 1999/45/EC an 67/548/EEC as amended and adapted.			
Other regulations				
Inventories	Europe inventory: All components are listed or exempted.			
	United States inventory (TSCA 8b): All components are listed or exempted.			
	Australia inventory (AICS): All components are listed or exempted.			
	Canada inventory: All components are listed or exempted.			
	China inventory (IECSC): Not determined.			
	Japan inventory (ENCS): Not determined.			
	Korea inventory (KECI): Not determined.			
	Philippines inventory (PICCS): All components are listed or exempted.			
Additional warning phrases	Safety data sheet available for professional user on request.			

16. Other information

Full text of R-phrases referred to in sections 2 and 3	R65- Harmful: may cause lung damage if swallowed. R66- Repeated exposure may cause skin dryness or cracking.
History	
Date of issue	06/08/2007.
Date of previous issue	No Previous Validation.
Prepared by	Product Stewardship Group
Notice to reader	

Revision Indicator: The presence of a triangle in the upper left corner of a field indicates a change since the previous version.

Product na	ame Castrol Hydraulic System Mineral Oil Plus		Product code	454054-GB10	Page: 4/5
Version 1	Date of issue 6 August 2007	Format	United Kingdom (UK)	Language	ENGLISH
		Build 8.2.4	(United Kingdom)		(ENGLISH)

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from us.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken.

Product name Castrol Hydraulic System Mineral Oil Plus			Product code	454054-GB10	Page: 5/5
Version 1	Date of issue 6 August 2007	Format	United Kingdom (UK)	Language	ENGLISH
		Build 8.2.4	(United Kingdom)		(ENGLISH)