

Page 1 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 19.01.2011 / 0006 Replaces revision of / Version: 05.11.2010 / 0005 Valid from: 19.01.2011 PDF print date: 10.03.2014 PAO-Oil 68 Clearversion 1000 ml Art.: 8FX 351 214-021

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

GB)

PAO-Oil 68 Clearversion 1000 ml Art.: 8FX 351 214-021

1.2 Relevant identified uses of the substance or mixture and uses advised against Relevant identified uses of the substance or mixture:

Synthetic refrigerating system lubrication oil for vehicle air conditioners **Uses advised against:** No information available at present.

1.3 Details of the supplier of the safety data sheet

Behr Hella Service GmbH, Dr.-Manfred-Behr-Str. 1, D-74523 Schwäbisch Hall Telephone: +49 (0) 7907 9446 483 31, Fax: +49 (0) 7907 9446 483 73

Qualified person's e-mail address: info@chemical-check.de, k.schnurbusch@chemical-check.de Please DO NOT use for requesting Safety Data Sheets.

1.4 Emergency telephone

Emergency information services / official advisory body:

+49 228 19240 (D-53113 Bonn, 24 hour)

Telephone number of the company in case of emergencies:

Tel.: +49 (0) 7907 9446 483 31

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.1.1 Classification according to Regulation (EC) 1272/2008 (CLP) Not determined

2.1.2 Classification according to Directives 67/548/EEC and 1999/45/EC (including amendments) The mixture is not classified as dangerous in the terms of the directive 1999/45/EC.

2.2 Label elements

2.2.1 Labeling according to Regulation (EC) 1272/2008 (CLP)

Not determined

2.2.2 Labeling according to Directives 67/548/EEC and 1999/45/EC (including amendments)

Symbols: Not applicable Indications of danger: ---R-phrases:

S-phrases: Additions:

n.a.

2.3 Other hazards



Page 2 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 19.01.2011 / 0006 Replaces revision of / Version: 05.11.2010 / 0005 Valid from: 19.01.2011 PDF print date: 10.03.2014 PAO-Oil 68 Clearversion 1000 ml Art.: 8FX 351 214-021

The mixture does not contain any vPvB substance (vPvB = very persistent, very bioaccumulative) or is not included under XIII of the regulation (EC) 1907/2006.

The mixture does not contain any PBT substance (PBT = persistent, bioaccumulative, toxic) or is not included under XIII of the regulation (EC) 1907/2006.

SECTION 3: Composition/information on ingredients

Mixture consisting of: Synthetic oil Lubricant **3.1 Substance** n.a. **3.2 Mixture**

œ

Registration number (REACH)	
Index	-
EINECS, ELINCS, NLP	-
CAS	-
content %	
Classification according to Directive 67/548/EEC	
Classification according to Regulation (EC) 1272/2008 (CLP)	

SECTION 4: First aid measures

4.1 Description of first aid measures

Inhalation

Remove person from danger area.

Supply person with fresh air and consult doctor according to symptoms.

Skin contact

Remove polluted, soaked clothing immediately, wash thoroughly with plenty of water and soap, in case of irritation of the skin (flare), consult a doctor.

Eye contact

Remove contact lenses.

Wash thoroughly for several minutes using copious water. Seek medical help if necessary.

Ingestion

Rinse the mouth thoroughly with water.

Call doctor immediately - have Data Sheet available.

4.2 Most important symptoms and effects, both acute and delayed

If applicable delayed symptoms and effects can be found in section 11 and the absorption route in section 4.1.

In certain cases, the symptoms of poisoning may only appear after an extended period / after several hours.

4.3 Indication of any immediate medical attention and special treatment needed

n.c.

SECTION 5: Firefighting measures

5.1 Extinguishing media Suitable extinguishing media Dry extinguisher Alcohol resistant foam Water jet spray Cool container at risk with water. Unsuitable extinguishing media



Page 3 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 19.01.2011 / 0006 Replaces revision of / Version: 05.11.2010 / 0005 Valid from: 19.01.2011 PDF print date: 10.03.2014 PAO-Oil 68 Clearversion 1000 ml Art.: 8FX 351 214-021

High volume water jet 5.2 Special hazards arising from the substance or mixture

In case of fire the following can develop: Fume Oxides of carbon Toxic pyrolysis products.

œ

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Protective respirator with independent air supply. According to size of fire Full protection, if necessary Dispose of contaminated extinction water according to official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure sufficient supply of air.

Avoid contact with eyes or skin.

Do not carry cleaning cloths soaked in product in trouser pockets.

If applicable, caution - risk of slipping

6.2 Environmental precautions

If leakage occurs, dam up.

Resolve leaks if this possible without risk.

Prevent surface and ground-water infiltration, as well as ground penetration.

If accidental entry into drainage system occurs, inform responsible authorities.

6.3 Methods and material for containment and cleaning up

Soak up with absorbent material (e.g. universal binding agent, sand, diatomaceous earth) and dispose of according to Section 13.

6.4 Reference to other sections

For personal protective equipment see Section 8 and for disposal instructions see Section 13.

SECTION 7: Handling and storage

In addition to information given in this section, relevant information can also be found in section 8 and 6.1.

7.1 Precautions for safe handling

7.1.1 General recommendations

Ensure good ventilation.

Avoid aerosol formation.

Avoid contact with eyes.

Avoid long lasting or intensive contact with skin.

Eating, drinking, smoking, as well as food-storage, is prohibited in work-room.

Do not heat to temperatures close to flash point.

Electrical equipment must be suitable for temperature class T 2 (Germany).

Observe directions on label and instructions for use.

7.1.2 Notes on general hygiene measures at the workplace

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

7.2 Conditions for safe storage, including any incompatibilities

Not to be stored in gangways or stair wells.

Store product closed and only in original packing.

Remove possible causes of ignition - do not smoke.

Protect against moisture and store closed.

7.3 Specific end use(s)

No information available at present.



Page 4 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 19.01.2011 / 0006 Replaces revision of / Version: 05.11.2010 / 0005 Valid from: 19.01.2011 PDF print date: 10.03.2014 PAO-Oil 68 Clearversion 1000 ml Art.: 8FX 351 214-021

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

(GB)

8.2 Exposure controls8.2.1 Appropriate engineering controls

Ensure good ventilation. This can be achieved by local suction or general air extraction. If this is insufficient to maintain the concentration under the WEL or AGW values, suitable breathing protection should be worn. Applies only if maximum permissible exposure values are listed here.

8.2.2 Individual protection measures, such as personal protective equipment

General hygiene measures for the handling of chemicals are applicable.

Wash hands before breaks and at end of work.

Keep away from food, drink and animal feedingstuffs.

Remove contaminated clothing and protective equipment before entering areas in which food is consumed.

Eye/face protection: With danger of contact with eyes. Tight fitting protective goggles with side protection (EN 166).

Skin protection - Hand protection: Protective Neoprene® / polychloroprene gloves (EN 374). Protective nitrile gloves (EN 374) Protective hand cream recommended.

Skin protection - Other: Protective working garments (e.g. safety shoes EN ISO 20345, long-sleeved protective working garments)

Respiratory protection: Normally not necessary. If fumes build up, use suitable breathing mask. Filter A2 P2 (EN 14387), code colour brown, white Observe wearing time limitations for respiratory protection equipment.

Thermal hazards: If applicable, these are included in the individual protective measures (eye/face protection, skin protection, respiratory protection).

Additional information on hand protection - No tests have been performed.

In the case of mixtures, the selection has been made according to the knowledge available and the information about the contents. Selection of materials derived from glove manufacturer's indications.

Final selection of glove material must be made taking the breakthrough times, permeation rates and degradation into account. Selection of a suitable glove depends not only on the material but also on other quality characteristics and varies from manufacturer to manufacturer.

In the case of mixtures, the resistance of glove materials cannot be predicted and must therefore be tested before use. The exact breakthrough time of the glove material can be requested from the protective glove manufacturer and must be observed.

8.2.3 Environmental exposure controls

No information available at present.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state:

Liquid



Page 5 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 19.01.2011 / 0006 Replaces revision of / Version: 05.11.2010 / 0005 Valid from: 19.01.2011 PDF print date: 10.03.2014 PAO-Oil 68 Clearversion 1000 ml Art.: 8FX 351 214-021

Colour: Odour: Odour threshold: pH-value: Melting point/freezing point: Initial boiling point and boiling range: Flash point: Evaporation rate: Flammability (solid, gas): Lower explosive limit: Upper explosive limit: Vapour pressure: Vapour density (air = 1): Density: Bulk density: Solubility(ies): Water solubility: Partition coefficient (n-octanol/water): Auto-ignition temperature: Decomposition temperature: Viscosity: Explosive properties: Oxidising properties:

(GB)

9.2 Other information

Miscibility: Fat solubility / solvent: Conductivity: Surface tension: Solvents content:

Light yellow Characteristic Not determined Not determined n.a. Not determined 260 °C Not determined Not determined Not determined Not determined Not determined Not determined 0,835 g/cm3 (15°C) Not determined Not determined Insoluble Not determined No Not determined 68 mm2/s (40°C) Not determined No Not determined

Not determined Not determined Not determined Not determined

SECTION 10: Stability and reactivity

10.1 Reactivity

See also Subsection 10.2 to 10.6. The product has not been tested. **10.2 Chemical stability** See also Subsection 10.1 to 10.6. Stable with proper storage and handling.

10.3 Possibility of hazardous reactions

See also Subsection 10.1 to 10.6. No decomposition if used as intended.

10.4 Conditions to avoid

See also section 7. Strong heat Protect from humidity.

10.5 Incompatible materials

See also section 7. No dangerous reactions are known.

10.6 Hazardous decomposition products

See also Subsection 10.1 to 10.5. See also section 5.2 No decomposition when used as directed.

SECTION 11: Toxicological information

Possibly more information on health effects, see Section 2.1 (classification).



Page 6 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 19.01.2011 / 0006 Replaces revision of / Version: 05.11.2010 / 0005 Valid from: 19.01.2011 PDF print date: 10.03.2014 PAO-Oil 68 Clearversion 1000 ml Art.: 8FX 351 214-021

PAO-Oil 68 Clearversion 1000 ml Art.: 8EX 351 214-021

œ

Toxicity/effect	Endpoi	Value	Unit	Organism	Test method	Notes
-	nt					
Acute toxicity, by oral route:						n.d.a.
Acute toxicity, by dermal						n.d.a.
route:						
Acute toxicity, by inhalation:						n.d.a.
Skin corrosion/irritation:						n.d.a.
Serious eye						n.d.a.
damage/irritation:						
Respiratory or skin						n.d.a.
sensitisation:						
Germ cell mutagenicity:						n.d.a.
Carcinogenicity:						n.d.a.
Reproductive toxicity:						n.d.a.
Specific target organ toxicity -						n.d.a.
single exposure (STOT-SE):						
Specific target organ toxicity -						n.d.a.
repeated exposure (STOT-						
RĖ):						
Aspiration hazard:						n.d.a.
Respiratory tract irritation:						n.d.a.
Repeated dose toxicity:						n.d.a.
Symptoms:						n.d.a.
Other information:						Classification according
						to calculation
						procedure.

SECTION 12: Ecological information

Possibly more information on environmental effects, see Section 2.1 (classification).							
PAO-Oil 68 Clearversion 1000 ml							
Art.: 8FX 351 214-021							
Toxicity/effect	Endpoint	Time	Value	Unit	Organism	Test method	Notes
Toxicity to fish:							n.d.a.
Toxicity to daphnia:							n.d.a.
Toxicity to algae:							n.d.a.
Persistence and			<20	%		Zahn-Wellens-	Not readily
degradability:						Test	biodegradable
							Mechanical
							precipitation possible.
Bioaccumulative							Concentration in
potential:							organisms possible.
Mobility in soil:							n.d.a.
Results of PBT and							n.d.a.
vPvB assessment							
Other adverse effects:							n.d.a.
Other information:							According to the recipe,
							contains no AOX.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Page 7 of 10

(GB)

Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 19.01.2011 / 0006 Replaces revision of / Version: 05.11.2010 / 0005 Valid from: 19.01.2011 PDF print date: 10.03.2014 PAO-Oil 68 Clearversion 1000 ml Art.: 8FX 351 214-021

For the substance / mixture / residual amounts

Soaked polluted cloths, paper or other organic materials represent a fire hazard and should be controlled, collected and disposed of. EC disposal code no.:

The waste codes are recommendations based on the scheduled use of this product. Owing to the user's specific conditions for use and disposal, other waste codes may be allocated under certain circumstances. (2001/118/EC, 2001/119/EC, 2001/573/EC) 13 02 06 synthetic engine, gear and lubricating oils Recommendation: Pay attention to local and national official regulations E.g. dispose at suitable refuse site. E.g. suitable incineration plant. **For contaminated packing material** Pay attention to local and national official regulations Empty container completely. Uncontaminated packaging can be recycled.

Dispose of packaging that cannot be cleaned in the same manner as the substance.

15 01 02 plastic packaging

15 01 04 metallic packaging

SECTION 14: Transport information

General statements	2.0
	n.a.
Transport by road/by rail (ADR/RID)	
UN proper shipping name:	
Transport hazard class(es):	n.a.
Packing group: Classification code:	n.a.
	n.a.
LQ (ADR 2013):	n.a.
LQ (ADR 2009):	n.a.
Environmental hazards:	Not applicable
Tunnel restriction code:	
Transport by sea (IMDG-code)	
UN proper shipping name:	
Transport hazard class(es):	n.a.
Packing group:	n.a.
Marine Pollutant:	n.a
Environmental hazards:	Not applicable
Transport by air (IATA)	
UN proper shipping name:	
Transport hazard class(es):	n.a.
Packing group:	n.a.
Environmental hazards:	Not applicable
Special precautions for user	
Unless specified otherwise, general measures for sa	afe transport must be followed
Transport in bulk according to Annex I	•
Non-dangerous material according to Transport Reg	julations.
SECTIO	N 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical safety assessment	
VOC (1999/13/EC):	0%
Observe restrictions:	n.a.
For classification and labelling see Section 2.	-



Page 8 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 19.01.2011 / 0006 Replaces revision of / Version: 05.11.2010 / 0005 Valid from: 19.01.2011 PDF print date: 10.03.2014 PAO-Oil 68 Clearversion 1000 ml Art.: 8FX 351 214-021

A chemical safety assessment is not provided for mixtures.

SECTION 16: Other information

These details refer to the product as it is delivered. Revised sections:

œ

1 - 16

Any abbreviations and acronyms used in this document:

AC **Article Categories** acc., acc. to according, according to ACGIHAmerican Conference of Governmental Industrial Hygienists ADR Accord européen relatif au transport international des marchandises Dangereuses par Route (= European Agreement concerning the International Carriage of Dangerous Goods by Road) AOEL Acceptable Operator Exposure Level AOX Adsorbable organic halogen compounds approximately approx. Art., Art. no. Article number ATE Acute Toxicity Estimate according to Regulation (EC) 1272/2008 (CLP) BAM Bundesanstalt für Materialforschung und -prüfung (Federal Institute for Materials Research and Testing, Germany) BAuA Bundesanstalt für Arbeitsschutz und Arbeitsmedizin (= Federal Institute for Occupational Health and Safety, Germany) BCF **Bioconcentration factor** BGV BHT Berufsgenossenschaftliche Vorschrift (= Accident Prevention Regulation) Butylhydroxytoluol (= 2,6-Di-t-butyl-4-methyl-phenol) BMGV Biological monitoring guidance value (EH40, UK) BOD Biochemical oxygen demand BSEF Bromine Science and Environmental Forum bw body weight CAS **Chemical Abstracts Service** Coordinating European Council for the Development of Performance Tests for Fuels, Lubricants and Other Fluids CEC CESIO Comité Européen des Agents de Surface et de leurs Intermédiaires Organiques **CIPAC** Collaborative International Pesticides Analytical Council CLP Classification, Labelling and Packaging (REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures) CMR carcinogenic, mutagenic, reproductive toxic COD Chemical oxygen demand CTFA Cosmetic, Toiletry, and Fragrance Association DMEL Derived Minimum Effect Level DNEL Derived No Effect Level DOC Dissolved organic carbon DT50 Dwell Time - 50% reduction of start concentration DVS Deutscher Verband für Schweißen und verwandte Verfahren e.V. (= German Association for Welding and Allied Processes) dw drv weight for example (abbreviation of Latin 'exempli gratia'), for instance e.g. European Community FC ECHA European Chemicals Agency EEA European Economic Area EEC European Economic Community EINECS European Inventory of Existing Commercial Chemical Substances European List of Notified Chemical Substances ELINCS ΕN European Norms EPA United States Environmental Protection Agency (United States of America) ERC **Environmental Release Categories** ES Exposure scenario et cetera etc. EU **European Union**



Page 9 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 19.01.2011 / 0006 Replaces revision of / Version: 05.11.2010 / 0005 Valid from: 19.01.2011 PDF print date: 10.03.2014 PAO-Oil 68 Clearversion 1000 ml Art.: 8FX 351 214-021 EWC European Waste Catalogue Fax. Fax number gen. general GHS Globally Harmonized System of Classification and Labelling of Chemicals GWP Global warming potential HET-CAM Hen's Egg Test - Chorionallantoic Membrane HGWP Halocarbon Global Warming Potential IARC International Agency for Research on Cancer IATA International Air Transport Association Intermediate Bulk Container IBC IBC (Code) International Bulk Chemical (Code) IC Inhibitory concentration International Maritime Code for Dangerous Goods IMDG-code incl. including, inclusive IUCLIDInternational Uniform ChemicaL Information Database LC lethal concentration LC50 lethal concentration 50 percent kill LCLo lowest published lethal concentration Lethal Dose of a chemical LD LD50 Lethal Dose, 50% kill LDLo Lethal Dose Low LOAELLowest Observed Adverse Effect Level LOEC Lowest Observed Effect Concentration LOEL Lowest Observed Effect Level 10 Limited Quantities International Convention for the Prevention of Marine Pollution from Ships MARPOL n.a. not applicable n.av. not available not checked n.c. n.d.a. no data available NIOSHNational Institute of Occupational Safety and Health (United States of America) No Observed Adverse Effective Concentration NOAEC No Observed Adverse Effect Level NOAEL NOEC No Observed Effect Concentration NOEL No Observed Effect Level ODP Ozone Depletion Potential OECD Organisation for Economic Co-operation and Development organic org. polycyclic aromatic hydrocarbon PAH persistent, bioaccumulative and toxic PBT PC Chemical product category PE Polyethylene PNEC Predicted No Effect Concentration POCP Photochemical ozone creation potential ppm parts per million PROC Process category PTFE Polytetrafluorethylene Registration, Evaluation, Authorisation and Restriction of Chemicals (REGULATION (EC) No 1907/2006 concerning REACH the Registration, Evaluation, Authorisation and Restriction of Chemicals) 9xx-xxx-x No. is automatically assigned, e.g. to pre-registrations without a CAS No. or other numerical REACH-IT List-No. identifier. List Numbers do not have any legal significance, rather they are purely technical identifiers for processing a submission via REACH-IT. RID Règlement concernant le transport International ferroviaire de marchandises Dangereuses (= Regulation concerning the International Carriage of Dangerous Goods by Rail) SADT Self-Accelerating Decomposition Temperature SAR Structure Activity Relationship SU Sector of use SVHC Substances of Very High Concern Telephone Tel.

œ



Page 10 of 10 Safety data sheet according to Regulation (EC) No 1907/2006, Annex II Revised on / Version: 19.01.2011 / 0006 Replaces revision of / Version: 05.11.2010 / 0005 Valid from: 19.01.2011 PDF print date: 10.03.2014 PAO-Oil 68 Clearversion 1000 ml Art.: 8FX 351 214-021

ThOD Theoretical oxygen demand TOC Total organic carbon TRGS Technische Regeln für Gefahrstoffe (=Technical Regulations for Hazardous Substances) UN RTDG United Nations Recommendations on the Transport of Dangerous Goods Verordnung über brennbare Flüssigkeiten (= Regulation for flammable liquids (Austria)) VbF VOC Volatile organic compounds vPvB very persistent and very bioaccumulative WEL-TWA, WEL-STEL WEL-TWA = Workplace Exposure Limit - Long-term exposure limit (8-hour TWA (= time weighted average) reference period), WEL-STEL = Workplace Exposure Limit - Short-term exposure limit (15-minute reference period) (EH40, UK). WHO World Health Organization wwt wet weight

The statements made here should describe the product with regard to the necessary safety precautions - they are not meant to guarantee definite characteristics - but they are based on our present up-to-date knowledge. No responsibility.

These statements were made by:

(GB)

Chemical Check GmbH, Chemical Check Platz 1-7, D-32839 Steinheim, Tel.: +49 5233 94 17 0, Fax: +49 5233 94 17 90

© by Chemical Check GmbH Gefahrstoffberatung. The copying or changing of this document is forbidden except with consent of the Chemical Check GmbH Gefahrstoffberatung.