

SAFETY DATA SHEET Demon Snow Foam Shampoo

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Demon Snow Foam Shampoo	
Product number	CDW202, CDW200, CDW201, CDW222, CDW005, GDF200, CDW101, CDW220, CDW998	
1.2. Relevant identified uses	of the substance or mixture and uses advised against	
Identified uses	Auto shampoo.	
1.3. Details of the supplier of	the safety data sheet	
Supplier Manufacturer	TETROSYL LIMITED Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com TETROSYL LIMITED Bury Lancashire England BL9 7NY 0161 764 5981 0161 797 5899 info@tetrosyl.com	
1.4. Emergency telephone nu		
Emergency telephone	+44 (0)161 764 5981	
SECTION 2: Hazards identified	cation	
2.1. Classification of the subs		
Classification (EC 1272/2008 Physical hazards) Not Classified	
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317	
Environmental hazards	Not Classified	
2.2. Label elements Hazard pictograms		

Signal word

Warning

Hazard statements	H315 Causes skin irritation. H319 Causes serious eye irritation. H317 May cause an allergic skin reaction.
Precautionary statements	 P261 Avoid breathing vapour/ spray. P264 Wash contaminated skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see medical advice on this label). P332+P313 If skin irritation occurs: Get medical advice/ attention. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse. P501 Dispose of contents/ container in accordance with national regulations. P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children.
Contains	1,2-benzisothiazol-3(2H)-one, 5-CHLORO-2-METHYL-2H-ISOTHIAZOL-3-ONE / 2-METHYL- 2H-ISOTHIAZOL-3-ONE (3:1)
Detergent labelling	5 - < 15% anionic surfactants, < 5% non-ionic surfactants, < 5% perfumes, Contains BENZISOTHIAZOLINONE, METHYLISOTHIAZOLINONE, 5-CHLORO-2-METHYL-2H- ISOTHIAZOL-3-ONE / 2-METHYL-2H-ISOTHIAZOL-3-ONE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures		
OLEFIN SULPHONATE, SODIU	M SALT	5-<10%
CAS number: 68439-57-6	EC number: 270-407-8	REACH registration number: 01- 2119513401-57-0001
Classification		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
ALCOHOLS, C12-14, ETHOXYL SODIUM SALTS	ATED, SULFATES,	1-<2%
CAS number: 68891-38-3	EC number: 500-234-8	REACH registration number: 01- 2119488639-16-0000
Classification		
Classification Skin Irrit. 2 - H315		

AMIDES, C8-C18(EVEN NUMBERED) AND C18(UNSATD.), N,N-BIS(HYDROXYETHYL)		1-<2%
CAS number: —	EC number: 931-329-6	REACH registration number: 01- 2119490100-53-0000
Classification		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318 Aquatic Chronic 2 - H411		
BENZENESULFONIC ACID, 4-C10- DERIVS., COMPDS. WITH TRIETH		1-<2%
CAS number: 121617-08-1	REACH registration number: 01- 2119971970-28	
Classification		
Skin Irrit. 2 - H315 Eye Dam. 1 - H318		
DIETHANOLAMINE		0.1-<0.3%
CAS number: 111-42-2	EC number: 203-868-0	
Classification		
Acute Tox. 4 - H302		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318 STOT RE 2 - H373		
GLYCERINE		<0.1
CAS number: 56-81-5	EC number: 200-289-5	
Classification Not Classified		
2-METHYLISOTHIAZOL-3(2H)-ONE	E	-<0.05
CAS number: 2682-20-4	EC number: 220-239-6	
M factor (Acute) = 1		
Classification		
Acute Tox. 3 - H301		
Acute Tox. 3 - H311		
Skin Corr. 1B - H314 Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
STOT SE 3 - H335		
Aquatic Acute 1 - H400		

1,2-benzisothiazol-3(2H)-one		-<0.05
CAS number: 2634-33-5	EC number: 220-120-9	
M factor (Acute) = 1		
Classification		
Acute Tox. 4 - H302		
Skin Irrit. 2 - H315		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
Aquatic Acute 1 - H400		
ETHYL ACETATE		0.001 - <0.005%
CAS number: 141-78-6	EC number: 205-500-4	REACH registration number: 01-
	EC number. 205-300-4	2119475103-46-0000
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
STOT SE 3 - H336		
5-CHLORO-2-METHYL-2H-ISOT	HIAZOL-3-ONE / 2-	0.001 - <0.005%
METHYL-2H-ISOTHIAZOL-3-ON		
CAS number: 55965-84-9	EC number: 611-341-5	
M factor (Acute) = 10	M factor (Chronic) = 10	
Classification		
Acute Tox. 3 - H301		
Acute Tox. 3 - H311		
Acute Tox. 3 - H331		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Effects may be delayed. Keep affected person under observation. Remove affected person from source of contamination.
Inhalation	If spray/mist has been inhaled, proceed as follows. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention if a large quantity has been ingested. Show this Safety Data Sheet to the medical personnel.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Rinse with water. Get medical attention if any discomfort continues.

Eye contact	Important! Immediately rinse with water for at least 15 minutes. Remove any contact lenses and open eyelids wide apart. Get medical attention promptly if symptoms occur after washing.	
4.2. Most important symptoms	and effects, both acute and delayed	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Effects may be delayed. Keep affected person under observation.	
Inhalation	No specific symptoms known.	
Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting.	
Skin contact	Skin irritation. Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Blistering may occur.	
Eye contact	Irritating to eyes. Symptoms following overexposure may include the following: Redness. Pain. May cause blurred vision and serious eye damage.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	Extinguish with the following media: Foam, carbon dioxide or dry powder. Water. Use fire- extinguishing media suitable for the surrounding fire.	
5.2. Special hazards arising from	om the substance or mixture	
Specific hazards	No unusual fire or explosion hazards noted.	
Hazardous combustion products	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.	
5.3. Advice for firefighters		
Protective actions during firefighting	No specific firefighting precautions known.	
Special protective equipment for firefighters	Leave danger zone immediately.	
SECTION 6: Accidental release	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	For personal protection, see Section 8. In case of spills, beware of slippery floors and surfaces. Avoid contact with skin and eyes.	
6.2. Environmental precaution	<u>s</u>	
Environmental precautions	Avoid discharge into drains or watercourses or onto the ground.	
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	No specific clean-up procedure recommended.	
6.4. Reference to other section		
Reference to other sections	For personal protection, see Section 8. For waste disposal, see section 13.	
SECTION 7: Handling and sto	rage	
7.1. Precautions for safe handling		

Usage precautions	Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the work site. Avoid eating, drinking and smoking when using the product. Avoid contact with skin and eyes. Do not handle broken packages without protective equipment.		
7.2. Conditions for safe storage	7.2. Conditions for safe storage, including any incompatibilities		
Storage precautions	Keep containers upright. Store in tightly-closed, original container.		
7.3. Specific end use(s)			
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.		
SECTION 8: Exposure controls/Personal protection			

8.1. Control parameters

Occupational exposure limits

No exposure limits known for ingredient(s).

DIETHANOLAMINE

Long-term exposure limit (8-hour TWA): OES 3 ppm 15 mg/m³ Short-term exposure limit (15-minute): OES

GLYCERINE

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ mist

ETHYL ACETATE

Long-term exposure limit (8-hour TWA): WEL 200 ppm Short-term exposure limit (15-minute): WEL 400 ppm

WEL = Workplace Exposure Limit

Ingredient comments

No exposure limits known for ingredient(s).

8.2. Exposure controls

Protective equipment





Appropriate engineering controls	All handling should only take place in well-ventilated areas.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of skin contact. Provide eyewash station.
Hygiene measures	Provide eyewash station and safety shower. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke. Wash hands after contact. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes wet or contaminated. Wash contaminated clothing before reuse.
Respiratory protection	No specific recommendations. Respiratory protection may be required if excessive airborne contamination occurs.

SECTION 9: Physical and chemical properties		
9.1. Information on basic phys	ical and chemical properties	
Appearance	Clear liquid.	
Colour	Green.	
Odour	Fruity.	
рН	pH (concentrated solution): 8.0 - 10.0	
Melting point	Not determined.	
Initial boiling point and range	100°C @ 1.013 hPa	
Flash point	>100°C	
Evaporation rate	Not determined.	
Upper/lower flammability or explosive limits	Not determined.	
Vapour pressure	Not determined.	
Vapour density	Not determined.	
Relative density	1.000 - 1.020g/cm³ @ 20°C	
Solubility(ies)	Soluble in water.	
Partition coefficient	Not determined.	
Auto-ignition temperature	Not determined.	
Decomposition Temperature	Not determined.	
Viscosity	<50 cP @ 20°C	
Oxidising properties	Not available.	
9.2. Other information		
Other information	None.	
SECTION 10: Stability and rea	Ictivity	
10.1. Reactivity		
Reactivity	The following materials may react strongly with the product: Alkaline earth metals. Powdered metal.	
10.2. Chemical stability		
Stability	No particular stability concerns.	
10.3. Possibility of hazardous reactions		
Possibility of hazardous reactions	Not applicable.	
10.4. Conditions to avoid		
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.	
10.5. Incompatible materials		
Materials to avoid	Alkali metals. Powdered metal.	
10.6. Hazardous decomposition products		

Hazardous decomposition Does not decompose when used and stored as recommended. products

SECTION 11: Toxicological information
SECTION 11 TOXICOLOGICAL INformation

SECTION II. Toxicological III		
11.1. Information on toxicological effects		
Serious eye damage/irritation		
Serious eye damage/irritation	Ocular corrosive effect was assessed using the Isolated Chicken Eye method according to the OECD guideline 438; the outcome of this study shows that, at the 25% dilution level in water this material does not cause serious eye damage and therefore does not require the H318 classification and associated pictogram. There is currently no validated in-vitro test method to determine ocular irritancy, therefore products containing up to 25% of this material, containing no other components classified as hazardous still require the H319 classification and associated exclamation mark pictogram.	
Inhalation	No specific health hazards known.	
Ingestion	May cause discomfort if swallowed.	
Skin contact	Causes skin irritation. May cause an allergic skin reaction.	
Eye contact	Irritating to eyes.	
Acute and chronic health hazards	This product has low toxicity. Only large quantities are likely to have adverse effects on human health. This product may cause skin and eye irritation.	
SECTION 12: Ecological inform	mation	
Ecotoxicity	Not regarded as dangerous for the environment.	
12.1. Toxicity		
Acute aquatic toxicity Acute toxicity - fish	Not available.	
Acute toxicity - aquatic invertebrates	Not available.	
12.2. Persistence and degrada	ability	
Persistence and degradability	There are no data on the degradability of this product.	
12.3. Bioaccumulative potentia		
Bioaccumulative potential	No data available on bioaccumulation.	
Partition coefficient	Not determined.	
12.4. Mobility in soil		
Mobility	The product is soluble in water.	
Adsorption/desorption coefficient	Not available.	
12.5. Results of PBT and vPvI	3 assessment	
Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.	
12.6. Other adverse effects		
Other adverse effects	Not applicable.	

SECTION 13: Disposal consid	erations	
13.1. Waste treatment methods		
General information	Waste should be treated as controlled waste.	
Disposal methods	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Confirm disposal procedures with environmental engineer and local regulations.	
SECTION 14: Transport information		
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number		
Not applicable.		
14.2. UN proper shipping name	e	
Not applicable.		
14.3. Transport hazard class(es)		
No transport warning sign required.		
14.4. Packing group		
Not applicable.		
14.5. Environmental hazards		
Environmentally hazardous substance/marine pollutant No.		
14.6. Special precautions for user		
Not applicable.		
14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.	
SECTION 15: Regulatory information		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
National regulations	EH40/2005 Workplace exposure limits	
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).	
15.2. Chemical safety assessn	nent	
No chemical safety assessment has been carried out.		
SECTION 16: Other information		

Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	Health & Safety Department
Revision date	21/01/2019

Revision	9
Supersedes date	04/12/2018
SDS status	Approved.
Hazard statements in full	 H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H336 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.