

**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier**

**febi 101172 High-performance oil for Haldex coupling**  
**Article number: 101172**

**1.2 Relevant identified uses of the substance or mixture and uses advised against****1.2.1 Relevant uses**

Lubricant

**1.2.2 Uses advised against**

None known.

**1.3 Details of the supplier of the safety data sheet**

**Company** Ferdinand Bilstein GmbH + Co. KG  
 Wilhelmstr. 47  
 58256 Ennepetal / GERMANY  
 Phone +49 2333 911-0  
 Fax +49 2333 911-444  
 Homepage www.febi.com  
 E-mail info@febi.com

**Address enquiries to****Technical information** info@febi.com**Safety Data Sheet** info@febi.com**1.4 Emergency telephone number****Advisory body** +49 (0)89-19240 (24h) (English)**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture [REGULATION (EC) No 1272/2008]**

Eye Irrit. 2: H319 Causes serious eye irritation.

**2.2 Label elements**

The product is required to be labelled in accordance with regulation (EC) No 1272/2008 (CLP).

**Hazard pictograms****Signal word**

WARNING

**Hazard statements**

H319 Causes serious eye irritation.

**Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P280 Wear eye protection / face protection.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313 If eye irritation persists: Get medical advice / attention.  
 P501 Dispose of contents / container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal.

**Special labelling**

Contains: Calciumsulfonate, petroleum. EUH208 May produce an allergic reaction.

**2.3 Other hazards****Environmental hazards**

Does not contain any PBT or vPvB substances.

**Other hazards**

No particular hazards known.

### SECTION 3: Composition / Information on ingredients

#### Product-type:

3.2 The product is a mixture.

Range [%]	Substance
50 - < 100	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX GHS/CLP: Asp. Tox. 1: H304
1 - < 2,5	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts CAS: 85940-28-9, EINECS/ELINCS: 288-917-4 GHS/CLP: Eye Dam. 1: H318 - Skin Irrit. 2: H315 - Aquatic Chronic 2: H411
0,1 - < 1	Calciumsulfonate, petroleum CAS: 61789-86-4, EINECS/ELINCS: 263-093-9 GHS/CLP: Skin Sens. 1B: H317

#### Comment on component parts

Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.  
For full text of H-statements: see SECTION 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

<b>General information</b>	Change soaked clothing.
<b>Inhalation</b>	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
<b>Skin contact</b>	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Ingestion</b>	Do not induce vomiting. Consult a doctor immediately. Rinse out mouth and give plenty of water to drink.

#### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.  
Forward this sheet to the doctor.

### SECTION 5: Fire-fighting measures

#### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	Foam, dry powder, water spray jet, carbon dioxide.
<b>Extinguishing media that must not be used</b>	Full water jet.

#### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.  
Nitrogen oxides (NOx).

#### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.  
Use self-contained breathing apparatus.  
Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.  
Cool containers at risk with water spray jet.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.  
Forms slippery surfaces with water.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).  
Dispose of absorbed material in accordance within the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

No special measures necessary if used correctly.  
Use only in well-ventilated areas.  
Use solvent-resistant equipment.

The product is combustible.

Do not eat, drink or smoke when using this product.

After worktime and before work breaks the affected skin areas must be thoroughly cleaned.

Use barrier skin cream.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash before reuse.

Cloths contaminated with product should not be kept in trouser pockets.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.

Prevent penetration into the ground.

Do not store together with oxidizing agents.

Keep container in a well-ventilated place.

Keep container tightly closed.

### 7.3 Specific end use(s)

See product use, SECTION 1.2

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.11.2019, Revision 11.11.2019

Version 03. Supersedes version: 02

Page 4 / 11

## SECTION 8: Exposure controls / personal protection

### 8.1 Control parameters

#### Ingredients with occupational exposure limits to be monitored (GB)

not applicable

#### DNEL

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
Industrial, inhalative, Long-term - local effects: 5.6 mg/m <sup>3</sup> 5.6 mg/m <sup>3</sup> .
Industrial, dermal, Long-term - systemic effects: 1 mg/kg bw/day 5.6 mg/m <sup>3</sup> .
Industrial, inhalative, Long-term - systemic effects: 2.7 mg/m <sup>3</sup> .
general population, oral, Long-term - systemic effects: 0.74 mg/kg bw/day 5.6 mg/m <sup>3</sup> .
Calciumsulfonate, petroleum, CAS: 61789-86-4
Industrial, dermal, Long-term - systemic effects: 3,33 mg/kg bw/d.
Industrial, inhalative, Long-term - systemic effects: 11,75 mg/m <sup>3</sup> .
general population, inhalative, Long-term - systemic effects: 2,9 mg/m <sup>3</sup> .
general population, oral, Long-term - systemic effects: 0,8333 mg/kg bw/d.
general population, dermal, Long-term - systemic effects: 1,667 mg/kg bw/d.

#### PNEC

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
oral (food), 9,33 mg/kg.
Calciumsulfonate, petroleum, CAS: 61789-86-4
oral (food), 16 667 mg/kg food.
soil, 271 000 000 mg/kg dw.
sediment (seawater), 226 000 000 mg/kg dw.
sediment (freshwater), 226 000 000 mg/kg dw.
sewage treatment plants (STP), 1000 mg/l (AF=10).
seawater, 1 mg/l (AF=10000).
freshwater, 1 mg/l (AF=1000).

**Ferdinand Bilstein GmbH + Co. KG**

Date printed 11.11.2019, Revision 11.11.2019

Version 03. Supersedes version: 02

Page 5 / 11

**8.2 Exposure controls**

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. General exposure limit for oil mist should be noted.
<b>Eye protection</b>	Safety glasses. (EN 166:2001)
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. > 0,4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).
<b>Skin protection</b>	Light protective clothing.
<b>Other</b>	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
<b>Respiratory protection</b>	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
<b>Thermal hazards</b>	No information available.
<b>Delimitation and monitoring of the environmental exposition</b>	Comply with applicable environmental regulations limiting discharge to air, water and soil.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

<b>Form</b>	liquid
<b>Color</b>	light brown
<b>Odor</b>	characteristic
<b>Odour threshold</b>	not determined
<b>pH-value</b>	not applicable
<b>pH-value [1%]</b>	not applicable
<b>Boiling point [°C]</b>	not applicable
<b>Flash point [°C]</b>	208 °C/ 406°F
<b>Flammability (solid, gas) [°C]</b>	Not explosive.
<b>Lower explosion limit</b>	not self-igniting
<b>Upper explosion limit</b>	not applicable
<b>Oxidising properties</b>	no
<b>Vapour pressure/gas pressure [kPa]</b>	not determined
<b>Density [g/ml]</b>	0,85 (DIN 51757) (15 °C / 59,0 °F)
<b>Bulk density [kg/m³]</b>	not applicable
<b>Solubility in water</b>	immiscible
<b>Partition coefficient [n-octanol/water]</b>	not determined
<b>Viscosity</b>	29,94 mm²/s 40°C [104°F] (DIN 51562)
<b>Relative vapour density determined in air</b>	not determined
<b>Evaporation speed</b>	not determined
<b>Melting point [°C]</b>	not determined
<b>Autoignition temperature [°C]</b>	not applicable
<b>Decomposition temperature [°C]</b>	not determined

**9.2 Other information**

No information available.



Ferdinand Bilstein GmbH + Co. KG

Date printed 11.11.2019, Revision 11.11.2019

Version 03. Supersedes version: 02

Page 6 / 11

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

See SECTION 10.3.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.

Reactions with strong alkalis.

Reactions with strong acids.

### 10.4 Conditions to avoid

Strong heating.

### 10.5 Incompatible materials

Strong oxidizing agent.

See SECTION 10.3.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.



**SECTION 11: Toxicological information**

**11.1 Information on toxicological effects**

**Acute toxicity**

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.:
dermal, Based on the available information, the classification criteria are not fulfilled.:
oral, Based on the available information, the classification criteria are not fulfilled.:
Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LD50, dermal, Rabbit: >= 2000 mg/kg (OECD 402).
LD50, oral, Rat: >= 5000 mg/kg (OECD 401).
LC50, inhalative, Rat: >= 5,53 mg/l (OECD 403).
Calciumsulfonate, petroleum, CAS: 61789-86-4
dermal, > 10% Skin. Sen. 1B - H317.
LD50, oral, > 5000 mg/kg bw.

<b>Serious eye damage/irritation</b>	Toxicological data of complete product are not available. Irritant Calculation method
<b>Skin corrosion/irritation</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Respiratory or skin sensitisation</b>	Toxicological data of complete product are not available. No classification. Classification was carried out based on substance-specific concentration limits. May produce an allergic reaction.
<b>Specific target organ toxicity — single exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Specific target organ toxicity — repeated exposure</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Mutagenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Reproduction toxicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Carcinogenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Aspiration hazard</b>	Based on the available information, the classification criteria are not fulfilled.
<b>General remarks</b>	Toxicological data of complete product are not available. The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

## SECTION 12: Ecological information

### 12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.:
Substance
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
LC50, (96h), fish: 5 mg/l.
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
EL50, (24h), Daphnia magna: >10000 mg/l (OECD).
LL50, (96h), Pimephales promelas: >100 mg/l (OECD).
NOEL, (72h), Pseudokirchneriella subcapitata: >100 mg/l (OECD).
NOEL, (21d), Daphnia magna: 10 mg/l (OECD).
Calciumsulfonate, petroleum, CAS: 61789-86-4
LL50, (96h), fish: > 10 000 mg/l.

### 12.2 Persistence and degradability

<b>Behaviour in environment compartments</b>	not determined
<b>Behaviour in sewage plant</b>	not determined
<b>Biological degradability</b>	not determined

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Other adverse effects

Ecological data of complete product are not available.

Do not discharge product unmonitored into the environment or into the drainage.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material c It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

In according to RoHS!  
Disposal in an incineration plant in accordance with the regulations of the local authorities.

**Waste no. (recommended)** 130208\*

#### Contaminated packaging

Uncontaminated packaging may be taken for recycling.  
Packaging that cannot be cleaned should be disposed of as for product.

**Waste no. (recommended)** 150110\*



Ferdinand Bilstein GmbH + Co. KG

Date printed 11.11.2019, Revision 11.11.2019

Version 03. Supersedes version: 02

Page 9 / 11

## SECTION 14: Transport information

### 14.1 UN number

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

### 14.2 UN proper shipping name

Transport by land according to ADR/RID NO DANGEROUS GOODS

Inland navigation (ADN) NO DANGEROUS GOODS

Marine transport in accordance with IMDG NOT CLASSIFIED AS "DANGEROUS GOODS"

Air transport in accordance with IATA NOT CLASSIFIED AS "DANGEROUS GOODS"

### 14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

### 14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

**Ferdinand Bilstein GmbH + Co. KG**

Date printed 11.11.2019, Revision 11.11.2019

Version 03. Supersedes version: 02

Page 10 / 11

**14.5 Environmental hazards**

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

**14.6 Special precautions for user**

Relevant information under SECTION 6 to 8.

**14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code**

not applicable

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

**EEC-REGULATIONS** 1991/689 (2001/118); 2010/75; 2004/42; 648/2004; 1907/2006 (REACH); 1272/2008; 75/324/EEC (2016/2037/EC); (EU) 2015/830; (EU) 2016/131; (EU) 517/2014

**TRANSPORT-REGULATIONS** ADR (2019); IMDG-Code (2019, 39. Amdt.); IATA-DGR (2019)

**NATIONAL REGULATIONS (GB):** EH40/2005 Workplace exposure limits (Second edition, published December 2011).

- **Observe employment restrictions for people** Observe employment restrictions for mothers-to-be and nursing mothers. Observe employment restrictions for young people.

- **VOC (2010/75/CE)** not applicable

**15.2 Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****16.1 Hazard statements (SECTION 03)**

H317 May cause an allergic skin reaction.  
 H411 Toxic to aquatic life with long lasting effects.  
 H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H304 May be fatal if swallowed and enters airways.

Ferdinand Bilstein GmbH + Co. KG

Date printed 11.11.2019, Revision 11.11.2019

Version 03. Supersedes version: 02

Page 11 / 11

**16.2 Abbreviations and acronyms:**

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
 ATE = acute toxicity estimate  
 CAS = Chemical Abstracts Service  
 CLP = Classification, Labelling and Packaging  
 DMEL = Derived Minimum Effect Level  
 DNEL = Derived No Effect Level  
 EC50 = Median effective concentration  
 ECB = European Chemicals Bureau  
 EEC = European Economic Community  
 EINECS = European Inventory of Existing Commercial Chemical Substances  
 ELINCS = European List of Notified Chemical Substances  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
 IC50 = Inhibition concentration, 50%  
 IMDG = International Maritime Code for Dangerous Goods  
 IUCLID = International Uniform Chemical Information Database  
 LC50 = Lethal concentration, 50%  
 LD50 = Median lethal dose  
 LC0 = lethal concentration, 0%  
 LOAEL = lowest-observed-adverse-effect level  
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
 NOAEL = No Observed Adverse Effect Level  
 NOEC = No Observed Effect Concentration  
 PBT = Persistent, Bioaccumulative and Toxic substance  
 PNEC = Predicted No-Effect Concentration  
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
 STP = Sewage Treatment Plant  
 TLV@TWA = Threshold limit value – time-weighted average  
 TLV@STEL = Threshold limit value – short-time exposure limit  
 VOC = Volatile Organic Compounds  
 vPvB = very Persistent and very Bioaccumulative

**16.3 Other information****Classification procedure**

Eye Irrit. 2: H319 Causes serious eye irritation. (Calculation method)

**Modified position**

none