

SAFETY DATA SHEET

Paper Air Freshener/Black phantom

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the	ne substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Paper Air Freshener/Black phantom
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Identified uses	Air Freshener
Uses advised against	No specific uses advised against are identified.
1.3. Details of the supplier of the supplier of the supplier of the supplier of the supplication of the su	he safety data sheet
Supplier	Custom Accessories Europe The Granary Standen Manor Hungerford Berkshire RG17 0RB UK T: +44 (0) 1488 662770 F: +44 (0) 1488 662771 E: info@caeurope.co.uk
1.4. Emergency telephone nur	nber
Emergency telephone	+44 (0) 1488 662770 (9:00-17:00 Monday - Friday)
SECTION 2: Hazards identification	ation
2.1. Classification of the substa	ance or mixture
Classification (EC 1272/2008)	
Physical hazards	Not Classified
Health hazards	Skin Sens. 1 - H317
Environmental hazards	Aquatic Chronic 3 - H412
2.2. Label elements	
Pictogram	
Signal word	Warning
Hazard statements	H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects.

Precautionary statements	P102 Keep out of reach of children. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with local regulations.
Contains	benzyl salicylate, linalool, hexyl cinnamic aldehyde, Isocyclemone E
Supplementary precautionary	P302+P352 IF ON SKIN: Wash with plenty of water.

2.3. Other hazards

statements

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/informat	ion on ingredients	
3.2. Mixtures		
Naphtha (petroleum), hydrotreate	d heavy	20 - <40%
CAS number: 64742-48-9	EC number: 265-150-3	
Classification		
Asp. Tox. 1 - H304		
benzyl benzoate		10 - <25%
CAS number: 120-51-4	EC number: 204-402-9	
M factor (Acute) = 1		
Classification		
Acute Tox. 4 - H302		
Aquatic Acute 1 - H400		
Aquatic Chronic 3 - H412		
benzyl salicylate		2.5 - <5%
CAS number: 118-58-1	EC number: 204-262-9	
Classification		
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		
Aquatic Chronic 3 - H412		
Patchouli oil		1 - <5%
CAS number: 8014-09-3	EC number: 616-944-7	
Classification		
Asp. Tox. 1 - H304		

1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hex c]pyran	amethylindeno[5,6-	1 - <2.5%
CAS number: 1222-05-5	EC number: 214-946-9	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410		
Linalyl acetate		1 - <2.5%
CAS number: 115-95-7	EC number: 204-116-4	
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319		
hexyl cinnamic aldehyde		1 - <2.5%
CAS number: 101-86-0	EC number: 202-983-3	
Classification Skin Sens. 1 - H317		
linalool		1 - <2.5%
CAS number: 78-70-6	EC number: 201-134-4	
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317		
Bergamot, ext.		1 - <2.5%
CAS number: 8007-75-8	EC number: 289-612-9	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Asp. Tox. 1 - H304 Aquatic Chronic 2 - H411		

Isocyclemone E		1 - <2.5%
CAS number: 54464-57-2	EC number: 259-174-3	
M factor (Acute) = 1	M factor (Chronic) = 1	
Classification		
Skin Irrit. 2 - H315		
Skin Sens. 1 - H317		
Aquatic Acute 1 - H400		
Aquatic Chronic 1 - H410		
citral		<1%
CAS number: 5392-40-5	EC number: 226-394-6	
Classification		
Skin Irrit. 2 - H315		
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		
eugenol		<1%
CAS number: 97-53-0	EC number: 202-589-1	
Classification		
Eye Irrit. 2 - H319		
Skin Sens. 1 - H317		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures 4.1. Description of first aid measures		
Inhalation	The product is considered to be a low hazard under normal conditions of use. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.	
Ingestion	Rinse immediately with plenty of water. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention.	
Skin contact	Wash skin thoroughly with soap and water. In the event of any sensitisation symptoms developing, ensure further exposure is avoided. Get medical attention if irritation persists after washing.	
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse cautiously with water for several minutes. Get medical attention if any discomfort continues.	
4.2. Most important symptoms and effects, both acute and delayed		
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. The product contains a small amount of sensitising substance.	
Inhalation	Symptoms following overexposure may include the following: Headache.	
Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting.	

Skin contact	May cause sensitisation or allergic reactions in sensitive individuals.	
Eye contact	May be slightly irritating to eyes.	
4.3. Indication of any immedia	te medical attention and special treatment needed	
Notes for the doctor	Treat symptomatically.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.	
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.	
5.2. Special hazards arising from	om the substance or mixture	
Specific hazards	None known.	
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Carbon dioxide (CO2). Carbon monoxide (CO).	
5.3. Advice for firefighters		
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.	
SECTION 6: Accidental release	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet. Provide adequate ventilation. Avoid contact with eyes and prolonged skin contact.	
6.2. Environmental precaution	<u>s</u>	
Environmental precautions	Avoid discharge to the aquatic environment.	
6.3. Methods and material for containment and cleaning up		
Methods for cleaning up	Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.	
6.4. Reference to other sections		
Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.	
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		

Usage precautions

Read and follow manufacturer's recommendations. For personal protection, see Section 8. Keep out of the reach of children. The product contains a sensitising substance. Avoid contact with eyes and prolonged skin contact. Persons susceptible to allergic reactions should not handle this product.

Advice on general occupational hygiene	Do not eat, drink or smoke when using this product. Good personal hygiene procedures should be implemented. Wash hands thoroughly after handling.
7.2. Conditions for safe storage	e, including any incompatibilities
Storage precautions	Keep in a cool place. Do not store near heat sources or expose to high temperatures.
7.3. Specific end use(s)	
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
SECTION 8: Exposure Control	s/personal protection
8.1. Control parameters	
Ingredient comments	No exposure limits known for ingredient(s).
8.2. Exposure controls	
Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	No specific eye protection required during normal use. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Hand protection	No specific requirements are anticipated under normal conditions of use. Large Spillages: Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374.
Hygiene measures	Good personal hygiene procedures should be implemented. Persons susceptible to allergic reactions should not handle this product. When using do not eat, drink or smoke. Wash hands thoroughly after handling.
Respiratory protection	No specific requirements are anticipated under normal conditions of use. Large Spillages: Provide adequate ventilation. If ventilation is inadequate, suitable respiratory protection must be worn. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked.
Environmental exposure controls	Keep container tightly sealed when not in use. Avoid discharge to the aquatic environment.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance	Solid.
Colour	Not available.
Odour	Not available.
Odour threshold	Not available.
рН	Not applicable.
Melting point	Not available.
Initial boiling point and range	Not applicable.
Flash point	Not available.
Evaporation rate	Not available.

Evaporation factor	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Bulk density	Not available.
Solubility(ies)	Not available.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not available.
Explosive properties	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	
Other information	None.
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	There are no known reactivity hazards associated with this product.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
10.5. Incompatible materials	
Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
10.6. Hazardous decomposition products	
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
SECTION 11: Toxicological information	
11.1. Information on toxicolog	ical effects
Acute toxicity - oral	
Notes (oral LD₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	7,727.27

Acute toxicity - dermal Notes (dermal LD₅o)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met.
Respiratory sensitisation	
Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	May cause sensitisation or allergic reactions in sensitive individuals.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Based on available data the classification criteria are not met.
Carcinogenicity Carcinogenicity	Based on available data the classification criteria are not met.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Based on available data the classification criteria are not met.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Based on available data the classification criteria are not met.
Aspiration hazard Aspiration hazard	Not relevant. Solid.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. The product contains a sensitising substance.
Inhalation	Symptoms following overexposure may include the following: Headache.
Ingestion	May cause discomfort if swallowed. May cause stomach pain or vomiting.
Skin contact	May cause sensitisation or allergic reactions in sensitive individuals.
Eye contact	May cause temporary eye irritation.
Route of exposure	Inhalation Ingestion Skin and/or eye contact
Toxicological information on in	

benzyl benzoate

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg)	1,700.0
Species	Rat
Notes (oral LD₅₀)	Harmful if swallowed.
ATE oral (mg/kg)	1,700.0
Acute toxicity - dermal	
Acute toxicity dermal (LD₅₀ mg/kg)	2,001.0
Species	Rabbit
Notes (dermal LD₅₀)	Estimated value. REACH dossier information. Based on available data the classification criteria are not met.
ATE dermal (mg/kg)	2,001.0
Skin corrosion/irritation	
Animal data	Dose: 0.5 ml, 4 hours, Rabbit Erythema/eschar score: Very slight erythema - barely perceptible (1). Oedema score: No oedema (0). REACH dossier information. Based on available data the classification criteria are not met.
Skin sensitisation	
Skin sensitisation	Local Lymph Node Assay (LLNA) - Mouse: Not sensitising. REACH dossier information. Based on available data the classification criteria are not met.
Germ cell mutagenicity	
Genotoxicity - in vitro	Gene mutation: Negative. REACH dossier information. Based on available data the classification criteria are not met.
Genotoxicity - in vivo	DNA damage and/or repair: Negative. REACH dossier information. Based on available data the classification criteria are not met.
Specific target organ toxicit	y - repeated exposure
STOT - repeated exposure	NOAEL 781 mg/kg/day, Dermal, Rat REACH dossier information. Based on available data the classification criteria are not met.
Aspiration hazard	
Aspiration hazard	Not anticipated to present an aspiration hazard, based on chemical structure.
	benzyl salicylate
Acute toxicity - oral	
Notes (oral LD ₅₀)	No information available.
Acute toxicity - dermal	
Notes (dermal LD₅₀)	No information available.
Acute toxicity - inhalation	
Notes (inhalation LC₅₀)	No information available.
Skin corrosion/irritation	
Animal data	Dose: 0.5 ml, 4 hours, Rabbit Erythema/eschar score: Very slight erythema - barely perceptible (1). Oedema score: No oedema (0). REACH dossier information. Based on available data the classification criteria are not met

on available data the classification criteria are not met.

Serious eye damage/irritation Based on available data the classification criteria are not met. Serious eye damage/irritation Respiratory sensitisation Respiratory sensitisation No information available. Skin sensitisation Skin sensitisation Local Lymph Node Assay (LLNA) - Mouse: Sensitising. REACH dossier information. Germ cell mutagenicity Genotoxicity - in vitro Gene mutation: Negative. REACH dossier information. Based on available data the classification criteria are not met. Genotoxicity - in vivo Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met. Carcinogenicity No information available. Carcinogenicity Reproductive toxicity Reproductive toxicity -One-generation study - NOAEL 180 mg/kg/day, Oral, Rat P REACH dossier information. Based on available data the classification criteria are not met. fertility Maternal toxicity: - NOAEL: 360 mg/kg/day, Oral, Rat REACH dossier information. Reproductive toxicity development Based on available data the classification criteria are not met. Specific target organ toxicity - single exposure STOT - single exposure No information available. Specific target organ toxicity - repeated exposure STOT - repeated exposure Data lacking. Aspiration hazard Aspiration hazard Based on available data the classification criteria are not met. linalool Acute toxicity - oral Acute toxicity oral (LD₅₀ 2,790.0 mg/kg) Species Rat Notes (oral LD₅₀) REACH dossier information. Based on available data the classification criteria are not met. 2,790.0 ATE oral (mg/kg) Acute toxicity - dermal Acute toxicity dermal (LD₅₀ 5,610.0 mg/kg) **Species** Rabbit

Paper Air Freshener/Black phantom

	Notes (dermal LD₅₀)	REACH dossier information. Based on available data the classification criteria are not met.
	ATE dermal (mg/kg)	5,610.0
	Skin corrosion/irritation	
	Animal data	Dose: 0.5 ml, 4 hours, Rabbit Erythema/eschar score: Well defined erythema (2). Oedema score: Very slight oedema - barely perceptible (1). REACH dossier information. Irritating.
	Serious eye damage/irritation	on
	Serious eye damage/irritation	Dose: 0.1 ml, 1 second, Rabbit REACH dossier information. Causes serious eye irritation.
	Skin sensitisation	
	Skin sensitisation	Local Lymph Node Assay (LLNA) - Mouse: Sensitising. REACH dossier information. May cause an allergic skin reaction.
	Germ cell mutagenicity	
	Genotoxicity - in vitro	Gene mutation: Negative. REACH dossier information. Based on available data the classification criteria are not met.
	Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.
	Reproductive toxicity	
	Reproductive toxicity - fertility	Screening - NOAEL 500 mg/kg/day, Oral, Rat P REACH dossier information. Based on available data the classification criteria are not met.
	Reproductive toxicity - development	Maternal toxicity: - NOAEL: 500 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.
	Specific target organ toxicity - repeated exposure	
	STOT - repeated exposure	NOAEL 160 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.
	Aspiration hazard	
	Aspiration hazard	Not anticipated to present an aspiration hazard, based on chemical structure.
SECTION 1	2: Ecological Information	
12.1. Toxici	ty	
Toxicity		luct is not expected to be hazardous to the environment. However, large or frequent y have hazardous effects on the environment.
Ecological i	nformation on ingredients.	
		benzyl benzoate
	Acute aquatic toxicity	

LE(C)50	0.1 < L(E)C50 ≤ 1
M factor (Acute)	1
Acute toxicity - fish	LC₅₀, 96 hours: 2.32 mg/l, Brachydanio rerio (Zebra Fish) REACH dossier information.

Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 3.09 mg/l, Daphnia magna REACH dossier information.
Acute toxicity - aquatic plants	EC₅₀, 72 hours: 0.475 mg/l, Pseudokirchneriella subcapitata REACH dossier information.
Chronic aquatic toxicity	
Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 0.258 mg/l, Daphnia magna REACH dossier information.
	benzyl salicylate
Acute aquatic toxicity	
Acute toxicity - fish	LC₅₀, 96 hours: 1.03 mg/l, Brachydanio rerio (Zebra Fish) REACH dossier information.
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 1.16 mg/l, Daphnia magna REACH dossier information.
Acute toxicity - aquatic plants	EC₅₀, 72 hours: 1.29 mg/l, Selenastrum capricornutum REACH dossier information.
	linalool
Acute aquatic toxicity	
Acute toxicity - fish	LC₅₀, 96 hours: 27.8 mg/l, Oncorhynchus mykiss (Rainbow trout) REACH dossier information.
Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 59 mg/l, Daphnia magna REACH dossier information.
Acute toxicity - aquatic plants	EC₅₀, 96 hours: 88.3 mg/l, Scenedesmus subspicatus REACH dossier information.

12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients.

benzyl benzoate

Biodegradation	Water - Degradation 94: 28 days REACH dossier information. The substance is readily biodegradable.
	benzyl salicylate
Biodegradation	Water - Degradation 93: 28 days REACH dossier information. The substance is readily biodegradable.
	linalool
Biodegradation	Water - Degradation 64.2: 28 days REACH dossier information. The substance is readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential No data		available on bioaccumulation.
Partition coefficient Not avail		ilable.
Ecological information on ingredients.		
		benzyl benzoate
Bioaccumulativ	e potential	BCF: ~ 193.4, REACH dossier information. The product is not bioaccumulating.
Partition coefficient	cient	log Pow: ~ 3.97 REACH dossier information.
		benzyl salicylate
Bioaccumulativ	e potential	BCF: ~ 202, Estimated value. REACH dossier information. The product is not bioaccumulating.
Partition coeffic	cient	log Pow: 4 REACH dossier information.
		linalool
Partition coeffic	cient	log Pow: 2.9 REACH dossier information.
12.4. Mobility in soil		
Mobility	lity The product is insoluble in water.	
Ecological information on ingredients.		
		benzyl benzoate
Mobility		The product is partly soluble in water and may spread in the aquatic environment.
Adsorption/des coefficient	orption	Soil - Log Koc: 3.8 @ 40°C
		benzyl salicylate
Mobility		The product is partly soluble in water and may spread in the aquatic environment.
Surface tension	ו	69 mN/m @ 20°C REACH dossier information.
		linalool
Mobility		The product is water-soluble and may spread in water systems.
Surface tension	ı	8.3 mN/m @ 20°C REACH dossier information.
12.5. Results of PBT and vPvB assessment		
Results of PBT and vPvBThis product does not contain any substances classified as PBT or vPvB.assessment		
Ecological information on ingredients.		
		benzyl benzoate
Results of PBT assessment	and vPvB	This substance is not classified as PBT or vPvB according to current EU criteria.

benzyl salicylate

Results of PBT and vPvB	This substance is not classified as PBT or vPvB according to current EU criteria.
assessment	

linalool

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria. assessment

12.6. Other adverse effects

Other adverse effects Not known.

Ecological information on ingredients.

<u>_</u>		
	benzyl benzoate	
Other adverse e	effects Not known.	
	benzyl salicylate	
Other adverse e	effects Not known.	
	linalool	
Other adverse e	effects Not known.	
SECTION 13: Disposal consid	derations	
13.1. Waste treatment method	nds	
General information	The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. Avoid discharge to the aquatic environment. This material and its container must be disposed of in a safe way.	
Disposal methods	Waste packaging should be collected for reuse or recycling. Dispose of contents/container in accordance with local regulations.	
SECTION 14: Transport inform	mation	
General	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).	
14.1. UN number		
Not applicable.		
14.2. UN proper shipping nam	ne	
Not applicable.		
14.3. Transport hazard class((es <u>)</u>	
No transport warning sign req	ąuired.	
14.4. Packing group		

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and e	nvironmental regulations/legislation specific for the substance or mixture
National regulations	Health and Safety at Work etc. Act 1974 (as amended).
	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment
	Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
	EH40/2005 Workplace exposure limits.
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18
	December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
	Chemicals (REACH) (as amended).
	Commission Regulation (EU) No 2015/830 of 28 May 2015.
	Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16
	December 2008 on classification, labelling and packaging of substances and mixtures (as
	amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. ICAO-TI: Technical Instructions for the Safe Transport of Dangerous Goods by Air. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail. IMDG: International Maritime Dangerous Goods. LC₅₀: Lethal Concentration to 50 % of a test population. LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose). EC₅₀: 50% of maximal Effective Concentration. PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
Key literature references and sources for data	REACH dossier information. Source: European Chemicals Agency, http://echa.europa.eu/ Supplier's information.
Training advice	Read and follow manufacturer's recommendations.
Revision date	29/09/2017
SDS number	4918

Hazard statements in full	H226 Flammable liquid and vapour.
	H302 Harmful if swallowed.
	H304 May be fatal if swallowed and enters airways.
	H315 Causes skin irritation.
	H317 May cause an allergic skin reaction.
	H319 Causes serious eye irritation.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	H411 Toxic to aquatic life with long lasting effects.
	H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.